

## Chapter 50 - FIRE PREVENTION AND PROTECTION

[REDACTED]

**Sec. 50-48. - Order to install appliances.**

The fire chief or officers of the bureau of fire prevention shall survey inspectable buildings and order required fire appliances to be installed.

*(Ord. No. 28-04, pt. 1, 9-7-04)*

[REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

[REDACTED]

**Sec. 50-393. - Where required; compliance.**

- (a) All hood and duct systems shall be equipped with approved automatic fire extinguishing systems designed for both manual and automatic operation.
- (b) All hood and duct systems shall comply with the requirements of this division and NFPA 96.

*(Ord. No. 28-04, pt. 1, 9-7-04)*

[REDACTED]

■ [REDACTED]

**Sec. 50-408. - Where required.**

New buildings or facilities shall have an approved automatic sprinkler system, standpipe system, and suitable access to supplementary water supply installed and maintained as required by Wisconsin Administrative Code, Comm 1-70, or at any time that the bureau of fire prevention determines that, based on the standards of the NFPA, a building or facility constitutes a fire hazard.

*(Ord. No. 28-04, pt. 1, 9-7-04)*

**Sec. 50-409. - Application to existing buildings or facilities; appeals.**

- (a) Where the bureau of fire prevention finds that an existing building or facility constitutes a fire hazard to occupants of the building or facility or to adjoining property as a result of size, occupancy or change of occupancy, compliance with the provisions of this division may be required.

[REDACTED]

[REDACTED]