

Insert pages for September 1, 2011 Wisconsin Commercial Building Code, Comm 61-66, into the International Building Code, 2009 edition

Safety and Buildings Division - Wisconsin Department of Safety and Professional Services

IBC Chapter 11, Insert 11E, Page 1 of 1
Insert between pages 268 and 269

Comm 62.1110 Signage. (1) SIGNS. (a) *General.* Substitute the following wording for the requirements for location 1 in IBC section 1110.1: Except as specified par. (b), accessible parking spaces required in IBC section 1106 for the general public shall be identified with a sign complying with the accessible parking sign requirements specified in s. Trans 200.07. (b) *Exceptions.* 1. ‘Small parking facilities.’ Accessible parking spaces required by IBC section 1106.1 are not required to be signed when the total number of parking spaces provided is four or less.
2. ‘Employee and resident parking.’ Accessible parking facilities identified for use only by employees of any building or facility or by tenants in Group R–2 occupancies may be identified with signs other than the s. Trans 200.07 signs.

(2) DIRECTIONAL SIGNAGE. (a) Substitute the following wording for the introductory paragraph of IBC section 1110.2: Signage indicating directional information or information about functional spaces or signage indicating special accessibility provisions shall comply with ICC A117.1 and be provided at the following locations: