

Insert pages for September 1, 2011 Wisconsin Commercial Building Code, Comm 61-66, into the International Building Code, 2009 edition

Safety and Buildings Division - Wisconsin Department of Safety and Professional Services

IBC Chapter 29, Insert 29F, Page 1 of 1
Insert between pages 552 and 553

Comm 62.2902 Plumbing fixtures. (4) PUBLIC FACILITIES. This is a department exception to the requirements in IBC section 2902.4: Toilet rooms may be omitted in a small retail or mercantile building where all of the following requirements are met:

- (a) No more than 25 occupants are accommodated.
- (b) Other restrooms are conveniently located and available to the patrons and employees during all hours of operation.
- (c) The omission is approved in writing by the local unit of government.
- (d) A copy of the written approval from the local unit of government is provided to the department or its authorized representative upon request.

(5) LOCATION OF RESTAURANT TOILET ROOMS. This is a department informational note to be used under IBC section 2902.4:

Note: Additional requirements for restaurant toilet rooms may be applied by the Department of Health Services.

(6) PAY FACILITIES. Substitute the following wording for the requirements in IBC section 2902.4.3: All toilet facilities shall be free of charge.

Note: Section 146.085, Stats., prohibits charging a fee for the use of toilet facilities and imposes a fine of \$10 to \$50 for violations.

Comm 62.2903 Drinking facilities. This is a department rule in addition to the requirements in IBC section 2903: Drinking fountains, water coolers and bottled water dispensers may not be located or installed in public restrooms.