

Insert pages for September 1, 2011, Wisconsin Commercial Building Code, Comm 61-66, into the International Existing Building Code, 2009 edition

Safety and Buildings Division of the Wisconsin Department of Safety and Professional Services

IEBC Chapter 8, Insert 8A, Page 1 of 1  
Insert between pages 40 and 41

---

**Comm 66.0809 Plumbing.** These are department rules in addition to the requirements in IEBC chapter 8:

**(1)** Pursuant to s. 101.128, Stats., level 3 alterations within an existing facility where the public congregates shall necessitate that plumbing fixtures serving the work area be provided in a ratio of at least 2 water closets for females as to each water closet and urinal for the males.

**(2)** (a) Under this section “facility where the public congregates” has the meaning has given in s. 101.128 (1) (b), Stats.

**Note:** Section 101.128 (1) (b), Stats., reads: “Facility where the public congregates” means any of the following that has a general capacity or a seating capacity of 500 or more persons:

1. An amusement facility.
2. A convention or trade hall or center.
3. A specialty event center.
4. A sports or entertainment arena, center or building.
5. A stadium.
6. An airport, bus terminal, train station or other transportation center.

(b) Under this section “alterations” has the meaning has given in s. 101.128 (1) (d), Stats., for “renovation”.

**Note:** Section 101.128 (1) (d), Stats., reads: “Renovation” means any structural remodeling, improvement or alteration of an existing facility where the public congregates. “Renovation” does not include any of the following:

1. Reroofing.
2. Cosmetic remodeling, including painting or the installation of wall covering, of paneling, of floor covering or of suspended ceilings.
3. An alteration to an electrical or mechanical system.