

# Instructions to the 2002 Wisconsin Enrolled Commercial Building Code User: October 2003 Update

Amendments to the 2002 *Wisconsin Enrolled Commercial Building Code* are enclosed. These amendments resulted from several editorial corrections and additions that occurred while developing a Second Printing of the Enrolled Code. A summary of the amendments follows the instructions below.

The R2 suffix on the page numbers identifies the pages which include amendments or which include shifting of text to accommodate amendments on adjoining pages. The 2 in that suffix differentiates these amended pages from an earlier set of amended replacement pages, dated June 2002, which contained an R suffix.

To make your copy of Volume I of the 2002 Wisconsin Enrolled Commercial Building Code current, do the following:

- Step 1: Discard pages AE-3R and AE-4R and insert new pages AE-3R2 and AE-4R.
- Step 2: Discard pages AE-7R and AE-8R and insert new pages AE-7R2 and AE-8R2.
- Step 3: Discard pages AE-11R through AE-18R and insert new pages AE-11R2 through AE-18R2.
- Step 4: Discard pages B-i and B-iiR and insert new pages B-iR2 and B-iiR2.
- Step 5: Discard pages B-vR and B-vi and insert new pages B-vR2 and B-vi.
- Step 6: Discard pages B-17R and B-18 and insert new pages B-17R2 and B-18.
- Step 7: Discard pages B-23 and B-24 and insert new pages B-23 and B-24R2.
- Step 8: Discard pages B-65 and B-66R and insert new pages B-65 and B-66R2.
- Step 9: Discard pages B-159R and B-160 and insert new pages B-159R2 and B-160.
- Step 10: Discard pages B-177 through B-180 and insert new pages B-177R2, -178, -179, and -180R2.
- Step 11: Discard pages B-269R and B-270 and insert new pages B-269R2 and B-270.
- Step 12: Discard pages B-537R and B-538 and insert new pages B-537R2 and B-538.
- Step 13: Discard pages B-547R and B-548R and insert new pages B-547R2 and B-548R.
- Step 14: Discard pages B-565R and B-566 and insert new pages B-565R2 and B-566.
- Step 15: Discard pages B-579R and B-580 and insert new pages B-579R2 and B-580R2.
- Step 16: Discard pages B-585 and B-586 and insert new pages B-585 and B-586R2.

To make your copy of Volume II of the 2002 Wisconsin Enrolled Commercial Building Code current, do the following:

- Step 1: Discard pages EC-iR and EC-ii and insert new pages EC-iR2 and EC-ii.
- Step 2: Discard pages EC-13 and EC-14 and insert new pages EC-13R2 and EC-14R2.
- Step 3: Discard pages EC-39R through EC-42 and insert new pages EC-39R2 through EC-42.
- Step 4: Discard pages EC-71 and EC-72R and insert new pages EC-71 and EC-72R2.
- Step 5: Discard pages EC-79R and EC-80 and insert new pages EC-79R2 and EC-80R2.
- Step 6: Discard pages EC-83 and EC-84 and insert new pages EC-83 and EC-84R2.
- Step 7: Discard pages EC-87 and EC-88R and insert new pages EC-87 and EC-88R2.

- Step 8: Discard pages EC-93R and EC-94R and insert new pages EC-93R2 and EC-94R.
- Step 9: Discard pages M-iR and M-iiR and insert new pages M-iR2 and M-iiR2.
- Step 10: Discard pages M-11R and M-12 and insert new pages M-11R2 and M-12.
- Step 11: Discard pages M-21R and M-22R and insert new pages M-21R2 and M-22R.
- Step 12: Discard pages M-25R and M-26R and insert new pages M-25R2 and M-26R2.
- Step 13: Discard pages M-57 and M-58 and insert new pages M-57R2 and M-58.
- Step 14: Discard pages M-61 and M-62 and insert new pages M-61R2 and M-62.
- Step 15: Discard pages FG-iR and FG-ii and insert new pages FG-iR2 and FG-ii.
- Step 16: Discard pages FG-11 and FG-12 and insert new pages FG-11 and FG-12R2.
- Step 17: Discard pages FG-15R and FG-16R and insert new pages FG-15R2 and FG-16R.
- Step 18: Discard pages FG-17R and FG-18R and insert new pages FG-17R2 and FG-18R.
- Step 19: Discard pages FG-19R and FG-20R and insert new pages FG-19R and FG-20R2.
- Step 20: Discard pages FG-33 and FG-34 and insert new pages FG-33 and FG-34R2.

The amendments consist of the following corrections and additions:

1. On page AE-3, in the Note under section Comm 61.03 (2) (c), an inapplicable reference to section Comm 62.0100 (1) was deleted.
2. On page AE-8, the title of subchapter III was updated to include “and Related Functions.”
3. On page AE-11, new section Comm 61.39 was added, for registering cross connection control devices.
4. On pages B-i, B-ii, B-v, EC-i, M-i, and FG-i, applicable page numbers in each Table of Contents were updated to reflect the R2 suffix.
5. On page B-17, in Table 302.3.3, footnote e was added to Use E along the left column, footnote h was added to Use A-2 along the top row, footnotes d and f were added to Use A-3 along the top row, and “-” was substituted for “2” in column B, row E.
6. On page B-24, in Table 307.7(1), in the CLASS/Combustible-liquid cell, “IIA” was corrected to “IIIA.”
7. On page B-66, in Exception 1 under Section 507.2, “NFPA 231C” (which has been merged into NFPA 13) was updated to “NFPA 13.”
8. On page B-159, in the exceptions under 905.3.1, Exception 4 was split out of Exception 3, which corrected an erroneous reference to Section 905.5.4. (There is no Section 905.5.4 – Exception 4 was inappropriately added to Exception 3 after the First Printing of the IBC.)
9. On page B-177, in Table 910.3, a description was added for “H,” for calculating the minimum curtain board depth in a Group F Occupancy.
10. On page B-180, in Table 1003.2.2.2, the order of the floor areas for an airport terminal was corrected to be 20, 300, 100, and 15.
11. On page B-269, at the end of footnote d, “[Comm 62.1609 (2) (a)]” was added; and at the end of footnote e, “[Comm 62.1609 (2) (b)]” was added.
12. On page B-537, in Section 3006.5, “3-8.15” was corrected to “3-9.4.”
13. On page B-547, in Section 3408.3 (b), “3407” was corrected to “3408.7.”
14. On page B-565, the outdated reference to NFPA Standard 231C was deleted, and the corresponding reference to IBC Section 507.2 was added to the sections listed for NFPA 13.

15. On page B-580, the indexed section for corridor was corrected from “1004.3.3” to “1004.3.2,” and the indexed section for open-ended corridor was corrected from “1003.3.6” to “1005.3.6.5.”
16. On page B-586, one of the two indexed sections for headroom was corrected from “1002.2.5.1” to “1003.2.4.”
17. On page EC-13, under Section 402.1, an informational note about the REScheck™ program was added.
18. On page EC-39, Table 503.3.3.3 was deleted, because section Comm 63.0803 (2) (f) applies instead in Wisconsin.
19. On page EC-72, in the reference to ASTM Standard C 518-98, “Table 503.3.3.3” was corrected to “Comm 63.1018 (2) (a) 2.”
20. On page EC-80, in the Note about the ComCheck-EZ program, the Web site address was updated.
21. On page EC-84, in the second Note under Comm 63.1016, the ComCheck Web site address was updated.
22. On page EC-88, in section Comm 63.1020 (6), an inapplicable reference to section Comm 63.0504 (1) was deleted.
23. On page EC-93, in footnote a for Table 63.1029-1, “Table Comm 63.0803-2” was corrected to “Table 63.1029-2;” and in Comm 63.1042 (5), “s. Comm 73.21” was corrected to “IBC Section 1003.2.11.”
24. On page M-11, in the definition of Unusually Tight Construction, two cross references to other code sections were corrected. Corresponding corrections were likewise made on page M-57, in the Comm 64.0702 (2) Note; on page FG-12, in the definition of Unusually Tight Construction; and on page FG-17, in the Comm 65.0304 (2) Note.
25. On page M-21, “Comm 64.0401 (4)” was corrected to “401.5.1 [Comm 64.0401 (4)] Intake openings.”
26. On page M-25, in footnote k, “(5)” was updated to “(8).”
27. On page M-26, in section Comm 64.0403 (8) (c) 2, “(4) (e)” was updated to “(6) (d).”
28. On page M-61, in the Note under section Comm 64.0801 (2), “ch. Comm 65, subch. II, Part 6” was corrected to “s. Comm 65.0620.”
29. On page FG-15, at the bottom of the right-hand column, repetitious Section 301.1 was deleted.
30. On page FG-20, in section Comm 65.0305 (1), “Comm 64.0304” was changed to “Comm 61.05.”
31. On page FG-34, in Section 503.8, the reference to Appendix C (which doesn’t apply in Wisconsin) was deleted.

If you or a colleague would like additional update packages,  
they may downloaded free of charge from the  
Safety and Buildings Division Web site at [www.commerce.state.wi.us](http://www.commerce.state.wi.us).

If you would like to purchase a single-user, compact-disc version of the  
Enrolled Code, which includes comprehensive search capabilities and hyperlinks to  
cross-referenced code sections, please use the order form below.

---

**Compact Disc** version of the  
*Wisconsin Enrolled Commercial Building Code*

Company or individual name: \_\_\_\_\_

Shipping street address: \_\_\_\_\_

City, state, zip: \_\_\_\_\_

Special instructions, such as shipping company and your customer number  
for overnight shipping:

\_\_\_\_\_

Telephone number: \_\_\_\_\_

How many CDs are you ordering? \_\_\_\_\_ (\$240 × number = check amount \_\_\_\_\_)

Fiscal code 8035/Personal information you provide may be used for secondary purposes [Privacy Law, s. 1504(1)(m)]

Send a copy of this form and a check to the "Safety and Buildings Division,"  
Attn: Roberta Ward, PO Box 2689, Madison WI 53701

(The Department of Commerce cannot accept credit card payments.)