



Department of Commerce  
 Safety & Buildings Division  
 201 West Washington Avenue  
 P.O. Box 2658  
 Madison, WI 53701-2658

Evaluation # 200307-A

(INCOMPLETE ELECTRONIC VERSION, CONTACT DEPT)

## Wisconsin Building Products Evaluation

Material

Modular Building Systems  
 "Relocatable Office, Model F-8464"

Manufacturer

Markline Industries, Inc.  
 51687 C.R. 133  
 Bristol, IN 46507

**SCOPE OF EVALUATION**

**GENERAL:** This report evaluates Model F-8464 modular building (relocatable office), manufactured by Markline Industries, Inc., for compliance with the requirements of the current **Wisconsin Commercial Building Code (WCBC), Chapters Comm 61-65**. Pursuant to **s. Comm 61.60 (2)**, the Model F-8464 modular building (relocatable office) is approved for use in the State of Wisconsin.

This evaluation does not include a review for compliance to provisions of the current **Wisconsin Commercial Building Code (WCBC)**, as listed under the **LIMITATIONS OF APPROVAL** section.

The use of Model F-8464 modular building (relocatable office) is subject to the limitations and conditions described in this evaluation.

**DESCRIPTION AND USE**

The Model F-8464 modular building (relocatable office), consist of two end-bay modules of 11'-7 3/8" and five interior modules of 11'-9 3/4", width is 60'-0" and the overall length is 82'- 3". The structure is Type VB (**s. IBC 602.5 and Table 601**) construction without approved automatic fire sprinkler system protection.

**General Construction Specifications for the Model F-8464 Modular Building 7-Unit (relocatable office):**

**Undercarriage:** (typical for all units): Main beam members are 12" I-beams (ASTM A-36 Steel). Formed steel 10" I-beams (ASTM A 570), cross member spacing is 48" on center, but as required per tire. Outriggers are formed ASTM A 570 steel, 48" on center. Remove hitch assembly as per manufacturer at the building site after the unit is set.