

**HOLDING TANK REVIEW – WHERE ARE PLANS SUBMITTED?**

Wastewater Type	Estimated Daily Flow (GPD)	Department [Table 83.22-1]	Designated County Agent [Table 83.22-2]	Governmental Unit (County) [Table 83.22-3]	DNR
Domestic <sup>1</sup>	< 3,000			X	
Domestic <sup>1</sup>	≥ 3,000	X	X		
Domestic/Industrial <sup>2</sup>	< 3,000	X			
	≥ 3,000				
Industrial <sup>3</sup>	< 3,000				X
	≥ 3,000				

1. May include wastewater from “commercial” and/or “public facilities” such as office buildings, shopping centers, restaurants, etc
2. Plans for POWTS designed to accept co-mingled domestic/industrial wastewater are reviewed by the department of Commerce with concurrence from the department of Natural Resources. [Note: See s. Comm 83.32(3)(a), Wis. Adm. Code, for additional examples of “Industrial Wastewater” as determined by the department of Natural Resources.]
3. Plans for Holding Tanks designed to accept industrial wastewater only (regardless of gpd estimated flow) are reviewed by the department of Natural Resources. [Note: such systems are not considered a POWTS]

**TYPES OF HOLDING TANK COMPONENT – WHERE ARE PLANS SUBMITTED?**

Type of Holding Tank Component	Approved via s. Comm 84.10(2) or (3)	Department [Table 83.22-1]	Designated County Agent [Table 83.22-2]	Governmental Unit (County) [Table 83.22-3]
Precast	Yes	X	X	X
Prefabricated	Yes	X	X	X
Site Constructed	Yes	X	X	X
Site Constructed	No	X		