20130341 A
~~20100137~~ AFC

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	6/28/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO, INC., ST. BONIFACIUS, MN

TITLE

750 GALLON LOW PROFILE SEPTIC TANK WISCONSIN

SIZE		NORWESCO P/N: 43495	REV
B		SNYDER IND. P/N: 1007100W95301	
SCALE: 1/16			SHEET 1 OF 2

20130341A



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	80 IN
INTERIOR LENGTH @ LIQUID LEVEL	86 IN
INTERIOR LENGTH @ BOTTOM	80 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	750 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

Conditionally APPROVED
DEPARTMENT OF COMMERCE
PLUMBING SAFETY AND BUILDINGS

DRAWN	Todd Bolzer	6/28/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO, INC., ST. BONIFACIUS, MN

TITLE

750 GALLON LOW PROFILE SEPTIC TANK
WISCONSIN

SIZE			REV
B			
SCALE: 1/16		SHEET 2 OF 2	

20130341A

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally APPROVED
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	6/28/2011	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED			TITLE: 750 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN
QA			
MFG			
APPROVED			SIZE: B; REV
			SCALE: 1/16; SHEET 1 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

20130341 A

Conditionally APPROVED

SEE CORRESPONDENCE



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	80 IN
INTERIOR LENGTH @ LIQUID LEVEL	86 IN
INTERIOR LENGTH @ BOTTOM	80 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	750 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

DRAWN Todd Bolzer	6/28/2011	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 750 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN
QA		
MFG		
APPROVED		SIZE B — REV
		SCALE: 1/16 — SHEET 2 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

20130341 A





SECTION A-A
SCALE 1 /8



DETAIL B
SCALE 1 / 2

DRAWN Todd Bolzer	5/10/2009	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 15 INCH LOW PROFILE MAN HOLE EXTENSION
QA		
MFG		
APPROVED		SIZE B / DWG NO / REV E
		SCALE: 1/16 / SHEET 1 OF 1

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS