20130342 A

20140142 C

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



DRAWN	Todd Bolzer	5/27/2011	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED			TITLE: 1000 GALLON LOW PROFILE SEPTIC TANK WISCONSIN
QA			
MFG			
APPROVED			
SIZE: B			NORWESCO P/N: 43496 SNYDER IND. P/N: 1006B00W95301
SCALE: 1/16			SHEET 1 OF 2

Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

20130342 A



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	115 IN
INTERIOR LENGTH @ LIQUID LEVEL	120 IN
INTERIOR LENGTH @ BOTTOM	115 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	1004 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1000 GALLON LOW PROFILE SEPTIC TANK
WISCONSIN

SIZE B | REV

SCALE: 1/16

SHEET 2 OF 2

20130342 A

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally
APPROVED

SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1000 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN

SIZE			REV
B			

SCALE: 1/16 SHEET 1 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

Conditionally
APPROVED

20130342 A

SEE CORRESPONDENCE



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	115 IN
INTERIOR LENGTH @ LIQUID LEVEL	120 IN
INTERIOR LENGTH @ BOTTOM	115 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	1004 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1000 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN

SIZE B | REV

SCALE: 1/16 | SHEET 2 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

20130342 A





SECTION A-A
SCALE 1 /8



DETAIL B
SCALE 1 / 2

DRAWN Todd Bolzer	5/10/2009	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 15 INCH LOW PROFILE MAN HOLE EXTENSION
QA		
MFG		
APPROVED		SIZE B / DWG NO / REV E
		SCALE: 1/16 / SHEET 1 OF 1

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS