20130345 A

20100147 E

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO, INC., ST. BONIFACIUS, MN

TITLE

1500 GALLON LOW PROFILE SEPTIC TANK WISCONSIN

SIZE	NORWESCO P/N: 43498	REV
B	SNYDER IND. P/N: 1007000W95301	

SCALE: 1/16 SHEET 1 OF 2

20130345 A



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	145 IN
INTERIOR LENGTH @ LIQUID LEVEL	151 IN
INTERIOR LENGTH @ BOTTOM	145 IN
INTERIOR WIDTH @ TOP	9 IN
INTERIOR WIDTH @ LIQUID LEVEL	59 IN
INTERIOR WIDTH @ BOTTOM	49 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	1500 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1500 GALLON LOW PROFILE SEPTIC TANK
WISCONSIN

SIZE B | REV
SCALE: 1/16
SHEET 2 OF 2

20130345 A

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally
APPROVED

SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1500 GALLON LOW PROFILE HOLDING AND PUMP TANK MINNESOTA

SIZE			REV
B			

SCALE: 1/16 SHEET 1 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

Conditionally APPROVED

20130345 A



SEE CORRESPONDENCE

SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	145 IN
INTERIOR LENGTH @ LIQUID LEVEL	151 IN
INTERIOR LENGTH @ BOTTOM	145 IN
INTERIOR WIDTH @ TOP	9 IN
INTERIOR WIDTH @ LIQUID LEVEL	59 IN
INTERIOR WIDTH @ BOTTOM	49 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	1500 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1500 GALLON LOW PROFILE HOLDING AND PUMP TANK MINNESOTA

SIZE B | REV

SCALE: 1/16 | SHEET 2 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDING

Conditionally
APPROVED

20130345A

SEE CORRESPONDENCE





SECTION A-A
SCALE 1 /8



DETAIL B
SCALE 1 / 2

DRAWN Todd Bolzer	5/10/2009	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 15 INCH LOW PROFILE MAN HOLE EXTENSION
QA		
MFG		
APPROVED		SIZE B / DWG NO / REV E
		SCALE: 1/16 / SHEET 1 OF 1

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS