


## 1500 GALLON 2 COMP. TANK

1/2" = 1'-0"




## A/A SECTION

1/2" = 1'-0"

NOTE:

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID.

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS

| | | |
|---|---|---|
| 1500 GALLON 2 COMP. SEPTIC TANK (1500-2C) | Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1509 GAL. |




## 1500 GALLON 2 COMP. TANK

1/2" = 1'-0"




## A/A SECTION

1/2" = 1'-0"

NOTE:

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID.

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS

| | | |
|---|---|---|
| 1500 GALLON 2 COMP. SEPTIC TANK (1500-2C-R) | Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1509 GAL. |




B/B SECTION

1/2" = 1'-0"

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS

NOTE:

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID.

| | | |
|---|---|---|
| 1500 GALLON 2 COMP. SEPTIC TANK (1500-2C-R) | Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1509 GAL. |




## 1500 GALLON 2 COMP. TANK

1/2" = 1'-0"




## A/A SECTION

1/2" = 1'-0"

NOTE:

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID.

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS

| | | |
|---|---|---|
| 1500 GALLON 2 COMP. SEPTIC TANK (1500-2C-L) | Bruce Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1509 GAL. |




B/B SECTION

1/2" = 1'-0"

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS

NOTE:

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID.

| | | |
|---|---|---|
| 1500 GALLON 2 COMP. SEPTIC TANK (1500-2C-L) | Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1509 GAL. |




## 1500 GALLON TANK W/ MOLE HOLE

1/2" = 1'-0"




A/A SECTION

1/2" = 1'-0"

NOTE

1. PROVIDE MINIMUM 1" CLEAR BETWEEN TOP OF BAFFLE AND UNDERSIDE OF LID
2. MOLE HOLE IS CENTERED IN WIDTH OF TANK.

| | | |
|---|---|---|
| 1500 GALLON SEPTIC TANK W/ MOLE HOLE/TRANSFER HOLE (1500 ST-MH) | Wilbert | WEIGHT=13,600# MAX. SOIL COVER= 7'-0" TOTAL LIQUID VOLUME= 1503 GAL. |

Conditionally APPROVED

SEE CORRESPONDENCE

20140128

RECEIVED

APR 16 2014

SAFETY & BUILDINGS