20160106 B

(8') G6-SWT 8,000 Gallon

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	220	12 1/8	589	18 1/8	1059	24 1/8	1603
1/4	6	6 1/4	226	12 1/4	598	18 1/4	1069	24 1/4	1615
3/8	8	6 3/8	232	12 3/8	607	18 3/8	1080	24 3/8	1627
1/2	10	6 1/2	239	12 1/2	616	18 1/2	1091	24 1/2	1639
5/8	12	6 5/8	246	12 5/8	625	18 5/8	1101	24 5/8	1651
3/4	15	6 3/4	252	12 3/4	634	18 3/4	1112	24 3/4	1663
7/8	17	6 7/8	259	12 7/8	643	18 7/8	1123	24 7/8	1675
1	20	7	266	13	652	19	1134	25	1688
1 1/8	23	7 1/8	273	13 1/8	661	19 1/8	1145	25 1/8	1700
1 1/4	26	7 1/4	280	13 1/4	670	19 1/4	1156	25 1/4	1712
1 3/8	29	7 3/8	287	13 3/8	679	19 3/8	1167	25 3/8	1724
1 1/2	33	7 1/2	294	13 1/2	689	19 1/2	1178	25 1/2	1736
1 5/8	36	7 5/8	301	13 5/8	698	19 5/8	1189	25 5/8	1749
1 3/4	40	7 3/4	308	13 3/4	707	19 3/4	1200	25 3/4	1761
1 7/8	43	7 7/8	315	13 7/8	717	19 7/8	1211	25 7/8	1773
2	47	8	322	14	726	20	1222	26	1785
2 1/8	51	8 1/8	329	14 1/8	736	20 1/8	1233	26 1/8	1798
2 1/4	55	8 1/4	337	14 1/4	745	20 1/4	1244	26 1/4	1810
2 3/8	59	8 3/8	344	14 3/8	755	20 3/8	1255	26 3/8	1822
2 1/2	63	8 1/2	352	14 1/2	764	20 1/2	1266	26 1/2	1835
2 5/8	68	8 5/8	359	14 5/8	774	20 5/8	1278	26 5/8	1847
2 3/4	72	8 3/4	367	14 3/4	784	20 3/4	1289	26 3/4	1860
2 7/8	76	8 7/8	374	14 7/8	793	20 7/8	1300	26 7/8	1872
3	81	9	382	15	803	21	1312	27	1885
3 1/8	86	9 1/8	390	15 1/8	813	21 1/8	1323	27 1/8	1897
3 1/4	90	9 1/4	397	15 1/4	823	21 1/4	1334	27 1/4	1910
3 3/8	95	9 3/8	405	15 3/8	833	21 3/8	1346	27 3/8	1922
3 1/2	100	9 1/2	413	15 1/2	843	21 1/2	1357	27 1/2	1935
3 5/8	105	9 5/8	421	15 5/8	853	21 5/8	1369	27 5/8	1947
3 3/4	110	9 3/4	429	15 3/4	863	21 3/4	1380	27 3/4	1960
3 7/8	115	9 7/8	437	15 7/8	873	21 7/8	1392	27 7/8	1972
4	120	10	445	16	883	22	1403	28	1985
4 1/8	126	10 1/8	453	16 1/8	893	22 1/8	1415	28 1/8	1998
4 1/4	131	10 1/4	461	16 1/4	903	22 1/4	1426	28 1/4	2010
4 3/8	136	10 3/8	469	16 3/8	913	22 3/8	1438	28 3/8	2023
4 1/2	142	10 1/2	478	16 1/2	923	22 1/2	1449	28 1/2	2036
4 5/8	147	10 5/8	486	16 5/8	933	22 5/8	1461	28 5/8	2049
4 3/4	153	10 3/4	494	16 3/4	944	22 3/4	1473	28 3/4	2061
4 7/8	159	10 7/8	503	16 7/8	954	22 7/8	1485	28 7/8	2074
5	165	11	511	17	964	23	1496	29	2087
5 1/8	170	11 1/8	519	17 1/8	975	23 1/8	1508	29 1/8	2100
5 1/4	176	11 1/4	528	17 1/4	985	23 1/4	1520	29 1/4	2112
5 3/8	182	11 3/8	537	17 3/8	995	23 3/8	1532	29 3/8	2125
5 1/2	188	11 1/2	545	17 1/2	1006	23 1/2	1544	29 1/2	2138
5 5/8	194	11 5/8	554	17 5/8	1016	23 5/8	1555	29 5/8	2151
5 3/4	201	11 3/4	563	17 3/4	1027	23 3/4	1567	29 3/4	2164
5 7/8	207	11 7/8	571	17 7/8	1037	23 7/8	1579	29 7/8	2177
6	213	12	580	18	1048	24	1591	30	2190

(8') G6-SWT 8,000 Gallon

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2203	36 1/8	2840	42 1/8	3501	48 1/8	4170	54 1/8	4833
30 1/4	2216	36 1/4	2854	42 1/4	3515	48 1/4	4184	54 1/4	4847
30 3/8	2229	36 3/8	2867	42 3/8	3529	48 3/8	4198	54 3/8	4861
30 1/2	2242	36 1/2	2881	42 1/2	3543	48 1/2	4212	54 1/2	4874
30 5/8	2255	36 5/8	2895	42 5/8	3557	48 5/8	4226	54 5/8	4888
30 3/4	2268	36 3/4	2908	42 3/4	3571	48 3/4	4240	54 3/4	4902
30 7/8	2281	36 7/8	2922	42 7/8	3584	48 7/8	4254	54 7/8	4915
31	2294	37	2936	43	3598	49	4267	55	4929
31 1/8	2307	37 1/8	2949	43 1/8	3612	49 1/8	4281	55 1/8	4942
31 1/4	2320	37 1/4	2963	43 1/4	3626	49 1/4	4295	55 1/4	4956
31 3/8	2333	37 3/8	2977	43 3/8	3640	49 3/8	4309	55 3/8	4970
31 1/2	2346	37 1/2	2990	43 1/2	3654	49 1/2	4323	55 1/2	4983
31 5/8	2359	37 5/8	3004	43 5/8	3668	49 5/8	4337	55 5/8	4997
31 3/4	2372	37 3/4	3018	43 3/4	3682	49 3/4	4351	55 3/4	5010
31 7/8	2385	37 7/8	3031	43 7/8	3696	49 7/8	4365	55 7/8	5024
32	2399	38	3045	44	3710	50	4379	56	5037
32 1/8	2412	38 1/8	3059	44 1/8	3724	50 1/8	4393	56 1/8	5051
32 1/4	2425	38 1/4	3072	44 1/4	3738	50 1/4	4406	56 1/4	5064
32 3/8	2438	38 3/8	3086	44 3/8	3752	50 3/8	4420	56 3/8	5078
32 1/2	2451	38 1/2	3100	44 1/2	3766	50 1/2	4434	56 1/2	5091
32 5/8	2465	38 5/8	3114	44 5/8	3780	50 5/8	4448	56 5/8	5105
32 3/4	2478	38 3/4	3127	44 3/4	3793	50 3/4	4462	56 3/4	5118
32 7/8	2491	38 7/8	3141	44 7/8	3807	50 7/8	4476	56 7/8	5132
33	2504	39	3155	45	3821	51	4490	57	5145
33 1/8	2518	39 1/8	3169	45 1/8	3835	51 1/8	4503	57 1/8	5158
33 1/4	2531	39 1/4	3182	45 1/4	3849	51 1/4	4517	57 1/4	5172
33 3/8	2544	39 3/8	3196	45 3/8	3863	51 3/8	4531	57 3/8	5185
33 1/2	2558	39 1/2	3210	45 1/2	3877	51 1/2	4545	57 1/2	5199
33 5/8	2571	39 5/8	3224	45 5/8	3891	51 5/8	4559	57 5/8	5212
33 3/4	2584	39 3/4	3238	45 3/4	3905	51 3/4	4572	57 3/4	5225
33 7/8	2598	39 7/8	3251	45 7/8	3919	51 7/8	4586	57 7/8	5239
34	2611	40	3265	46	3933	52	4600	58	5252
34 1/8	2624	40 1/8	3279	46 1/8	3947	52 1/8	4614	58 1/8	5265
34 1/4	2638	40 1/4	3293	46 1/4	3961	52 1/4	4628	58 1/4	5279
34 3/8	2651	40 3/8	3307	46 3/8	3975	52 3/8	4641	58 3/8	5292
34 1/2	2665	40 1/2	3321	46 1/2	3989	52 1/2	4655	58 1/2	5305
34 5/8	2678	40 5/8	3334	46 5/8	4003	52 5/8	4669	58 5/8	5318
34 3/4	2692	40 3/4	3348	46 3/4	4017	52 3/4	4683	58 3/4	5332
34 7/8	2705	40 7/8	3362	46 7/8	4031	52 7/8	4696	58 7/8	5345
35	2719	41	3376	47	4045	53	4710	59	5358
35 1/8	2732	41 1/8	3390	47 1/8	4059	53 1/8	4724	59 1/8	5371
35 1/4	2746	41 1/4	3404	47 1/4	4073	53 1/4	4738	59 1/4	5385
35 3/8	2759	41 3/8	3418	47 3/8	4086	53 3/8	4751	59 3/8	5398
35 1/2	2773	41 1/2	3432	47 1/2	4100	53 1/2	4765	59 1/2	5411
35 5/8	2786	41 5/8	3445	47 5/8	4114	53 5/8	4779	59 5/8	5424
35 3/4	2800	41 3/4	3459	47 3/4	4128	53 3/4	4792	59 3/4	5437
35 7/8	2813	41 7/8	3473	47 7/8	4142	53 7/8	4806	59 7/8	5450
36	2827	42	3487	48	4156	54	4820	60	5463

20160106 B

(8') G6-SWT 8,000 Gallon

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	5477	66 1/8	6084	72 1/8	6641	78 1/8	7126	84 1/8	7517
60 1/4	5490	66 1/4	6097	72 1/4	6651	78 1/4	7135	84 1/4	7524
60 3/8	5503	66 3/8	6109	72 3/8	6662	78 3/8	7144	84 3/8	7530
60 1/2	5516	66 1/2	6121	72 1/2	6673	78 1/2	7154	84 1/2	7537
60 5/8	5529	66 5/8	6133	72 5/8	6684	78 5/8	7163	84 5/8	7544
60 3/4	5542	66 3/4	6145	72 3/4	6695	78 3/4	7172	84 3/4	7551
60 7/8	5555	66 7/8	6157	72 7/8	6706	78 7/8	7181	84 7/8	7557
61	5568	67	6169	73	6716	79	7190	85	7564
61 1/8	5581	67 1/8	6181	73 1/8	6727	79 1/8	7199	85 1/8	7570
61 1/4	5594	67 1/4	6193	73 1/4	6738	79 1/4	7207	85 1/4	7577
61 3/8	5607	67 3/8	6205	73 3/8	6748	79 3/8	7216	85 3/8	7583
61 1/2	5620	67 1/2	6217	73 1/2	6759	79 1/2	7225	85 1/2	7589
61 5/8	5632	67 5/8	6229	73 5/8	6769	79 5/8	7234	85 5/8	7596
61 3/4	5645	67 3/4	6241	73 3/4	6780	79 3/4	7242	85 3/4	7602
61 7/8	5658	67 7/8	6253	73 7/8	6790	79 7/8	7251	85 7/8	7608
62	5671	68	6265	74	6801	80	7260	86	7614
62 1/8	5684	68 1/8	6276	74 1/8	6811	80 1/8	7268	86 1/8	7620
62 1/4	5697	68 1/4	6288	74 1/4	6822	80 1/4	7277	86 1/4	7626
62 3/8	5709	68 3/8	6300	74 3/8	6832	80 3/8	7285	86 3/8	7632
62 1/2	5722	68 1/2	6312	74 1/2	6842	80 1/2	7294	86 1/2	7637
62 5/8	5735	68 5/8	6323	74 5/8	6853	80 5/8	7302	86 5/8	7643
62 3/4	5748	68 3/4	6335	74 3/4	6863	80 3/4	7310	86 3/4	7649
62 7/8	5760	68 7/8	6347	74 7/8	6873	80 7/8	7319	86 7/8	7654
63	5773	69	6358	75	6883	81	7327	87	7660
63 1/8	5786	69 1/8	6370	75 1/8	6893	81 1/8	7335	87 1/8	7665
63 1/4	5799	69 1/4	6382	75 1/4	6904	81 1/4	7343	87 1/4	7671
63 3/8	5811	69 3/8	6393	75 3/8	6914	81 3/8	7351	87 3/8	7676
63 1/2	5824	69 1/2	6405	75 1/2	6924	81 1/2	7359	87 1/2	7681
63 5/8	5836	69 5/8	6416	75 5/8	6934	81 5/8	7367	87 5/8	7686
63 3/4	5849	69 3/4	6428	75 3/4	6944	81 3/4	7375	87 3/4	7691
63 7/8	5862	69 7/8	6439	75 7/8	6954	81 7/8	7383	87 7/8	7696
64	5874	70	6451	76	6964	82	7391	88	7701
64 1/8	5887	70 1/8	6462	76 1/8	6973	82 1/8	7399	88 1/8	7706
64 1/4	5899	70 1/4	6473	76 1/4	6983	82 1/4	7407	88 1/4	7711
64 3/8	5912	70 3/8	6485	76 3/8	6993	82 3/8	7414	88 3/8	7715
64 1/2	5924	70 1/2	6496	76 1/2	7003	82 1/2	7422	88 1/2	7720
64 5/8	5937	70 5/8	6507	76 5/8	7013	82 5/8	7430	88 5/8	7724
64 3/4	5949	70 3/4	6519	76 3/4	7022	82 3/4	7437	88 3/4	7729
64 7/8	5961	70 7/8	6530	76 7/8	7032	82 7/8	7445	88 7/8	7733
65	5974	71	6541	77	7041	83	7452	89	7737
65 1/8	5986	71 1/8	6552	77 1/8	7051	83 1/8	7460	89 1/8	7741
65 1/4	5999	71 1/4	6563	77 1/4	7061	83 1/4	7467	89 1/4	7745
65 3/8	6011	71 3/8	6574	77 3/8	7070	83 3/8	7474	89 3/8	7749
65 1/2	6023	71 1/2	6586	77 1/2	7079	83 1/2	7481	89 1/2	7753
65 5/8	6035	71 5/8	6597	77 5/8	7089	83 5/8	7489	89 5/8	7757
65 3/4	6048	71 3/4	6608	77 3/4	7098	83 3/4	7496	89 3/4	7760
65 7/8	6060	71 7/8	6619	77 7/8	7108	83 7/8	7503	89 7/8	7764
66	6072	72	6630	78	7117	84	7510	90	7767

(8') G6-SWT 8,000 Gallon

DIPSTICK	GALLONS
90 1/8	7770
90 1/4	7773
90 3/8	7776
90 1/2	7779
90 5/8	7782
90 3/4	7784
90 7/8	7786
91	7789
91 1/8	7791
91 1/4	7792
91 3/8	7794
91 1/2	7795
91 5/8	7796

CONTAINMENT SOLUTIONS

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.

2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.

3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.

Pub. No. CAL 8808-SWT