20160192 A
~~20130341 A~~

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally APPROVED
SEE CORRESPONDENCE

DRAWN Todd Bolzer	6/28/2011	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 750 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN
QA		
MFG		
APPROVED		SIZE B / REV
		SCALE: 1/16 / SHEET 1 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

20160192 A

~~20130341 A~~

Conditionally APPROVED

SEE CORRESPONDENCE



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	80 IN
INTERIOR LENGTH @ LIQUID LEVEL	86 IN
INTERIOR LENGTH @ BOTTOM	80 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	750 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

DRAWN Todd Bolzer	6/28/2011	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 750 GALLON LOW PROFILE HOLDING AND PUMP TANK WISCONSIN
QA		
MFG		
APPROVED		SIZE B / REV
		SCALE: 1/16 / SHEET 2 OF 2

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS

20160192A

~~20130341A~~







SECTION A-A
SCALE 1 /8



DETAIL B
SCALE 1 / 2

DRAWN Todd Bolzer	5/10/2009	NORWESCO, INC., ST. BONIFACIUS, MN
CHECKED		TITLE: 15 INCH LOW PROFILE MAN HOLE EXTENSION
QA		
MFG		
APPROVED		SIZE B / DWG NO / REV E
		SCALE: 1/16 / SHEET 1 OF 1

RECEIVED
OCT 21 2013
SAFETY & BUILDINGS