20160197 A

~~20160143~~ C

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED



Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1000 GALLON LOW PROFILE SEPTIC TANK
WISCONSIN

SIZE		NORWESCO P/N: 43496	REV
B		SNYDER IND. P/N: 1006800W95301	

SCALE: 1/16 SHEET 1 OF 2

20160197 A

~~20100143C~~ 3



SECTION B-B



SECTION A-A
SCALE 0.06 : 1

TANK SPECIFICATIONS	
INTERIOR LENGTH @ TOP	115 IN
INTERIOR LENGTH @ LIQUID LEVEL	120 IN
INTERIOR LENGTH @ BOTTOM	115 IN
INTERIOR WIDTH @ TOP	0 IN
INTERIOR WIDTH @ LIQUID LEVEL	50 IN
INTERIOR WIDTH @ BOTTOM	40 IN
HEIGHT (INTERIOR)	50.5 IN
LIQUID LEVEL	40 IN
WORKING CAPACITY	1004 GALLONS
FREEBOARD	15%
TANK TOP THICKNESS	.25 IN
TANK SIDE THICKNESS	.25 IN
TANK BOTTOM THICKNESS	.25 IN
TANK END THICKNESS	.25 IN

Conditionally APPROVED
DEPARTMENT OF COMMERCE
DIVISION OF SAFETY AND BUILDINGS
SEE CORRESPONDENCE

DRAWN	Todd Bolzer	5/27/2011
CHECKED		
QA		
MFG		
APPROVED		

NORWESCO
NORWESCO, INC., ST. BONIFACIUS, MN

TITLE
1000 GALLON LOW PROFILE SEPTIC TANK
WISCONSIN

SIZE		REV
B		
SCALE: 1/16		SHEET 2 OF 2