



March 7, 2013

WATER RIGHT INCORPORATED  
KURTT GRUETT  
1900 PROSPECT COURT  
APPLETON WI 54914-9000

Re: Description: WATER TREATMENT DEVICE - POE NEUTRALIZING  
Manufacturer: WATER RIGHT INCORPORATED  
Product Name: WATERCARE CARECLEAR PRO SERIES  
Model Number(s): CCP-1044AN, CCP-1054AN AND CCP-1248AN  
Product File No: 20130028

The specifications and/or plans for this plumbing product have been reviewed and determined to be in compliance with chapters SPS 382 through 384, Wisconsin Administrative Code, and Chapters 145 and 160, Wisconsin Statutes.

The Department hereby issues an approval based on the Wisconsin Statutes and the Wisconsin Administrative Code. This approval is valid until the end of March 2018.

This approval is contingent upon compliance with the following stipulation(s):

- This product has undergone sufficient testing to document the product's ability to reduce only those contaminants and/or substances as specified in this approval letter when the product is installed and maintained in strict accordance with the manufacturer's published instructions.
- Where the Department of Natural Resources (DNR) has jurisdiction, a written approval may be required prior to installation of this product in a water supply system to reduce the concentration of a contaminant that exceeds the primary drinking water standards contained in ch. NR 809, Wis. Admin. Code, the enforcement standards contained in ch. NR 140, Wis. Admin. Code, or for a water supply system that is subject to a written advisory opinion by the DNR. For more information contact the DNR Section of Private Water Systems, P.O. Box 7921, Madison, WI 53707, telephone (608) 267-9787.
- If these approved devices are modified or additional assertions of function or performance are made, then this approval shall be considered null and void, unless the change is submitted to the department for review and the approval is reaffirmed.

Based on testing data submitted to and reviewed by the department, this approval recognizes that these plumbing products will reduce the concentration of contaminants as specified on pages 1 through 2 of this letter.

**AESTHETIC CONTAMINANT REDUCTION CAPABILITIES  
PRODUCT FILE NUMBER 20130028  
TABLE 1 OF 1**

**Flow Rates:** 12.5 liters per minute (lpm) @ 23.4 Kilopascals (kPa) [3.3 gallons per minute (gpm) @ 3.4 pounds per square inch-gauge (psig)]  
18.9 lpm @ 29.7 kPa (5.0 gpm @ 4.3 psig)  
26.1 lpm @ 42.8 kPa (6.9 gpm @ 6.2 psig)

**Capacity:** 49,816 liters (l) [13,160 gallons (gals.)]  
74,421 l (19,660 gals.)  
108,032 l (28,539 gals.)

<b>Tested Contaminant</b>	<b>Average Influent Challenge (pH Units)</b>	<b>Average Effluent (pH Units)</b>
pH (low)	6.1	6.8

**Other Conditions:** the contaminant reduction performance capabilities displayed for Table 1 of 1 were verified by testing conducted by WaterCare Corporation, Manitowoc WI. The pH was artificially depressed using hydrochloric acid.

This device was tested under controlled laboratory, or field, conditions. The actual performance of this device for a specific end use installation will vary from the tested conditions based on local factors such as water pressure, water temperature and water chemistry.

The department is in no way endorsing this product or any advertising, and is not responsible for any situation which may result from its use.

Sincerely,

Glen W. Schlueter  
Plumbing Product Reviewer  
Department of Safety and Professional Services  
Division of Industry Services  
Bureau of Technical Services  
(608) 267-1401 Phone  
(608) 266-2602 Fax  
glen.schlueter@wi.gov E-mail