

Wisconsin Department of Safety and Professional Services

Office Location: 4822 Madison Yards Way
Madison, WI 53705
Phone Number: (608) 266-2112

LicensE Portal: [License.wi.gov](https://license.wi.gov)
Email: dsps@wisconsin.gov
Website: <http://dsps.wi.gov>

DIVISION OF PROFESSIONAL CREDENTIAL PROCESSING **CLASS 7 BLASTER LICENSE APPLICATION INFORMATION**

Requirements for Credential

Per [Wis. Admin. Code § 305.20](#), no person may prepare explosive charges or conduct blasting operations unless the person holds a credential as a licensed Class 1 Blaster, licensed Class 2 Blaster, licensed Class 3 Blaster, licensed Class 4 Blaster, licensed Class 5 Blaster, licensed Class 6 Blaster, or licensed Class 7 Blaster or is under the direct supervision of a person who holds a credential as a licensed Blaster in one or more of the categories.

A person who holds a credential as a licensed Class 7 Blaster or is under the direct supervision of a person who holds a credential as a licensed Class 7 Blaster is limited to conducting blasting operations and activities for structures greater than 15 feet in height, bridges, towers or any of the objects or purposes specified as follows:

- Not closer than 500 feet to an inhabited building for stumps, boulders, ice, frost, concrete, footings, foundations, pole settings, drainage ditches, beaver dams, pot holes, seismic tests, boiler tubes, fertilizer piles, silos, dimension stone, well shooting, metal forms, black powder, or coal piles.
- For stumps, boulders, ice, frost, concrete, footings, foundations, pole settings, drainage ditches, beaver dams, pot holes, seismic tests, boiler tubes, fertilizer piles, silos, dimension stone, well shooting, metal forms, black powder, or coal piles.
- For underground mining, underground construction, or tunnels.
- Not closer than 2,500 feet to an inhabited building for quarries, open pits, road cuts, trenches, site excavations, basements, underwater demolition, or underground excavations.
- 2,500 feet and closer to an inhabited building for quarries, open pits, and road cuts.
- 2,500 feet and closer to an inhabited building for trenches, site excavations, basements, underwater demolition, underground excavations, or structures 15 feet or less in height.

AN APPLICATION IS NOT COMPLETE UNTIL ALL OF THE FOLLOWING DOCUMENTS HAVE BEEN RECEIVED:

1. **Application and Fees**: Apply and pay fees online in LicensE, <https://license.wi.gov>. Fees will be calculated in LicensE. If needed, you can save your application and complete it later and submit it at that time. **NOTE**: If DSPS requests additional documents they must be uploaded within three (3) months from the date it was requested. Failure to do so may result in having to submit a new application and pay fees.
2. **Criminal History Review (CIB Review)**: The issuance of a Blaster license shall be contingent upon the Department's review of the applicant's criminal history record from the Department of Justice.
3. **Experience**: A person applying for Class 7 Blaster license shall be at least 21 years old and completed at least 2,000 hours of experience working under the direct supervision of a licensed Wisconsin Class 7 Blaster. **Complete** the Experience Table (Form 3094T) on the next page and upload it to your LicensE account. **Upload** a copy of transcripts, if applicable.
4. **Examination**: You will be made eligible to test after your application has been submitted and reviewed. If additional documents are required you will be made eligible to test after all documentation has been received and reviewed. A communication will be sent once you are made eligible to test. Please check your "junk" or "spam" email folders. You can also check the status of your application by entering your Preliminary Application Number (PAR) at <https://license.wi.gov/s/application-status-lookup>. If you fail an exam, you must login to License, <https://license.wi.gov>, and pay another exam fee.

Wisconsin Department of Safety and Professional Services

Office Location: 4288 Madison Yards Way
 Madison, WI 53705
 Phone Number: (608) 266-2112

License Portal: <https://license.wi.gov/>
 Email: dsps@wisconsin.gov
 Website: <http://dsps.wi.gov>

DIVISION OF PROFESSIONAL CREDENTIAL PROCESSING CLASS 7 BLASTER EXPERIENCE FORM (3094T)

APPLICANT Complete the applicant section of the form. Obtain the required signatures in the Experience Table then upload the completed form into your LicenseE account, https://license.wi.gov .			
Last Name	First Name	MI	Former/Maiden Name(s)
This form is required for applicants for a Class 7 Blaster License. See page i of Form 3094 for further information.			Application Number
			PAR-

EXPERIENCE TABLE (Upload additional sheets if needed.)			
1.	Name of Witness		WI License #
	Start (Month/Year): ____ / ____ / ____	End (Month/Year): ____ / ____ / ____	Hours: _____
	Signature of Witness/School (If unable to provide a digital signature print and sign form.)	Date	Witness Phone Number
		__ / __ / __	____ - ____ - ____
2.	Name of Witness		WI License #
	Start (Month/Year): ____ / ____ / ____	End (Month/Year): ____ / ____ / ____	Hours: _____
	Signature of Witness/School (If unable to provide a digital signature print and sign form.)	Date	Witness Phone Number
		__ / __ / __	____ - ____ - ____
3.	Name of Witness		WI License #
	Start (Month/Year): ____ / ____ / ____	End (Month/Year): ____ / ____ / ____	Hours: _____
	Signature of Witness/School (If unable to provide a digital signature print and sign form.)	Date	Witness Phone Number
		__ / __ / __	____ - ____ - ____
4.	Name of Witness		WI License #
	Start (Month/Year): ____ / ____ / ____	End (Month/Year): ____ / ____ / ____	Hours: _____
	Signature of Witness/School (If unable to provide a digital signature print and sign form.)	Date	Witness Phone Number
		__ / __ / __	____ - ____ - ____
5.	Name of Witness		WI License #
	Start (Month/Year): ____ / ____ / ____	End (Month/Year): ____ / ____ / ____	Hours: _____
	Signature of Witness/School (If unable to provide a digital signature print and sign form.)	Date	Witness Phone Number
		__ / __ / __	____ - ____ - ____