

INDEX

	Order No.	Page
Access to machine room or penthouse -----	422(c)	41
Advertisement in cars -----	429	48
Age, minimum for operator -----	477	106
Annunciator, elevator car, definition -----		10
Application for approval -----	404	23
Approved:		
definition -----		10
buffers -----		37
car safety device and governor -----	419(a)1	88
fire-resistive doors -----	464(i)	30
Aprons on automatic-leveling cars -----	410(c)(d)	32
Area of:		
dumbwaiter -----	479	109
hatch covers, sidewalk elevators -----	480	111
platform, per square foot, freight -----	427	45
platform relative to load, passenger -----	452	72
Automatic, full, door or gate, definition -----		14
Automatic semi-door or gate, definition -----		16
Automatic elevator -----	471	98
car doors or gates, freight -----	436	58
car doors or gates, passenger -----	430	48
change-over from cable control -----	472(f)	100
hoistway landing doors or gates, freight -----	437	59
hoistway landing doors, passenger -----	431	50
interlocks -----	432	53
vision panel, freight -----	437(h)	61
vision panels, passenger -----	431(h)	52
Automatic operation, definition -----		18
Basement, definition -----		10
Beams, overhead -----	423(b)	42
Bell, signal, emergency call -----	475	105
Belt, driven freight, limitations -----	460-2(b)	83
Bolt, fastenings, guide rails -----	457	80
Bolting of counterweights -----	451	72
Bows, hatch covers -----	480	111
Brakes, power and hand elevators -----	463	94
Buffers:		
clearances -----	417	33
definition -----		10
limiting switch on power elevators -----	463(e)	86
spring, oil -----	419	37
Button:		
emergency stop -----	470(h)	97
signal -----	472(e)	100
	475	105
Cable lock, definition -----		
Cables:		
computation of load, power elevators -----	441	67
counterweight -----	449	71
data -----	442(a)	67

	Order No.	Page
dumbwaiters -----	479(h)1	109
equalizers -----	446(b)	69
fastenings -----	446(e)	70
governor -----	447	70
guards for sheaves and idlers -----	445	69
hereafter installed or renewed -----	422(c)	68
number and size required -----	444	68
prohibited, repairing or splicing -----	441(c)	67
steel where required -----	442(b)	68
terminal fastenings -----	446	69
turns required on drums -----	446(d)	70
Call bell:		
emergency -----	475(b)	105
signal system or telephone -----	475(c)	105
Capacity:		
(see contract load)		
dumbwaiter -----	479(g)	109
passenger elevator -----	452	72
plates, freight -----	453	74
plates, passenger -----	453	73
Capacities and loadings:		
freight elevators -----	427	45
passenger elevators -----	452	72
prohibited, requirement -----	452(b)	73
Car:		
clearances (see clearances)		
capacities and loadings, passenger elevator -----	452	72
capacity plates -----	453	73
construction -----	427	45
counterweights (see counterweights)		
cover, freight -----	434(b)	56
door or gate, definition -----		10
door or gate, electric contact, definition -----		10
door or gate, freight -----	436	58
door or gate, passenger -----	430	48
dumbwaiter, definition -----		12
dumbwaiter -----	479	108
enclosure, definition -----		11
enclosure, freight -----	434	56
enclosure, passenger -----	428	46
entrance, freight -----	435	57
entrance, passenger -----	460(e)	83
frame, definition -----		11
furnishings -----	428	48
gate, collapsing, definition -----		10
leveling device, definition -----		18
platform, definition -----		11
safety device and governor -----	464	86
switch emergency stop -----	470(h)	97
switch automatic floor stop, definition -----		20
switch operative, definition -----		20
stresses allowed -----	454	74
Centering rope:		
definition -----		12
for hand cable control -----	468	95
Chains:		
warning -----	469	95
prohibited, requirements -----	460-1-(a)	82
-----	460-2-(a)	83

	Order No.	Page
Clearance:		
bottom, definition -----		11
depth of pit -----	417	33
overhead, definition -----		12
overhead -----	417	33
Clearances:		
around control panels -----	473(n)	104
around elevator equipment -----	478(e)	107
car -----	416	32
door -----	416	32
hoistway -----	416	32
hoistway door -----	430(f)	49
machine rooms and pits -----	420(c)	40
overhead -----	417	33
penthouse -----	421	40
pit -----	417	33
Combined stairways and elevator hoistway enclosure -----	413	30
Continuous pressure operation:		
change over from cable control -----	472(f)	100
definition -----		20
elevators -----	471	98
freight elevator car doors or gates -----	436	58
freight elevator hoistway doors -----	437	59
prohibited requirements -----	460-1(d)&2(g)	83
Contract load, definition -----		11
Contract speed, definition -----		11
Control speed, definition -----		11
Control mechanism -----	470	95
cable lock -----	470	95
car switch -----	470(a)	95
disconnect switch or circuit breaker -----	470(c)	96
emergency stop switch -----	470(h)	97
hand rope or cable -----	470(g)	97
prohibited requirements -----	470	95
Conveyor: (see exemption) -----	403	22
belt (see exemption) -----	403	22
bucket (see exemption) -----	403	22
scoop (see exemption) -----	403	22
roller (see exemption) -----	403	22
Cover, top, freight elevator -----	434(b)	56
Counterweight:		
bolting of -----	451	72
cables -----	449	71
car and drum -----	448	71
clearance -----	417(b)	34
guards -----	425	44
protection of cables -----	450	72
spreader brackets and stops -----	426	44
Data plate:		
on cable -----	442(c)	67
in car -----	453	73
on crosshead -----	442	67
-----	453(c)	74
on governor -----	464(o)	94
on safety plank -----	464(n)	93
Definitions -----		10
Deflecting sheave guards -----	445	69

	Order No.	Page
Deflection: allowable:		
car enclosure -----	428(e)	48
hoistway doors or gate, freight -----	438(c)	65
hoistway doors, passenger -----	431(a)	50
overhead supports -----	423	42
Diameter of sheaves and drums -----	458	81
Disconnecting switch -----	470(c)	96
Door:		
car, freight -----	436	58
car, passenger -----	430	48
device power operated, definition -----		12
dumbwaiter -----	479(e)	109
hoistway, definition -----		15
hoistway, freight -----	437	59
hoistway, passenger -----	431	50
interlocks—also electro-mechanical -----	432	53
locking device -----	440	66
one hour fire-resistive (class C) -----	410(c)	26
two hour fire-resistive (class B) -----	410(d)	26
unit system, definition -----		18
unit system -----	432-2(a)1	54
Drum:		
counterweight cable -----	448	71
general requirements -----	459	81
sizes, minimum -----	458	81
turns required and terminal fastening -----	446	69
Dual operation, definition -----		20
Dumbwaiter:		
approved of plans -----	404	23
capacity -----	479(g)	109
car enclosure -----	479(f)	109
chains or tapes -----	479(h)	109
counterweight -----	479(j)	110
dumbwaiter, definition -----		12
Dumbwaiter:		
electric, definition -----		12
factors of safety -----	479	108
hoistway enclosure -----	410	26
hoistway landing doors or gates -----	412	29
platform area -----	479	108
prohibited, requirement -----	479(g)	109
thoroughfare under hoistway -----	479-2(a)	108
thoroughfare under hoistway -----	479(k)	108
Electric contact:		
car door or gate function -----	430(e)	49
definition -----	436(e)	59
door unit system -----		10
dumbwaiter -----	432-2(a)1	54
electro-mechanical interlock -----	479(e)	109
hoistway door or gate, freight -----	437	59
hoistway door or gate, passenger -----	437	59
hoistway unit system -----	432	53
hoistway unit system -----	432-2(a)2	54
Electric elevator, definition -----		13
Electrical protection:		
change-over from cable control to constant pres- sure or automatic operation -----	472(f)	100
limit switches -----	472	99
potential switch -----	472(d)	99

	Order No.	Page
renewing of electrical equipment -----	472(g)	100
reverse phase relay -----	472	99
sequence device -----	472(e)	100
Electrical conductors and conduit -----	473	100
Elevator:		
definition -----		12
car, definition -----		10
carriage, definition -----		13
electric, definition -----		13
electro-hydraulic, definition -----		13
existing installations, definition -----		13
freight, definition -----		12
hand, definition -----		12
hydraulic -----		13
new installations, definition -----		13
passenger, definition -----		12
plunger, definition -----		13
power, definition -----		12
sidewalk, definition -----		13
electric, operating in hoistway outside of building -----	436(h)	59
hand, operating in hoistway outside of building -----	412(c)	30
hand hospital -----	482	114
hydraulic -----	485	115
service switch -----	470(c)	96
stage -----	482	114
Emergency:		
call bell -----	475	105
car, side exit panel, freight -----	434(e)	57
car, side exit panel, passenger -----	428(d)	47
car, top exit -----	428(c)	47
doors for blind hoistways, freight -----	437(a)5	60
doors for blind hoistways, passenger -----	431(e)	51
doors, hoistway -----	431(g)	52
key -----	432(f)	55
release, definition -----		14
stop switch -----	470(h)	97
stop switch, definition -----		14
Enclosure:		
clearances -----	416	32
car, freight -----	434	56
car, passenger -----	428	46
car dumbwaiter -----	479	108
combined stairway and elevator -----	413	30
counterweight runway -----	425	44
hoistway, definition -----		15
hoistway, freight -----	410	26
hoistway, passenger -----	410	26
hoistway dumbwaiter -----	410	26
hoistway fire-resistive -----	410	26
hoistway non fire-resistive -----	412	29
hoistway guarding -----	415	31
windows -----	414	30
Escalators:		
definition -----		14
construction -----	490	118
safety requirements -----	491	119
tests -----	492	121
Exemption from code -----	403	22

	Order No.	Page
Exit:		
emergency, freight -----	434(e)	57
emergency, passenger -----	437(a)-5	60
emergency, key -----	428(c)(d)	47
	432(f)	55
Facia plates -----	415	31
Fire doors (see definition 33) -----		15
Fire-resistive wall construction, definition -----		14
Floor:		
landing threshold -----	433	56
overhead -----	423	42
under sheaves and screens -----	424	43
Freight elevator:		
definition -----		12
car construction -----	427	45
car doors or gates -----	436	58
car enclosure -----	434	56
car entrance -----	435	57
hoistway construction -----	410	26
hoistway landing doors or gates -----	437	59
hoistway landing doors or gates, construction -----	438	65
landings -----	439	66
power attachments -----	461	84
stresses allowed -----	454	74
Freight elevators of the sidewalk type -----	481	113
Full automatic door or gate:		
definition -----		14
hoistway requirements -----	437	62
Gates:		
balanced -----	437(j)	62
car, electric contact, definition -----		15
car, freight -----	436	58
car, passenger -----	430	48
collapsible, prohibited -----	437(u)	65
full-automatic, definition -----		14
hoistway construction -----	438	65
hoistway dumbwaiter -----	479(b)	108
hoistway freight -----	437	59
hoistway locking devices -----	440	66
prohibited, requirements -----	460-1(e)	83
semi-automatic -----	437(j)	62
Glass:		
hoistway doors -----	430(c)	49
limited, car -----	429(a)	48
vision panels, hoistway doors -----	437(h)	61
windows -----	431(h)	52
windows in hoistway -----	414	30
Governor:		
cable -----	447	70
data -----	464	86
sheave sizes -----	447	70
speed for car safeties -----	464	86
tests -----	464	86
Grounding electrical equipment -----	474	105
Guards:		
for cable sheaves and idlers -----	445	69
for hand cable sheaves and idlers -----	467	95

	Order No.	Page
for counterweight runways -----	425	44
for floor openings -----	423	43
for governor car cable sheaves -----	464(e)	87
for projections -----	415	31
for windows -----	414	30
Guide rails:		
fastenings -----	457	80
for dumbwaiters -----	479	108
for freight and passenger elevators -----	455	76
size and construction -----	456	77
Hand cable:		
accessible from car -----	470(e)	96
guards for sheaves and idlers -----	467	94
lever control -----	470(f)	97
lock -----	470(g)	97
renewing -----	470(e)	96
Hand elevator, definition -----		12
Hand elevator, hospital and invalid lifts -----	482	114
Handrail -----	429(b)	48
Hoists:		
man (see exemptions) -----	403	22
mine (see exemptions) -----	403	22
skip (see exemptions) -----	403	22
Hoistway:		
bi-parting door or gate, definition -----		15
definition -----		15
door or gate, definition -----		15
door or gate electric contact, definition -----		15
door fire-resistive, definition -----		14
door or gate interlock, definition -----		17
door unit system, definition -----		15
enclosure freight elevator -----	410	26
enclosure passenger elevator -----	410	26
enclosure dumbwaiter -----	410	26
enclosure combined stairway and elevator -----	413	30
guarding of elevators -----	412	29
guards for projections -----	415	31
landing doors or gates, freight -----	437	59
landing doors, passenger -----	431	50
Hoistway:		
manually operated door or gate, definition -----		16
power-operated door or gate, definition -----		16
power-operated door or gate manually controlled, definition -----		16
power-operated self-closing door or gate, definition -----		16
semi-automatic door or gate, definition -----		16
telescoping gate, definition -----		16
unit system, definition -----		15
unobstructed -----	420	39
Hydraulic elevators:		
construction and general requirements -----	485	115
maintenance, inspection and cleaning -----	488	118
plunger type -----	487	117
recabing -----	489	118
safety equipment -----	486	116

	Order No.	Page
Inspection:		
of elevators -----	405	23
of escalators -----	405	23
of power dumbwaiters -----	405	23
by insurance companies -----	405	23
by cities -----	406	24
fees -----	407	24
Interlocks:		
electro-mechanical, freight elevators -----	437(a)1	59
existing installations -----	437(a)5	60
new installations, freight elevators -----	432(1)	53
electro-mechanical passenger elevators -----	432-2	54
existing installations -----		
new installations, passenger elevators -----		
Key:		
emergency, freight -----	437(a)5	60
emergency, passenger -----	432(f)	55
service freight -----	437(g)	61
service passenger -----	432(f)	55
Landing:		
doors, freight -----	437	59
doors, passenger -----	431	50
freight elevator -----	439	66
passenger elevator -----	433	56
dumbwaiter -----	479	108
sidewalk elevator protection -----	480	111
zone, definition -----		15
Leveling device:		
definition -----		18
protection, hoistway and under car -----	415	31
Lighting:		
car -----	476	105
landing -----	476	105
machine room -----	476	105
overhead -----	476	105
penthouse -----	476	105
work light receptacles -----	476	105
Limit:		
of speed and travel belt driven freight -----	460-2(b)	82
switches directional -----	463	85
switches normal -----	463	85
Limitations:		
of speed of freight elevators -----	460-2(g)	83
use of belt driven elevators -----	460-1(e)	82
sidewalk elevators -----	480	111
Limits:		
of speed, sidewalk elevators -----	480-2(a)	112
of speed for instantaneous safety -----	464(b)	86
of voltage on operating circuit -----	473(d)1	101
Limit switch for oil buffers -----	463(e)	86
Limit switch for dumbwaiter -----	479(d)	109
Limit switch for sidewalk elevators -----	480(b)	113
Loads:		
contract, definition -----		11
contract, test of safety device -----	464(i)	88
machine -----	459	81
on cables, power elevators -----	441	67
on guide rails -----	455	76
on overhead beams -----	423	42

	Order No.	Page
Locks:		
cable, definition -----		12
cable -----	470(g)	97
penthouse door -----	422(d)3	42
self-acting door or gate -----	437(k)	64
gate -----	437	59
Machine:		
limit stops elevators -----	463	85
limit stops dumbwaiters -----	479(d)	109
Machinery:		
drums and sheaves -----	459	81
factors of safety -----	459	81
general requirements -----	459	81
hand elevators -----	459	81
power elevators -----	459	81
prohibited requirements -----	459	81
Machine room:		
access to -----	422(c)	41
construction of -----	422(a)	40
head room -----	421	40
lighting -----	476(c)	106
overhead beam supports -----	423	42
stairway -----	422(c)	41
unobstructed -----	420	39
Maintenance:		
clearance around elevator equipment -----	478	106
elevators and dumbwaiters -----	478	106
flammable substance -----	478	106
Maximum:		
allowable load on guide rails -----	456	77
allowable opening in hoistway gates -----	438	65
capacity for dumbwaiter -----	479(g)	109
governor tripping speed -----	464(m)	90
Maximum:		
setting of governor -----	464(g)	87
speed of belt-driven elevators -----	460-2(b)	83
speed of sidewalk elevators -----	480-2(a)	112
speed of freight elevators -----	460-2(g)	83
voltage on operating device -----	473(d)1	101
Minimum size of cables -----	444	68
Minimum size of drums and sheaves -----	458	81
New installations, definition -----		13
Non-fire resistive hoistway enclosure -----	412	29
Non-selective collective automatic operation, definition -----		19
Oil buffers -----	419	37
Operating device, definition -----		18
Operation of:		
elevators -----	477	106
minimum age requirements -----	477	106
Overhead:		
floors -----	423	42
machinery supports -----	423	42
clearance -----	417	33
Overspeed safety test -----	464(m)	90
Overtravel:		
bottom, definition -----		18
top, definition -----		18

	Order No.	Page
hand elevators -----	417	33
power elevators -----	417	33
sidewalk elevators -----	480	111
Passenger elevator:		
definition -----		12
automatic operation -----	471	98
capacities and loadings -----	452	72
car door, or gate -----	430	48
car enclosure -----	428	46
car furnishings -----	429	48
Passenger elevator:		
guide rails -----	455(a)	77
hoistway enclosure -----	410	26
hoistway landing doors -----	431	50
hoistway landing door interlocks -----	432	53
landings -----	433	56
leveling device, protection -----	415	31
safety device and governor -----	464	86
Penthouse:		
access to -----	422(c)	41
clearances around control equipment -----	473(n)	104
clearances from elevator equipment -----	478	106
construction of -----	422(a)	40
headroom -----	421	40
lighting -----	476(c)	106
stairway -----	422(c)	41
unobstructed -----	420	39
Pit:		
construction -----	418	37
depth -----	417	33
hand elevator -----	482(b)	114
unobstructed -----	420	39
Phase reversal -----	472(a)	99
Plate:		
cable and car crosshead -----	442	67
capacity -----	453(c)	74
data on governor, and safety plank -----	453	73
-----	464(n)(o)	93
Platform:		
car, definition -----		11
frames -----	427	45
overhead -----	423	42
overhead guard rails and toeboards -----	423(d)	42
Potential switch:		
definition -----		21
requirement -----	472(d)	99
Power attachment to hand elevator -----	461	84
Power elevator, definition -----		12
Power dumbwaiter -----	479	108
Power:		
opened self-closing door or gate, definition -----		16
operated hoistway door or gate, definition -----		16
operated hoistway door or gate automatically opened, definition -----		16
operated hoistway door or gate manually con- trolled, definition -----		16
Pre-register operation, definition -----		20

	Order No.	Page
Prohibited installations new and existing:		
belt or chain driven passenger elevator	460(a)	82
drum type freight elevator with mechanical brake	460(e)	83
emergency release	460(f)	83
friction gearing or clutch mechanism	460(b)	83
passenger elevator entrance	460(c)	82
passenger elevator continuous pressure opera- tion	460(d)	83
Prohibited installations, new:		
belt driven freight elevator, limitations	460(b)	83
cast iron, limitation	460(d)	83
chains, limitation	460(a)	83
compartments	460(f)	83
platform or carriage electric elevator	460(c)	83
sheaves and idlers, suspension	460(h)	83
speed power freight elevators	460(g)	84
travel of hand elevator	460(k)	84
Rails:		
fastening	457	80
guide, general requirements	455	76
size and construction	456	77
Renewing of elevators	402	22
Repairing of elevators	402	22
Reverse phase relay	472(a)	99
Ropes:		
centering, definition		12
centering	468	95
hand stop balls	466	94
Running test, requirements	461(j)	89
Safeties:		
car or counterweight	464	86
car or counterweight, definition		21
for hand and power elevators	464	86
cutout switch	464(f)	87
tests	464	86
identification plates	464(n)(o)	92
Seat in car	429(c)	48
Service key, freight	437(g)	61
Service key, passenger	432(f)	55
Sequence device	472(e)	100
Scope	401	22
Selective collective automatic operation, definition		19
Sheave:		
general requirements	459	81
governor	447(b)	71
guards, cable	445	69
minimum sizes	458	81
Single automatic operation, definition		19
Signal operation, definition		20
Signal systems	475	105
Sidewalk:		
aprons	415	31
car enclosure	480	111
covers, vertical lift or hinged	480	111
definition		13
guide shoes	480	111
hoistway guarding	412	29
speed limitation	480-2(a)	112

	Order No.	Page
Slack cable:		
dumbwaiter -----	479(c)	108
electrical, power elevators -----	462	84
mechanical, power elevators -----	462	84
switch, definition -----		21
Speed:		
contract, definition -----		11
limitation, belt driven elevators -----	460-2(b)	83
limitation, freight elevators -----	460-2(g)	83
limitation, spring buffers -----	419	37
limitation, governor tripping for power elevators -----	464(g)	87
limitation, with instantaneous safeties -----	464(b)	86
limitation, sidewalk -----	480-2(a)	112
Stairway to machine room or penthouse -----	422(c)	41
Stage elevators -----	483	114
Stop balls for hand ropes -----	466	94
Stop button -----	470(h)	97
Stresses allowed:		
in design -----	454	74
car frame numbers -----	427	45
cables -----	441	67
dumbwaiter -----	479(h)	110
Structure under elevator hoistway above thoroughfare -----	420(b)	40
Structure under dumbwaiter hoistway above thoroughfare -----	479-2(k)	111
Switch:		
car -----	470	95
cutout, for safety device -----	464(f)	87
emergency release, limitation -----	460-1(f)	83
emergency stop, on car -----	470(h)	97
potential -----	472(d)	99
service -----	470(c)	96
slack cable -----	462-2(a)	84
to operate elevator from top of car (inspectors) -----	471(c)	99
Switches:		
clearances, control panel -----	473(n)	104
limit, final and directional -----	463	85
maximum voltage -----	473(d)1	101
to be renewed or changed -----	472(g)	100
switches and wiring hazardous locations -----	473	100
Tag, metal for cable identification -----	442(c)	68
Telephone as emergency signal -----	475(c)	105
Terminal slow-down and stopping devices -----	463	85
Tests:		
oil buffers, and in field -----	419	37
safety device and governor -----	464	86
contract load -----	464(m)	90
periodic, of car safeties -----	464(j)	89
Thoroughfares:		
across hatch covers prohibited -----	478(b)	107
on vertical lifting covers, limitations -----	480(a)	111
under dumbwaiter hoistways -----	479-2(k)	111
under power elevator hoistways -----	420(b)	40
Toe-boards:		
overhead floors -----	423(d)	43
floors or screens under sheaves -----	424(a)	43

	Order No.	Page
Toe-guard:		
facia plates -----	415(b)	32
hoistway projections -----	415(a)	31
toe-guards below car -----	415(c)(d)	32
Top clearance and overtravel -----	417	33
Top emergency exits, passenger elevator -----	428(c)	47
Top cover, freight elevator -----	434(b)	56
Traction elevator with mechanical brake, limited, requirement -----	463(d)	86
Tracks on elevator car -----	427(f)	46
Tracks on elevator landings -----	439	66
Traveling cables -----	473	101
Ventilation, machine room and penthouse -----	422(b)	41
Vision panel:		
car door, passenger elevator -----	430(c)	49
hoistway landing doors, freight elevator -----	437(h)	61
hoistway landing doors, passenger elevator -----	431(h)	52
Voltage maximum, operating device, power elevator -----	470(c)	101
Warning chains -----	469	95
Windows:		
guarding, opposite car opening -----	414(b)	31
guarding hoistway external protection -----	414(a)	30
machine rooms and penthouses -----	422(b)	41
Wiring requirements -----	472	99