



SPS 330 Refresher



SPS 330.03

Fire department safety position.

- **(1) ASSIGNMENT.** (a) Each fire department shall have a safety position.
- (b) The safety position shall assist the fire chief in his or her responsibility for the safety and health of the fire fighter.
- (c) The safety position shall report directly to the fire chief.

SPS 330.05

Occupational safety and health committee.

- **(1)** Every fire department shall establish an occupational safety and health committee which shall advise the chief of the fire department on issues related to the program.



SPS 330.05

Occupational safety and health committee.

- **(2)** The committee appointed under sub. (1) shall:
 - (a) Conduct research, develop recommendations and study and review matters pertaining to the program; and
 - (b) Hold regularly scheduled meetings at least biannually and may hold special meetings as it determines necessary. The committee shall make a written record of its meetings available to all fire fighters in the fire department.

SPS 330.06

Records.

- **1)** Establish a data collection system and maintain permanent records of all reported accidents, injuries, illnesses and deaths that are or may be job related. The system shall include individual records of any occupational exposure to known or suspected toxic products or contagious diseases.
- **(2)** Maintain a *training record for each fire fighter* indicating dates, subjects covered and *certifications achieved*.

SPS 330.08

Employment Standards

Any new fire fighter engaged in structural firefighting shall meet the minimum requirements specified by:

- 1. The Wisconsin technical college system board;
- 2. An approved state apprenticeship program;
- 3. An in-house training program approved by the Wisconsin technical college system board; or
- 4. NFPA 1001.

(b) All new fire fighters shall be permitted the opportunity to obtain the training specified in this subsection within 24 months of the date of his or her appointment to the fire department.

(c) No new fire fighter may be permitted to participate in structural firefighting activities which require the individual to enter or be in close proximity to the building, enclosed structure, vehicle or vessel until that individual has completed the training specified in this subsection.

SPS 330.08

Employment Standards

Every new pumper operator or new aerial operator shall meet the minimum requirements specified by:

- 1. The Wisconsin technical college system board;
- 2. An approved state apprenticeship program;
- 3. An in-house training program approved by the Wisconsin technical college system board; or
- 4. NFPA 1002.

(b) New pumper operators and new aerial operators shall obtain the training specified in this subsection within 12 months of the date of appointment.

SPS 330.08

Employment Standards

A new fire officer, after appointment, shall be provided with the opportunity to take the basic officer training program within 12 months of appointment. The training program shall meet the minimum requirements specified by:

- (a) The Wisconsin technical college system board;
- (b) An approved state apprenticeship program;
- (c) An in-house training program approved by the Wisconsin technical college system board; or
- (d) NFPA 1021.

SPS 330.08

Employment Standards

Any member of a fire department on March 31, 1991, shall have his or her level of ability and training specified in writing by the fire chief or shall have a current fire fighter certification from the Wisconsin technical college system board. The level of ability and training specified by the fire chief may not be transferred to any other fire department.



SPS 330.14

Emergency Operations

Every fire department shall:

- 1. Provide sufficient personnel to safely conduct emergency scene operations and limit such operations to those that can be safely performed by the personnel available at the scene.
- 2. If inexperienced fire fighters are working at an emergency operation, provide direct supervision by more experienced officers or members.

Thank you

Questions?

