

Multi-Year Data Trends- Wisconsin

National

Report Period: 1/1/21 to 12/31/23

Incident Type	2021					2022					2023				
	Incident Type Count	Aid Given	Exposures	Incident Type Total	Incident Type Total %	Incident Type Count	Aid Given	Exposures	Incident Type Total	Incident Type Total %	Incident Type Count	Aid Given	Exposures	Incident Type Total	Incident Type Total %
--	83	3	23	1,005	0.07%	616	3	7	1,434	0.10%	11	1	9	738	0.05%
100 -- Fire, other	544	289	4	837	0.06%	548	306	4	858	0.06%	567	341	1	912	0.06%
110 -- Structure fire, other (conversion only)	1	4	0	5	0.00%	5	27	0	32	0.00%	1	18	0	19	0.00%
111 -- Building fires	2,794	4,453	74	7,324	0.50%	3,260	4,827	69	8,157	0.56%	2,994	4,552	33	7,581	0.52%
112 -- Fires in structures other than in a building	140	130	1	272	0.02%	134	96	0	231	0.02%	147	82	0	229	0.02%
113 -- Cooking fire, confined to container	1,046	83	0	1,129	0.08%	1,265	71	1	1,337	0.09%	1,287	103	0	1,390	0.09%
114 -- Chimney or flue fire, confined to chimney or flue	239	123	0	362	0.02%	284	143	0	428	0.03%	249	113	1	363	0.02%
115 -- Incinerator overload or malfunction, fire confined	13	8	0	21	0.00%	18	4	0	22	0.00%	9	2	0	11	0.00%
116 -- Fuel burner/boiler malfunction, fire confined	53	11	0	64	0.00%	54	6	0	60	0.00%	41	7	0	48	0.00%
117 -- Commercial Compactor fire, confined to rubbish	17	7	0	24	0.00%	22	9	0	31	0.00%	25	8	0	33	0.00%
118 -- Trash or rubbish fire, contained	350	43	0	393	0.03%	611	35	0	646	0.04%	662	48	0	710	0.05%
120 -- Fire in mobile prop. used as a fixed struc., other	8	6	0	14	0.00%	9	2	0	11	0.00%	2	6	0	8	0.00%
121 -- Fire in mobile home used as fixed residence	46	35	1	82	0.01%	43	41	0	84	0.01%	37	19	2	58	0.00%
122 -- Fire in motor home, camper, recreational vehicle	37	13	0	50	0.00%	35	9	1	45	0.00%	44	12	2	58	0.00%
123 -- Fire in portable building, fixed location	17	2	1	20	0.00%	17	4	0	21	0.00%	18	3	0	21	0.00%
130 -- Mobile property (vehicle) fire, other	233	30	1	264	0.02%	282	37	2	321	0.02%	305	35	3	343	0.02%
131 -- Passenger vehicle fire	1,581	155	16	1,754	0.12%	1,734	153	36	1,923	0.13%	1,639	185	16	1,841	0.13%
132 -- Road freight or transport vehicle fire	213	40	2	256	0.02%	240	52	0	292	0.02%	308	58	7	373	0.03%
133 -- Rail vehicle fire	4	3	0	7	0.00%	9	1	0	10	0.00%	2	0	0	2	0.00%
134 -- Water vehicle fire	27	9	0	36	0.00%	20	3	1	24	0.00%	30	7	2	39	0.00%
135 -- Aircraft fire	0	2	0	2	0.00%	4	2	0	6	0.00%	6	0	0	6	0.00%
136 -- Self-propelled motor home or recreational vehicle	7	0	0	7	0.00%	7	0	0	7	0.00%	3	0	0	3	0.00%

137 -- Camper or recreational vehicle (RV) fire	35	14	4	53	0.00%	31	3	1	35	0.00%	25	6	3	34	0.00%
138 -- Off-road vehicle or heavy equipment fire	262	48	2	312	0.02%	282	43	0	325	0.02%	281	35	0	316	0.02%
140 -- Natural vegetation fire, other	294	68	0	362	0.02%	277	51	1	329	0.02%	329	40	0	369	0.03%
141 -- Forest, woods or wildland fire	310	159	0	469	0.03%	270	93	0	363	0.02%	359	266	0	629	0.04%
142 -- Brush, or brush and grass mixture fire	872	326	0	1,199	0.08%	766	211	0	979	0.07%	888	252	0	1,140	0.08%
143 -- Grass fire	876	213	4	1,097	0.07%	648	144	1	793	0.05%	823	175	1	999	0.07%
150 -- Outside rubbish fire, other	321	23	0	344	0.02%	329	23	1	353	0.02%	387	30	1	418	0.03%
151 -- Outside rubbish, trash or waste fire	640	17	1	658	0.04%	672	38	0	710	0.05%	684	51	0	735	0.05%
152 -- Garbage dump or sanitary landfill fire	21	3	0	24	0.00%	34	20	0	54	0.00%	30	17	0	47	0.00%
153 -- Construction or demolition landfill fire	23	4	0	27	0.00%	12	2	0	14	0.00%	7	5	0	12	0.00%
154 -- Dumpster or other outside trash receptacle fire	385	12	0	397	0.03%	349	6	1	356	0.02%	371	15	0	386	0.03%
155 -- Outside stationary compactor/compacted trash fire	3	0	0	3	0.00%	6	0	0	6	0.00%	3	1	0	4	0.00%
160 -- Special outside fire, other	143	23	1	167	0.01%	122	16	0	138	0.01%	126	15	0	141	0.01%
161 -- Outside storage fire	66	33	1	100	0.01%	50	38	1	89	0.01%	46	33	0	79	0.01%
162 -- Outside equipment fire	148	11	0	159	0.01%	140	22	0	162	0.01%	141	18	0	159	0.01%
163 -- Outside gas or vapor combustion explosion	10	5	0	15	0.00%	10	2	0	12	0.00%	11	1	0	12	0.00%
164 -- Outside mailbox fire	1	0	0	1	0.00%	2	1	0	3	0.00%	2	0	0	2	0.00%
170 -- Cultivated vegetation, crop fire, other	25	15	0	40	0.00%	25	14	0	39	0.00%	27	15	0	42	0.00%
171 -- Cultivated grain or crop fire	59	28	1	88	0.01%	35	19	0	54	0.00%	48	24	1	73	0.00%
173 -- Cultivated trees or nursery stock fire	9	2	0	11	0.00%	11	3	0	14	0.00%	4	2	0	6	0.00%
200 -- Overpressure rupture, explosion, overheat other	53	3	0	56	0.00%	51	4	0	55	0.00%	34	3	0	37	0.00%
210 -- Overpressure rupture from steam, other	12	1	0	13	0.00%	13	0	0	13	0.00%	8	0	0	8	0.00%
211 -- Overpressure rupture of steam pipe or pipeline	21	0	0	21	0.00%	18	0	0	18	0.00%	10	0	0	10	0.00%
212 -- Overpressure rupture of steam boiler	4	0	0	4	0.00%	13	0	0	13	0.00%	10	1	0	11	0.00%
213 -- Steam rupture of pressure or process vessel	1	0	0	1	0.00%	2	0	0	2	0.00%	6	0	0	6	0.00%
220 -- Overpressure rupture from air or gas, other	5	4	0	9	0.00%	13	1	0	14	0.00%	11	1	0	12	0.00%

221 -- Overpressure rupture of air or gas pipe/pipeline	16	1	0	17	0.00%	21	2	0	23	0.00%	24	3	0	27	0.00%
222 -- Overpressure rupture of boiler from air or gas	0	0	0	0	0.00%	1	0	0	1	0.00%	4	0	0	4	0.00%
223 -- Air or gas rupture of pressure or process vessel	14	1	0	15	0.00%	20	0	0	20	0.00%	15	0	0	15	0.00%
231 -- Chemical reaction rupture of process vessel	3	1	0	4	0.00%	1	1	0	2	0.00%	1	0	0	1	0.00%
240 -- Explosion (no fire), other	15	8	0	23	0.00%	27	3	0	30	0.00%	19	5	0	24	0.00%
241 -- Munitions or bomb explosion (no fire)	1	0	0	1	0.00%	1	0	0	1	0.00%	0	0	0	0	0.00%
242 -- Blasting agent explosion (no fire)	4	0	0	4	0.00%	1	1	0	2	0.00%	1	0	0	1	0.00%
243 -- Fireworks explosion (no fire)	17	1	0	18	0.00%	12	1	0	13	0.00%	14	0	0	14	0.00%
244 -- Dust explosion (no fire)	0	0	0	0	0.00%	3	0	0	3	0.00%	2	0	0	2	0.00%
251 -- Excessive heat, scorch burns with no ignition	490	28	0	518	0.04%	491	26	0	517	0.04%	460	29	0	489	0.03%
300 -- Rescue, emergency medical call (EMS) call, other	13,824	363	0	14,188	0.97%	14,184	375	0	14,559	0.99%	13,469	280	0	13,752	0.94%
311 -- Medical assist, assist EMS crew	29,698	598	0	30,297	2.07%	30,112	546	0	30,660	2.09%	30,817	514	0	31,335	2.14%
320 -- Emergency medical service, other	10,046	114	0	10,162	0.69%	29,661	176	0	29,837	2.04%	32,029	102	0	32,163	2.19%
321 -- EMS call, excluding vehicle accident with injury	236,047	5,412	0	241,462	16.48%	253,033	6,962	0	259,997	17.74%	260,858	7,480	0	268,339	18.31%
322 -- Vehicle accident with injuries	12,717	1,016	0	13,739	0.94%	13,430	1,038	1	14,469	0.99%	13,655	1,223	0	14,878	1.02%
323 -- Motor vehicle/pedestrian accident (MV Ped)	1,321	28	0	1,349	0.09%	932	22	0	954	0.07%	892	30	0	922	0.06%
324 -- Motor vehicle accident with no injuries	7,515	214	0	7,731	0.53%	8,442	214	0	8,658	0.59%	8,103	242	0	8,347	0.57%
331 -- Lock-in (if lock out , use 511)	216	7	0	223	0.02%	339	7	0	346	0.02%	332	14	0	346	0.02%
340 -- Search, other	49	16	0	65	0.00%	45	7	0	52	0.00%	59	17	0	76	0.01%
341 -- Search for person on land	202	93	0	296	0.02%	207	80	0	287	0.02%	210	63	0	273	0.02%
342 -- Search for person in water	126	73	0	200	0.01%	117	66	0	183	0.01%	123	63	0	187	0.01%
350 -- Extrication, rescue, other	168	27	0	195	0.01%	195	10	0	205	0.01%	199	12	0	211	0.01%
351 -- Extrication of victim(s) from building/structure	38	4	0	42	0.00%	47	4	0	51	0.00%	44	1	0	45	0.00%
352 -- Extrication of victim(s) from vehicle	526	68	0	594	0.04%	478	65	0	543	0.04%	451	68	0	519	0.04%
353 -- Removal of victim(s) from stalled elevator	685	6	0	691	0.05%	1,118	7	0	1,125	0.08%	1,081	6	0	1,087	0.07%
354 -- Trench/below grade rescue	18	8	0	26	0.00%	6	1	0	7	0.00%	8	0	0	8	0.00%
355 -- Confined space rescue	6	0	0	6	0.00%	7	3	0	10	0.00%	7	2	0	9	0.00%
356 -- High angle rescue	27	10	0	37	0.00%	33	11	0	44	0.00%	29	16	0	45	0.00%
357 -- Extrication of victim(s) from machinery	41	5	0	46	0.00%	42	5	0	47	0.00%	36	5	0	41	0.00%

360 -- Water & ice related rescue, other	172	32	0	204	0.01%	181	39	0	220	0.02%	147	30	0	177	0.01%
361 -- Swimming/recreational water areas rescue	86	34	0	120	0.01%	54	37	0	91	0.01%	68	27	0	95	0.01%
362 -- Ice rescue	48	16	0	64	0.00%	67	30	0	97	0.01%	48	9	0	58	0.00%
363 -- Swift water rescue	24	7	0	31	0.00%	23	7	0	30	0.00%	18	4	0	22	0.00%
364 -- Surf rescue	3	0	0	3	0.00%	4	1	0	5	0.00%	5	1	0	6	0.00%
365 -- Watercraft rescue	139	19	0	158	0.01%	124	13	0	137	0.01%	122	22	0	144	0.01%
370 -- Electrical rescue, other	2	0	0	2	0.00%	19	0	0	19	0.00%	34	0	0	34	0.00%
371 -- Electrocutation or potential electrocutation	21	0	0	21	0.00%	21	0	0	21	0.00%	16	0	0	16	0.00%
372 -- Trapped by power lines	10	0	0	10	0.00%	14	0	0	14	0.00%	13	1	0	14	0.00%
381 -- Rescue or EMS standby	1,147	64	0	1,211	0.08%	1,228	75	0	1,303	0.09%	1,277	78	0	1,355	0.09%
400 -- Hazardous condition, other	338	26	0	364	0.02%	381	23	0	404	0.03%	364	13	0	377	0.03%
410 -- Flammable gas or liquid condition, other	150	6	0	156	0.01%	178	7	0	185	0.01%	157	4	0	161	0.01%
411 -- Gasoline or other flammable liquid spill	687	14	0	702	0.05%	653	32	0	685	0.05%	643	27	0	670	0.05%
412 -- Gas leak (natural gas or LPG)	3,385	196	0	3,581	0.24%	4,200	284	0	4,485	0.31%	4,250	257	0	4,507	0.31%
413 -- Oil or other combustible liquid spill	363	9	0	372	0.03%	400	12	0	412	0.03%	388	12	0	400	0.03%
420 -- Toxic condition, other	83	4	0	87	0.01%	64	2	0	66	0.00%	53	2	0	55	0.00%
421 -- Chemical hazard (no spill or leak)	66	1	0	67	0.00%	78	6	0	84	0.01%	87	5	0	92	0.01%
422 -- Chemical spill or leak	185	30	0	215	0.01%	192	18	0	210	0.01%	178	14	0	192	0.01%
423 -- Refrigeration leak	27	1	0	28	0.00%	24	0	0	24	0.00%	27	1	0	28	0.00%
424 -- Carbon monoxide incident	2,077	34	0	2,112	0.14%	2,709	72	0	2,782	0.19%	2,486	83	0	2,570	0.18%
430 -- Radioactive condition, other	0	0	0	0	0.00%	1	0	0	1	0.00%	0	0	0	0	0.00%
431 -- Radiation leak, radioactive material	0	0	0	0	0.00%	0	1	0	1	0.00%	1	0	0	1	0.00%
440 -- Electrical wiring/equipment problem, other	870	23	0	893	0.06%	1,092	33	0	1,125	0.08%	1,061	50	0	1,111	0.08%
441 -- Heat from short circuit (wiring), defective/worn	166	7	0	173	0.01%	155	9	0	164	0.01%	135	4	0	139	0.01%
442 -- Overheated motor	250	10	0	260	0.02%	297	15	0	312	0.02%	310	15	0	325	0.02%
443 -- Light ballast breakdown	35	2	0	37	0.00%	38	4	0	42	0.00%	33	1	0	34	0.00%
444 -- Power line down	2,822	69	0	2,893	0.20%	3,132	86	0	3,219	0.22%	2,333	49	0	2,383	0.16%
445 -- Arcing, shorted electrical equipment	1,118	30	0	1,148	0.08%	1,197	31	0	1,228	0.08%	1,262	37	0	1,299	0.09%
451 -- Biological hazard, confirmed or suspected	56	2	0	58	0.00%	51	0	0	51	0.00%	51	1	0	52	0.00%
460 -- Accident, potential accident, other	142	15	0	157	0.01%	177	22	0	199	0.01%	166	11	0	177	0.01%
461 -- Building or structure weakened or collapsed	92	6	0	98	0.01%	73	8	0	81	0.01%	78	8	0	86	0.01%
462 -- Aircraft standby	143	15	0	158	0.01%	173	16	0	189	0.01%	185	14	0	199	0.01%

463 -- Vehicle accident, general cleanup	1,133	45	0	1,178	0.08%	960	28	0	988	0.07%	894	32	0	927	0.06%
471 -- Explosive, bomb removal (for bomb scare, use 721)	10	0	0	10	0.00%	3	0	0	3	0.00%	3	1	0	4	0.00%
480 -- Attempted burning, illegal action, other	38	1	0	39	0.00%	35	1	0	36	0.00%	60	2	0	62	0.00%
481 -- Attempt to burn	14	1	0	15	0.00%	21	0	0	21	0.00%	14	0	0	14	0.00%
482 -- Threat to burn	2	0	0	2	0.00%	4	1	0	5	0.00%	5	1	0	6	0.00%
500 -- Service Call, other	1,283	38	0	1,322	0.09%	1,506	56	0	1,562	0.11%	1,386	45	0	1,431	0.10%
510 -- Person in distress, other	329	9	0	338	0.02%	343	11	0	354	0.02%	280	4	0	284	0.02%
511 -- Lock-out	872	7	0	879	0.06%	1,228	18	0	1,246	0.09%	1,036	31	0	1,067	0.07%
512 -- Ring or jewelry removal	46	0	0	46	0.00%	43	0	0	43	0.00%	43	0	0	43	0.00%
520 -- Water problem, other	298	0	0	298	0.02%	460	3	0	463	0.03%	290	4	0	294	0.02%
521 -- Water evacuation	19	0	0	19	0.00%	22	2	0	24	0.00%	9	1	0	10	0.00%
522 -- Water or steam leak	491	11	0	502	0.03%	1,010	15	0	1,025	0.07%	553	18	0	571	0.04%
531 -- Smoke or odor removal	1,797	75	0	1,873	0.13%	1,938	96	0	2,034	0.14%	1,784	124	0	1,909	0.13%
540 -- Animal problem, other	11	0	0	11	0.00%	9	0	0	9	0.00%	18	1	0	19	0.00%
541 -- Animal problem	47	0	0	47	0.00%	52	0	0	52	0.00%	37	1	0	38	0.00%
542 -- Animal rescue	340	10	0	350	0.02%	293	7	0	301	0.02%	379	3	0	382	0.03%
550 -- Public service assistance, other	1,832	18	0	1,853	0.13%	2,288	26	0	2,314	0.16%	2,554	14	0	2,568	0.18%
551 -- Assist police or other governmental agency	1,521	244	0	1,765	0.12%	1,666	234	0	1,900	0.13%	1,675	335	0	2,010	0.14%
552 -- Police matter	2,115	19	0	2,134	0.15%	2,303	21	0	2,324	0.16%	2,424	11	0	2,435	0.17%
553 -- Public service	2,808	13	0	2,821	0.19%	7,296	16	0	7,312	0.50%	7,491	14	0	7,505	0.51%
554 -- Assist invalid	7,284	50	0	7,334	0.50%	8,875	59	0	8,934	0.61%	9,602	51	0	9,653	0.66%
555 -- Defective elevator, no occupants	209	2	0	211	0.01%	245	5	0	250	0.02%	231	1	0	232	0.02%
561 -- Unauthorized burning	1,536	7	0	1,543	0.11%	1,271	7	0	1,278	0.09%	1,462	13	0	1,475	0.10%
571 -- Cover assignment, standby, moveup	298	725	0	1,023	0.07%	385	698	0	1,083	0.07%	449	598	0	1,047	0.07%
600 -- Good intent call, other	2,073	37	0	2,110	0.14%	2,676	18	0	2,694	0.18%	2,984	34	0	3,018	0.21%
611 -- Dispatched & canceled en route	14,521	5,167	0	19,688	1.34%	16,217	5,697	0	21,915	1.50%	17,296	5,448	0	22,744	1.55%
621 -- Wrong location	60	1	0	61	0.00%	82	4	0	86	0.01%	69	3	0	72	0.00%
622 -- No incident found at dispatch address	3,655	43	0	3,698	0.25%	4,147	50	0	4,197	0.29%	4,622	51	0	4,673	0.32%
631 -- Authorized controlled burning	620	24	0	644	0.04%	515	23	0	539	0.04%	616	14	0	630	0.04%
632 -- Prescribed fire	44	1	0	45	0.00%	37	2	0	39	0.00%	41	0	0	41	0.00%
641 -- Vicinity alarm (incident in other location)	51	1	0	52	0.00%	62	1	0	63	0.00%	52	4	0	56	0.00%
650 -- Steam, other gas mistaken for smoke, other	142	7	0	149	0.01%	164	9	0	173	0.01%	166	3	0	169	0.01%
651 -- Smoke scare, odor of smoke	1,438	108	0	1,546	0.11%	1,642	115	0	1,757	0.12%	1,900	139	0	2,039	0.14%
652 -- Steam, vapor, fog or dust thought to be smoke	256	9	0	265	0.02%	297	21	0	318	0.02%	243	20	0	263	0.02%

653 -- Barbecue, tar kettle	69	1	0	70	0.00%	80	4	0	84	0.01%	69	1	0	70	0.00%
661 -- EMS call, party transported by non-fire agency	212	10	0	222	0.02%	289	18	0	307	0.02%	305	15	0	320	0.02%
671 -- Hazmat release investigation w/ no hazmat	734	19	0	753	0.05%	1,055	36	0	1,091	0.07%	1,026	58	0	1,084	0.07%
672 -- Biological hazard, none found	5	0	0	5	0.00%	7	0	0	7	0.00%	19	0	0	19	0.00%
700 -- False alarm or false call, other	4,267	180	0	4,448	0.30%	6,179	152	0	6,332	0.43%	6,588	161	0	6,749	0.46%
710 -- Malicious, mischievous false call, other	377	4	0	381	0.03%	421	6	0	427	0.03%	386	8	0	394	0.03%
711 -- Municipal alarm system, malicious false alarm	163	4	0	167	0.01%	322	5	0	327	0.02%	242	8	0	250	0.02%
712 -- Direct tie to FD, malicious/false alarm	48	1	0	49	0.00%	50	0	0	50	0.00%	21	1	0	22	0.00%
713 -- Telephone, malicious false alarm	181	1	0	182	0.01%	172	5	0	177	0.01%	86	4	0	90	0.01%
714 -- Central station, malicious false alarm	238	2	0	240	0.02%	325	5	0	330	0.02%	308	10	0	318	0.02%
715 -- Local alarm system, malicious false alarm	466	2	0	468	0.03%	542	3	1	546	0.04%	518	7	0	525	0.04%
721 -- Bomb scare - no bomb	24	0	0	24	0.00%	34	2	0	36	0.00%	20	1	0	21	0.00%
730 -- System malfunction, other	470	6	0	476	0.03%	652	15	0	667	0.05%	503	10	0	513	0.04%
731 -- Sprinkler activation due to malfunction	334	9	0	343	0.02%	504	16	0	520	0.04%	325	5	0	330	0.02%
732 -- Extinguishing system activation due to malfunction	39	2	0	41	0.00%	44	2	0	46	0.00%	28	0	0	28	0.00%
733 -- Smoke detector activation due to malfunction	1,918	44	0	1,962	0.13%	2,109	35	0	2,144	0.15%	1,851	38	0	1,889	0.13%
734 -- Heat detector activation due to malfunction	140	7	0	147	0.01%	136	3	0	139	0.01%	126	2	0	128	0.01%
735 -- Alarm system sounded due to malfunction	3,516	61	0	3,577	0.24%	4,075	97	0	4,172	0.28%	4,008	99	0	4,107	0.28%
736 -- CO detector activation due to malfunction	1,300	20	0	1,320	0.09%	1,316	17	0	1,333	0.09%	1,471	22	0	1,493	0.10%
740 -- Unintentional transmission of alarm, other	1,391	19	0	1,410	0.10%	1,764	35	0	1,799	0.12%	1,594	33	0	1,627	0.11%
741 -- Sprinkler activation, no fire - unintentional	417	10	0	427	0.03%	557	15	0	572	0.04%	361	8	0	369	0.03%
742 -- Extinguishing system activation	27	1	0	28	0.00%	45	0	0	45	0.00%	46	0	0	46	0.00%
743 -- Smoke detector activation, no fire - unintentional	3,780	69	0	3,849	0.26%	4,130	84	0	4,215	0.29%	3,790	83	0	3,873	0.26%
744 -- Detector activation, no fire - unintentional	1,451	24	0	1,475	0.10%	1,662	31	0	1,693	0.12%	1,553	68	0	1,621	0.11%
745 -- Alarm system sounded, no fire - unintentional	6,292	116	0	6,408	0.44%	7,982	182	0	8,164	0.56%	9,199	188	0	9,387	0.64%

746 -- Carbon monoxide detector activation, no CO	1,666	27	0	1,693	0.12%	1,904	35	0	1,940	0.13%	2,233	40	0	2,274	0.16%
751 -- Biological hazard, malicious false report	3	0	0	3	0.00%	4	0	0	4	0.00%	2	1	0	3	0.00%
800 -- Severe weather or natural disaster, other	238	9	0	247	0.02%	150	10	0	160	0.01%	70	7	0	77	0.01%
811 -- Earthquake assessment	1	0	0	1	0.00%	1	0	0	1	0.00%	0	0	0	0	0.00%
812 -- Flood assessment	28	0	0	28	0.00%	32	0	0	32	0.00%	23	0	0	23	0.00%
813 -- Wind storm, tornado/hurricane assessment	346	19	0	365	0.02%	321	15	0	336	0.02%	196	3	0	199	0.01%
814 -- Lightning strike (no fire)	145	13	0	158	0.01%	102	14	0	116	0.01%	72	6	0	78	0.01%
815 -- Severe weather or natural disaster standby	188	2	0	190	0.01%	127	1	0	128	0.01%	79	2	0	81	0.01%
900 -- Special type of incident, other	443	35	0	478	0.03%	533	29	0	562	0.04%	481	20	0	501	0.03%
911 -- Citizen complaint	439	5	0	444	0.03%	401	5	0	406	0.03%	391	4	0	395	0.03%
UUU -- Undetermined incident type (conversion only)	1	0	0	1	0.00%	0	0	0	0	0.00%	1	0	0	1	0.00%
Grand Totals	419,139	22,630	137	442,841	30.22%	479,526	25,222	129	505,705	34.51%	490,655	25,495	82	517,008	35.28%