



These changes became effective on June 1, 2016

[SPS 321.05 Natural light and natural ventilation](#). – Added language (a) *Exception*. Habitable rooms, other than bedrooms, located in basements, ground floors **or above garages** do not require natural light.

[SPS 320.10 \(4\) \(a\) 1. and 2.](#) are amended to read:

SPS 320.10 (4) (a) 1. Notice of compliance or noncompliance with this code shall be written on the building permit or another readily visible means and posted at the job site. **Alternatively, the notice may be delivered electronically if mutually agreed upon by the applicant and inspector.**

2. Upon finding of noncompliance, the municipality or authorized UDC inspection agency enforcing this code shall also notify the applicant of record and the owner, in writing, of the violations to be corrected. **Alternatively, the notification may be delivered electronically if mutually agreed upon by the applicant and inspector.**

[SPS 322.34](#) (4) title and (a) and (b) are renumbered SPS 322.34 (3) title and (a) and (b), and SPS 322.34 (3) title and (a), as renumbered, are amended to read:

SPS 322.34 (3) ~~INSULATED CRAWL SPACES~~ (a) ~~As an alternative to insulating floors over unheated crawl spaces, crawl~~ **Crawl** space walls shall be insulated in accordance with Table 322.31-1.