

## Part AP – Chapters Comm 61 and 62 Appendices

### APPENDIX A

The material contained in this appendix is for clarification purposes only and is numbered to correspond to the number of the rule as it appears in the text of the code.

**A-61.03 (4) (b) and 62.0903 (2) Lower thresholds for municipalities with preexisting stricter sprinkler ordinances.** Section 101.14 (4m) (d) and (e), Stats, provides the following thresholds above which fire sprinkler protection or 2-hour fire-resistance can be required by a municipality with a preexisting stricter sprinkler ordinance.

| Class of Construction | Total Floor Area Within Individual Dwelling Units | Number of Units | Total Floor Area of Nondwelling Unit Portions (Common use areas, such as corridors, stairways, basements, cellars, vestibules, community rooms, laundry rooms, pools, etc.) |
|-----------------------|---------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type IA               | 8,000 sq. ft.                                     | 8 units         | 12,000 sq. ft.                                                                                                                                                              |
| Type IB               |                                                   |                 | 10,000 sq. ft.                                                                                                                                                              |
| Type IIA              |                                                   |                 | 8,000 sq. ft.                                                                                                                                                               |
| Type IIB              |                                                   |                 | 5,600 sq. ft.                                                                                                                                                               |
| Type III              |                                                   |                 |                                                                                                                                                                             |
| Type IV               |                                                   |                 |                                                                                                                                                                             |
| Type VA               |                                                   |                 | 4,800 sq. ft.                                                                                                                                                               |
| Type VB               |                                                   |                 |                                                                                                                                                                             |

The department, based on ordinances forwarded by municipalities (and checked by Safety and Buildings staff for conformance with the preexisting sprinkler ordinance criteria), or based on other provided information, believes the following municipalities have preexisting stricter sprinkler ordinances:

|                 |                 |
|-----------------|-----------------|
| Appleton        | Muskego         |
| Brookfield      | New Berlin      |
| Franklin        | Oak Creek       |
| Greendale       | Racine          |
| Greenfield      | Shorewood Hills |
| Madison         | Sussex          |
| Menomonee Falls | West Allis      |
| Monona          | West Bend       |
| Mount Pleasant  |                 |

Other municipalities may also have preexisting stricter sprinkler ordinances.



## APPENDIX B

**A-62.0400 (2) Recycling space.** The 1989 Wisconsin Act 335 requires the department to establish rules for public buildings such that adequate space is provided within or adjacent to buildings for the separation, temporary storage and collection of recyclable materials likely to be generated by the occupants of the building.

When verified amounts of previously generated recyclable materials are available, the following may be used to determine adequate space for the separation, temporary storage and collection of recyclable materials:

One cubic yard should be allocated for each 200 pounds of newspaper and mixed paper.

One cubic yard should be allocated for each 80 pounds of mixed or commingled recyclable materials.

The guidelines in the following table are provided for determining adequate space allocation when verified amounts of previously recyclable materials are not available. These guidelines are based on accumulation of recyclable materials likely to be generated by the building occupants for one week and one month, respectively.

**GUIDELINES FOR RECOMMENDED SPACE ALLOCATION BY TYPE OF BUILDING OCCUPANCY<sup>a</sup>**

| TYPE OF BUILDING OCCUPANCY        | SPACE ALLOCATION<br>(cu. ft./1,000 sq. ft. floor area) |           |
|-----------------------------------|--------------------------------------------------------|-----------|
|                                   | One Week                                               | One Month |
| Assembly Hall, Theater            | 2.2                                                    | 10.0      |
| Child Day Care                    |                                                        |           |
| with meals served                 | 4.5                                                    | 20.0      |
| without meals served              | 3.0                                                    | 12.0      |
| Detention and Correctional        | 13.5                                                   | 60.0      |
| Garage                            |                                                        |           |
| storage                           | 0                                                      | 0         |
| repair                            | Note b                                                 | Note b    |
| Health Care                       |                                                        |           |
| hospital                          | 13.5                                                   | 60.0      |
| clinic, without meals served      | 8.0                                                    | 36.0      |
| nursing/rest home                 | 4.5                                                    | 20.0      |
| Hotel/Motel                       |                                                        |           |
| without meals served              | 3.5                                                    | 15.0      |
| Industrial                        | Note b                                                 | Note b    |
| Library                           | 2.2                                                    | 10.0      |
| Mercantile                        |                                                        |           |
| department store, shopping mall   | 9.0                                                    | 40.0      |
| grocery                           | 18.0                                                   | 80.0      |
| Museum, Art Gallery               | 2.2                                                    | 10.0      |
| Office                            | 7.0                                                    | 30.0      |
| Residential, Multifamily Dwelling | 9.0                                                    | 40.0      |
| Restaurant or Food Service        | Note c                                                 | Note c    |
| School, Places of Instruction     | 3.0                                                    | 12.0      |
| Warehouse                         | Note b                                                 | Note b    |

a. This information is to be used only as a guide in determining space allocation. Space allocation may differ from the listed value when using verified amounts of previously generated recyclable materials.

b. Varies with type of activity.

c. Varies with number of meals served and type of meal service.

# ORDER FORM

## WISCONSIN ENROLLED COMMERCIAL BUILDING CODE

**Send check for \$200 per set to the "Safety and Buildings Division"**  
**Attn: Roberta Ward, PO Box 2689, Madison WI 53701**

Do not buy the code through this offer if you are signed up to attend the 2002 Commercial Building Code training being offered through the state inspector associations. Copies of the enrolled code will be included with the training tuition.

How many sets are you ordering? \_\_\_\_\_ ( $\$200 \times \text{number} = \text{check amount}$  \_\_\_\_\_)

Company or individual name: \_\_\_\_\_

Shipping street address: \_\_\_\_\_

Special instructions: \_\_\_\_\_

City, state, zip: \_\_\_\_\_

Telephone number: \_\_\_\_\_

Fiscal code 8035 Personal information you provide may be used for secondary purposes [Privacy Law, s. 1504(1)(m)]