



**VIRTUAL/TELECONFERENCE
CONTROLLED SUBSTANCES BOARD
Virtual, 4822 Madison Yards Way, Madison
Contact: Adam Barr (608) 266-2112
July 15, 2022**

The following agenda describes the issues that the Board plans to consider at the meeting. At the time of the meeting, items may be removed from the agenda. Please consult the meeting minutes for a description of the actions and deliberations of the Board.

AGENDA

9:30 A.M.

**OR IMMEDIATELY FOLLOWING THE REFERRAL CRITERIA
WORK GROUP MEETING**

OPEN SESSION – CALL TO ORDER – ROLL CALL

- A. Adoption of Agenda (1-3)**
- B. Approval of Minutes May 13, 2022 (4-5)**
- C. Reminders: Conflicts of Interests, Scheduling Concerns**
- D. Introductions, Announcements and Recognition**
- E. Administrative Matters – Discussion and Consideration**
 - 1) Department, Staff, and Board Updates
 - 2) Board Members – Term Expiration Dates
 - a. Alton, Troy
 - b. Barman, Subhadeep – 5/1/2019
 - c. Bellay, Yvonne
 - d. Bloom, Alan – 5/1/2020
 - e. Englebert, Doug
 - f. Ferguson, Kris
 - g. Koresch, Sandy
 - h. Weinman, Robert
 - i. Weitekamp, John
 - 3) Alternate Members
 - a. Herbert Kaske
 - b. Michael Parish
 - c. Emily Zentz
- F. Legislature Agenda Request: Status of Kratom – Discussion and Consideration (6-118)**
- G. Administrative Rule Matters – Discussion and Consideration (119)**
 - 1) Adoption Order

- a. CSB 2.80, Relating to Scheduling Oliceridine **(120-122)**
- 2) Final Rule Draft and Legislative Report
 - a. CSB 2.82, Relating to Scheduling Serdexmethylphenidate **(123-131)**
 - b. CSB 2.83, Relating to Scheduling 10 Fentanyl Related Substances **(132-143)**
 - c. CSB 2.84, Relating to Scheduling Alfaxalone **(144-153)**
 - d. CSB 2.85, Relating to Excluding 6-Beta-Naltrexol **(154-164)**
 - e. CSB 2.86, Relating to Scheduling Fospropofol **(165-173)**
 - f. CSB 2.87, Relating to Scheduling Embutramide **(174-182)**
 - g. CSB 2.88, Relating to Scheduling Lacosamide **(183-191)**
 - h. CSB 2.89, Relating to Scheduling Perampanel **(192-200)**
 - i. CSB 2.90, Relating to Transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile **(201-211)**
- 3) Affirmative Action Order
 - a. CSB 2.92, Relating to Scheduling 38 Anabolic Steroids **(212-214)**
 - b. CSB 2.93, Relating to Scheduling Daridorexant **(215)**
 - c. CSB 2.94, Relating to Scheduling 7 Synthetic Benzimidazole-Opioids **(216-217)**
 - d. CSB 2.95, Relating to Scheduling Ganaxolone **(218)**
- 4) Pending and Possible Rulemaking Projects **(219-220)**

H. Planning for the 2022 Annual Law Enforcement Hearing – Discussion and Consideration

I. Prescription Drug Monitoring Program (PDMP) Updates – Discussion and Consideration (221)

- 1) WI ePDMP Operations
 - a. Recent and Upcoming Releases **(222-224)**
 - b. Status of Grant Projects:
 - 1. FY 2020 Harold Rogers Prescription Drug Monitoring Program
 - 2. FY 2021 Harold Rogers Prescription Drug Monitoring Program
 - 3. Buprenorphine Exclusion Project
 - c. Interstate Data Sharing **(225-226)**
 - d. EHR Integration Status
- 2) WI ePDMP Outreach **(227)**

J. Board Member Reports – Discussion and Consideration

- 1) Medical Examining Board
- 2) Dentistry Examining Board
- 3) Board of Nursing
- 4) Pharmacy Examining Board

K. Liaison Reports

L. Report from the Referral Criteria Work Group – Discussion and Consideration

M. COVID-19 – Discussion and Consideration

N. Deliberation on Special Use Authorizations – Discussion and Consideration

- O. Discussion and Consideration of Items Received After Preparation of the Agenda**
 - 1) Introductions, Announcements, and Recognition
 - 2) Administrative Matters
 - 3) Election of Officers
 - 4) Appointment of Liaisons and Alternates
 - 5) Delegation of Authorities
 - 6) Informational Items
 - 7) Division of Legal Services and Compliance (DLSC) Matters
 - 8) Education and Examination Matters
 - 9) Credentialing Matters
 - 10) Practice Matters
 - 11) Legislative and Administrative Rule Matters
 - 12) Liaison Reports
 - 13) Appearances from Requests Received or Renewed
 - 14) Speaking Engagements, Travel, or Public Relations Requests, and Reports
 - 15) Consulting with Legal Counsel

P. Public Comments

CONVENE TO CLOSED SESSION to deliberate on cases following hearing (s. 19.85(1)(a), Stats.); to consider licensure or certification of individuals (s. 19.85(1)(b), Stats.); to consider individual histories or disciplinary data (s. 19.85(1)(f), Stats.); and to confer with legal counsel (s. 19.85(1)(g), Stats.).

Q. Deliberation on Special Use Authorizations – Discussion and Consideration

R. Consulting with Legal Counsel

RECONVENE TO OPEN SESSION IMMEDIATELY FOLLOWING CLOSED SESSION

S. Vote on Items Considered or Deliberated Upon in Closed Session if Voting is Appropriate

T. Open Session Items Noticed Above Not Completed in the Initial Open Session

ADJOURNMENT

NEXT MEETING: SEPTEMBER 9, 2022

MEETINGS AND HEARINGS ARE OPEN TO THE PUBLIC, AND MAY BE CANCELLED WITHOUT NOTICE.

Times listed for meeting items are approximate and depend on the length of discussion and voting. All meetings are held virtually unless otherwise indicated. In-person meetings are typically conducted at 4822 Madison Yards Way, Madison, Wisconsin, unless an alternative location is listed on the meeting notice. In order to confirm a meeting or to request a complete copy of the board’s agenda, please visit the Department website at <https://dps.wi.gov>. The board may also consider materials or items filed after the transmission of this notice. Times listed for the commencement of disciplinary hearings may be changed by the examiner for the convenience of the parties. Requests for interpreters for the hard of hearing, or other accommodations, are considered upon request by contacting the Affirmative Action Officer at 608-266-2112, or the Meeting Staff at 608-266-5439.

**VIRTUAL/TELECONFERENCE
CONTROLLED SUBSTANCES BOARD
MEETING MINUTES
MAY 13, 2022**

PRESENT: Troy Alton, Subhadeep Barman, Yvonne Bellay, Rosemary Dolatowski (*alternate*), Doug Englebert, Sandy Koresch, Michael Parish (*alternate*), John Weitekamp

EXCUSED: Alan Bloom, Kris Ferguson, Robert Weinman

STAFF: Adam Barr, Executive Director; Jameson Whitney, Legal Counsel; Nilajah Hardin, Administrative Rules Coordinator; Katlin Schwartz, Bureau Assistant; and other DSPS Staff

Michael Parish served as the Medical Examining Board Representative at this meeting.

Rosemary Dolatowski served as the Board of Nursing Representative at this meeting.

CALL TO ORDER

Doug Englebert, Chairperson, called the meeting to order at 9:32 a.m. A quorum was confirmed with eight (8) members present.

ADOPTION OF AGENDA

MOTION: Michael Parish moved, seconded by Subhadeep Barman, to adopt the Agenda as published. Motion carried unanimously.

APPROVAL OF MINUTES OF MARCH 11, 2022

MOTION: Subhadeep Barman moved, seconded by Sandy Koresch, to adopt the Minutes of March 11, 2022 as published. Motion carried unanimously.

INTRODUCTIONS, ANNOUNCEMENTS AND RECOGNITION

MOTION: Rosemary Dolatowski moved, seconded by Subhadeep Barman, to recognize and thank Peter Kallio for his years of dedicated service to the Board and State of Wisconsin. Motion carried unanimously.

ADMINISTRATIVE RULE MATTERS

Preliminary Rule Draft – CSB 2.91, Relating to Scheduling 4,4 – Dimethylaminorex

MOTION: Subhadeep Barman moved, seconded by Michael Parish, to approve the preliminary rule draft of CSB 2.91, relating to Scheduling 4,4'-Dimethylaminorex, for posting for economic impact comments and submission to the Clearinghouse. Motion carried unanimously.

LEGISLATURE AGENDA REQUEST: STATUS OF KRATOM

MOTION: Subhadeep Barman moved, seconded by Sandy Koresch, to state the Board's position that the Legislature has scheduled Mitragynine (MG) and 7-hydroxymitragynine (7H-MG), and that any change in scheduling should occur at the Legislative level. Motion carried unanimously.

REPORT FROM THE REFERRAL CRITERIA WORK GROUP

MOTION: John Weitekamp moved, seconded by Michael Parish, to accept the recommendations of the Referral Criteria Work Group and refer the specified providers to the appropriate examining boards for further proceedings. Motion carried unanimously.

ADJOURNMENT

MOTION: Subhadeep Barman moved, seconded by Michael Parish, to adjourn the meeting. Motion carried unanimously.

The meeting adjourned at 10:24 a.m.

**State of Wisconsin
Department of Safety & Professional Services**

AGENDA REQUEST FORM

1) Name and title of person submitting the request: Adam Barr, Executive Director on behalf of Senator Mary Felzkowski et al.		2) Date when request submitted: 6/24/2022 Items will be considered late if submitted after 12:00 p.m. on the deadline date which is 8 business days before the meeting	
3) Name of Board, Committee, Council, Sections: Controlled Substances Board			
4) Meeting Date: 7/15/2022	5) Attachments: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6) How should the item be titled on the agenda page? Legislature Agenda Request: Status of Kratom – Discussion and Consideration	
7) Place Item in: <input checked="" type="checkbox"/> Open Session <input type="checkbox"/> Closed Session	8) Is an appearance before the Board being scheduled? (If yes, please complete Appearance Request for Non-DSPS Staff) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9) Name of Case Advisor(s), if applicable:	
10) Describe the issue and action that should be addressed: Members of the legislature have requested that the board conduct its own impartial review of existing research and provide the legislature with guidance or act unilaterally if appropriate. Specifically, the board is asked to determine whether kratom in its natural form should continue to be scheduled in Wisconsin. A clarification to the April 28, 2022 request was submitted on June 24, 2022 and is included in this packet. Attachments: Request from Legislators: Pages 2-5 HHS Letter Rescinding Recommendation to Schedule Kratom: Pages 6-9 HHS Letter to Representative Pocan: Pages 10-11 Request from Representative Pocan: Pages 12-14 2021 Wisconsin Assembly Bill 599 Hearing Testimony: Pages 15-43 Research Article on the Abuse Potential of Kratom (Submitted by American Kratom Association): Pages 44-113			
11) Authorization			
<i>Adam Barr</i>		7/7/2022	
Signature of person making this request		Date	
Supervisor (Only required for post agenda deadline items)		Date	
Executive Director signature (Indicates approval for post agenda deadline items)		Date	
Directions for including supporting documents: 1. This form should be saved with any other documents submitted to the Agenda Items folders. 2. Post Agenda Deadline items must be authorized by a Supervisor and the Policy Development Executive Director. 3. If necessary, provide original documents needing Board Chairperson signature to the Bureau Assistant prior to the start of a meeting.			

June 24, 2022

Wisconsin Controlled Substances Board
Department of Safety and Professional Services
P.O. Box 8366
Madison, WI 53708-8366

Dear Chairperson Englebert and Honored Board Members,

We write to address the response from the Controlled Substances Board (CSB) to our request that a review be conducted on whether the alkaloid constituents of the kratom plant meet the statutory criteria for scheduling under 961.11 (1m) (a-h). As you are aware, 2013 SB 325, signed by the Governor on April 23, 2014, added kratom's alkaloids, mitragynine (MG) and 7-hydroxymitragynine (7-HMG), to Schedule I. As we clearly stated in our April 28, 2022 letter to the CSB, we believe the characterization in 2013 SB 325 to name chemical structures inappropriately included the natural alkaloids of the kratom plant. The inclusion of kratom's alkaloids in this legislation, however poorly framed, was an action prompted by the various pronouncements by the U.S. Food and Drug Administration (FDA) that federal scheduling of these alkaloids was imminent. The CSB recognized this in its March 15, 2016 Motion that the evidence did not exist to change the schedule for kratom at that time. In the intervening eight years, no such scheduling action has been taken at the federal level and much more research has been conducted. More importantly, based on our review of publicly available documents on kratom, the U.S. Secretary of Health and Human Services (HHS) has determined there is insufficient evidence to propose any federal scheduling of kratom.

The request we made of the CSB was clear—we requested that the Board “conduct its own impartial review of existing research and **provide the legislature with guidance or act unilaterally if appropriate.**” Instead, the CSB chose to ignore our request to conduct a scientific review of the new research and approved a motion that stated, “the Legislature has scheduled...(kratom alkaloids)...and any change in scheduling should occur at the Legislative level.” We consider this response inadequate as this vote did not address the question of the CSB conducting a scientific review.

Additionally, as we reviewed the record, it was perplexing to see that there was discussion by some members of the CSB about the various positions of the medical community and law enforcement entities that were already clearly presented to the legislature in committee hearings and have no basis in the scientific research that is now available. The political views of members of the CSB representing policy positions of groups with whom they are affiliated or purported to speak for raise troubling conflicts, and the proper forum for advocating for such policy positions is before the legislature, not at the CSB. We hope that moving forward, the Board will consider the request not based on policy considerations, but instead on a review of the science that the CSB is **statutorily obligated** to consider in its decision-making.

To clarify our initial request: our question is whether the scientific evidence currently available in 2022 supports the scheduling of kratom under the eight factors set forth in our statutes. We made the request that the CSB review the existing evidence and science to determine if natural kratom meets the criteria to be scheduled under Wisconsin law. The CSB is the only entity in Wisconsin State Government that has the diverse expertise and the statutory responsibility to review scientific data in an impartial manner and provide policymakers with the guidance they need to make good decisions about scheduling substances.

Two separate reviews on this issue at the federal level determined there was insufficient evidence to support the scheduling of kratom. The Wisconsin statute mirrors the same criteria the federal government reviewed, hence our interest in having the CSB re-visit the actions taken by our state in 2014. Additionally, we take note of the fact that the Expert Committee on Drug Dependence (ECDD), at the request of the UN Commission on Narcotic Drugs, conducted an extensive review of all the current science on kratom to determine if kratom should be scheduled internationally. On December 1, 2021, the ECDD voted 11-1 that there was insufficient evidence to recommend scheduling kratom. As members of the health care community, you all know better than we do that science in medicine evolves, and as we gather more evidence and data, it is proper for the state to re-visit old decisions in light of new information.

We restate our specific request that CSB conduct a scientific review and:

- 1) the CSB provide guidance on whether kratom's alkaloids meet the specific criteria provided in Wis. Stats. Ch. 961 (1m) and (1r) as to whether kratom in its natural form should be scheduled in Wisconsin. We ask that the assessment be made on the science, not the policy views of individual CSB members or organizations they represent; or
- 2) if the CSB determines natural kratom does not meet the criteria under Wis. Stats. Ch. 961(1m), the CSB promulgate a rule that differentiates natural MG and 7-HMG from any kratom products containing synthesized or chemically altered alkaloids so that natural kratom would not violate Wis. Stats. Ch. 961.17(7)(mk) and (ml) of the Wisconsin Controlled Substances Act.

We once again present our request that the CSB review this same data in an unbiased manner and provide us with your assessment as to whether natural kratom meets the 8-factors necessary for a substance to be scheduled under Wisconsin state law.


We have included several documents that address the scientific reviews conducted at the federal and international levels:

- 1) *Pinney Associates 8 Factor Analysis of Abuse Potential of Kratom* (The initial analysis was provided to FDA in 2018 prior to their decision to rescind the recommendation to schedule kratom. It has since been updated in August 2021 to include over 100 new peer reviewed published studies).

- 2) *Department of Health and Human Services Letter to Drug Enforcement Agency 2018*
(Rescinding the recommendation to schedule)
- 3) *HHS Letter to Pocan/Lee* (Describes emerging science and confirms no intent to schedule)

The Controlled Substances Board was created to advise the Legislature, and we are here, asking you, as the experts, for your advice. We hope this second letter clarifies our request to the Board. Please let us know, at your earliest convenience, in writing, how you intend to proceed and feel free to reach out to our Legislative offices with any questions.

Sincerely,



Senator Mary Felzkowski
12th Senate District




Representative Dave Murphy
56th Assembly District



Speaker Robin Vos
63rd Assembly District



Representative Brostoff
19th Assembly District



Representative John Macco
88th Assembly District



Representative Dora Drake
11th Assembly District



Representative Dan Knodl
24th Assembly District



Representative Rob Brooks
60th Assembly District

Christine Sinicki

Representative Christine Sinicki
20th Assembly District



AUG 16 2018

The Honorable Uttam Dhillon
Acting Administrator
Drug Enforcement Administration
U.S. Department of Justice
8701 Morrissette Drive
Springfield, VA 22152

Dear Mr. Dhillon:

Pursuant to the Controlled Substances Act (CSA), 21 U.S.C. § 811, I am rescinding our prior recommendation dated October 17, 2017, that the substances mitragynine and 7-hydroxymitragynine be permanently controlled in Schedule I of the CSA. HHS is instead recommending that mitragynine and 7-hydroxymitragynine not be controlled at this time, either temporarily or permanently, until scientific research can sufficiently support such an action. Mitragynine and 7-OH-mitragynine are two of the constituents of the plant *Mitragyna speciosa* (*M. speciosa*), commonly referred to as *kratom*. This decision is based on many factors, in part on new data, and in part on the relative lack of evidence, combined with an unknown and potentially substantial risk to public health if these chemicals were scheduled at this time. Further research, which I am proposing be undertaken, should provide additional data to better inform any subsequent scheduling decision.

Procedural History

On August 31, 2016, the Drug Enforcement Administration (DEA) issued a Notice of Intent to temporarily schedule the chemicals mitragynine and 7-hydroxymitragynine into Schedule I pursuant to the temporary scheduling provisions of the CSA, 21 U.S.C. § 811(h). *See*, 81 Fed. Reg. 59,929 (Aug. 31, 2016). In response to the Notice of Intent, the DEA received numerous comments from the public on mitragynine and 7-hydroxymitragynine, including comments offering their opinions regarding the pharmacological effects of these substances. To allow consideration of these comments, as well as others received on or before December 1, 2016, the DEA issued a Withdrawal of Notice of Intent and Solicitation of Comments on October 31, 2016.

On October 17, 2017, the then-Acting Assistant Secretary for Health of HHS wrote to then-Acting Administrator of the DEA to indicate that HHS was recommending that the substances mitragynine and 7-OH-mitragynine be permanently controlled in Schedule I of the Controlled

Substances Act. Recently, I became aware of DEA's intent to schedule mitragynine and 7-OH-mitragynine - into Schedule I.

Analysis

The Controlled Substances Act ("CSA") provides in pertinent part that the Attorney General may by rule add to Schedule I any drug or other substance if the Attorney General makes the findings prescribed by subsection (b) of section 812 of the CSA for Schedule I. *See*, 21 U.S.C. § 811(a). Such findings are:

1. The drug or other substance has a high potential for abuse.
2. The drug or other substance has no currently accepted medical use in treatment in the United States.
3. There is a lack of accepted safety or use of the drug or other substance under medical supervision.

The CSA requires that "[i]n making any finding under subsection (a) of this section or under subsection (b) of section 812 of this title, the Attorney General shall consider the following factors with respect to each drug or other substance proposed to be controlled or removed from the schedules:

- (1) Its actual or relative potential for abuse.
- (2) Scientific evidence of its pharmacological effect, if known.
- (3) The state of current scientific knowledge regarding the drug or other substance.
- (4) Its history and current pattern of abuse.
- (5) The scope, duration, and significance of abuse.
- (6) What, if any, risk there is to the public health.
- (7) Its psychic or physiological dependence liability.
- (8) Whether the substance is an immediate precursor of a substance already controlled under this subchapter."

21 U.S.C. § 811(c).

Before scheduling a substance, though, the Attorney General must "request from the Secretary (of HHS) a scientific and medical evaluation, and his recommendation, as to whether such drug or other substance should be so controlled or removed as a controlled substance." *Id.* at § 811(b). The Secretary's evaluation should be based on factors (2), (3), (6), (7), and (8), noted above, and the scientific and medical considerations involved in factors (1), (4), and (5). Moreover, the "recommendation of the Secretary to the Attorney General shall be binding on the Attorney General as to such scientific and medical matters, and if the Secretary recommends that a drug or other substance not be controlled, the Attorney General shall not control the drug or other substance." *Id.*

The Secretary has delegated to the Assistant Secretary for Health, in consultation with the National Institute on Drug Abuse and the Food and Drug Administration, the responsibility to make a recommendation under the CSA to the Attorney General. On October 17, 2017, my

predecessor, the Acting Assistant Secretary for Health, forwarded to you his recommendation that mitragynine and 7-hydroxymitragynine be permanently controlled in Schedule I of the CSA. The recommendation included a scientific and medical evaluation prepared by the FDA of the eight factors determinative of control under the CSA. The FDA evaluation also recommended in favor of the three findings that are required for DEA to place a substance in Schedule I.

I have reviewed the Acting Assistant Secretary's earlier recommendation as well as previous and new scientific data. In light of this review, combined with concerns for unintended public health consequences, I now conclude that while mitragynine and 7-hydroxymitragynine have many properties of an opioid, scheduling these chemicals at this time in light of the underdeveloped state of the science would be premature. For example, one recently published peer reviewed animal study indicated that mitragynine does not have abuse potential and actually reduced morphine intake. As such, these new data suggest that mitragynine does not satisfy the first of the three statutory requisites for Schedule I, irrespective of broader considerations of public health. While a single study is rarely dispositive, it strongly suggests that further evaluation is warranted.

Although there remains cause for concern for 7-hydroxymitragynine and potentially mitragynine, the level of scientific data and analysis presented by the FDA and available in the literature do not meet the criteria for inclusion of *kratom* or its chemical components in Schedule I of the CSA at this time. There is still debate among reputable scientists over whether *kratom* by itself is associated with fatal overdoses. Further analysis and public input regarding *kratom* and its chemical components are needed before any scheduling should be undertaken. It is important that we have additional information to justify scheduling, such as:¹

- A scientific assessment of how many Americans utilize *kratom*, and an understanding of the geographic and demographic distribution of these users (Factors 4, 5);
- A scientific assessment of the actual scale and degree of dependence and/or addiction of Americans utilizing *kratom* (Factors 1, 5, 7);
- A scientific determination based on data whether *kratom* actually serves as a gateway drug that promotes further use of more dangerous opioids (Factors 1, 4, 5);
- A valid prediction of how many *kratom* users will suffer adverse consequences if *kratom* is no longer available, including:
 - Intractable pain, psychological distress, risk for suicide;
 - Transition to proven deadly opioids such as prescription opioids, heroin, or fentanyl; and
 - Transition to other potent or harmful drugs (Factor 6);
- A scientifically valid assessment of causality in the current few deaths in which *kratom* was co-utilized with known lethal drugs such as fentanyl (Factors 1, 2, 3, 5 & 6).

Furthermore, there is a significant risk of immediate adverse public health consequences for potentially millions of users if *kratom* or its components are included in Schedule I, such as:

¹ I am also concerned about the impact of scheduling *kratom* on our ability to conduct research, especially survey research and our currently inability to routinely test for *kratom* in those brought into an emergency room as a result of a possible overdose.


- Suffering with intractable pain;
- *Kratom* users switching to highly lethal opioids, including potent and deadly prescription opioids, heroin, and/or fentanyl, risking thousands of deaths from overdoses and infectious diseases associated with IV drug use;
- Inhibition of patients discussing *kratom* use with their primary care physicians leading to more harm, and enhancement of stigma thereby decreasing desire for treatment, because of individual users now being guilty of a crime by virtue of their possession or use of *kratom*
- The stifling effect of classification in Schedule I on critical research needed on the complex and potentially useful chemistry of components of *kratom*.

Therefore, I conclude at the current time, available evidence does not support mitragynine and 7-hydroxymitragynine being controlled in Schedule I of the Controlled Substances Act. This assessment supersedes the previous recommendation letter from Acting Assistant Secretary Wright dated October 17, 2017. In the meantime, it is recognized that *kratom* may potentially have harmful effects, especially in specific circumstances and/or when used with potent prescription or illicit drugs.

Finally, it is entirely possible that new data and evidence could support scheduling of chemicals in *kratom* at some future time. *Kratom* may have harmful effects, particularly when used with other drugs. As such, I encourage continued enforcement by the FDA against unproven claims by *kratom* manufacturers. I also support enhanced public awareness that *kratom* contains molecules that may potentially be dangerous. I also plan to work expeditiously with colleagues throughout the U.S. government to seek transparent public and scientific input, and to collect data on the critical public health considerations outlined above.

Should you have any questions regarding this recommendation, please contact my office at (202) 690-7694.

Sincerely yours,



Brett P. Giroir, M.D.
ADM, U.S. Public Health Service
Assistant Secretary for Health
Senior Advisor for Opioid Policy



THE SECRETARY OF HEALTH AND HUMAN SERVICES
WASHINGTON, D.C. 20201

March 16, 2022

The Honorable Michael S. Lee
United States Senate
Washington, DC 20510

The Honorable Mark Pocan
U.S. House of Representatives
Washington, DC 20515

Dear Senator Lee and Representative Pocan:

Thank you for your letter about the substance *Mitragyna speciosa*, commonly known as kratom. As your letter notes, efforts to schedule kratom within the United States have not moved forward, and the World Health Organization (WHO) Expert Committee on Drug Dependence concluded that there was insufficient evidence to recommend a critical review of kratom. This means that WHO will take no further action to control kratom under the 1961 or 1971 Conventions at this time.

Your letter also noted that there is emerging science suggesting kratom may have therapeutic health benefits. The Department of Health and Human Services (HHS) is also aware of the emerging research and recent reports indicating that many individuals may be using kratom to self-treat serious health conditions, including, but not limited to, self-medication for managing pain, mental illness, and a substance use disorder. Additionally, there are reports that kratom is used for recreational purposes. Based on the Substance Abuse and Mental Health Services Administration's National Survey on Drug Use and Health, it is estimated that over 2 million Americans 12 years and older used kratom in 2020. However, the prevalence of kratom use is difficult to estimate, and the reason for this prevalence remains unclear.

To that end, HHS and its component agencies are working to address knowledge gaps through research. Both the National Institutes of Health and the Food and Drug Administration (FDA) are supporting studies on the pharmacology of kratom's constituents, their toxicity and addictive liability, as well as their potential therapeutic benefits for pain and substance use disorder. While there are no FDA-approved uses for kratom, the Agency has a proven drug review process involving the evaluation of scientific research and data from rigorous controlled clinical trials to assess the risks and benefits of drugs. This includes a well-developed process for evaluating therapeutic uses of botanical drug products. FDA has also issued guidance on the proper

development of botanical drug products¹ and has a team of medical reviewers who can provide scientific expertise on botanical issues for researchers developing drugs made from plants.

To your final point regarding kratom safety and consumer protections, I agree with your concerns. Indeed, FDA continues to receive concerning reports describing safety concerns associated with kratom, including death. Many kratom-involved overdose deaths have occurred after use of adulterated kratom products or taking kratom with other substances.

While options for scheduling have been discussed, we believe that additional data and information are needed to understand the public health impact of kratom in terms of therapeutic benefits as well as safety risk. Discussions continue within HHS on mitigating actions to best address the various public health concerns presented, including potential unintended consequences that may arise from transitioning to riskier alternatives (for example fentanyl) if kratom were to be scheduled.

Thank you again for contacting me regarding this matter. Should you have further questions, please have your staff contact the Office of the Assistant Secretary for Legislation at (202) 690-7627

Sincerely,

Xavier Becerra

Cc:

Hon. Linda Thomas-Greenfield, United States Ambassador to the United Nations

¹ <https://www.fda.gov/files/drugs/published/Botanical-Drug-Development--Guidance-for-Industry.pdf>

MARK POCAN

2ND DISTRICT, WISCONSIN

COMMITTEE ON APPROPRIATIONS

COMMITTEE ON EDUCATION & LABOR

JOINT ECONOMIC COMMITTEE

SENIOR WHIP



UNITED STATES
HOUSE OF REPRESENTATIVES

10 EAST DOTY STREET, SUITE 405

MADISON, WI 53703

(608) 258-9800

1727 LONGWORTH HOUSE OFFICE BUILDING

WASHINGTON, DC 20515

(202) 225-2906

POCAN.HOUSE.GOV

May 10, 2022

Wisconsin Controlled Substances Board
Department of Safety and Professional Services
PO Box 8366
Madison, WI 53708

Dear Chairperson Engelbart and Members:

As a long-time supporter of legalizing the manufacture, distribution, delivery, and possession of kratom, I write to request your review of research pertaining to kratom and guidance as to whether or not it merits scheduling.

As a Member of Congress, I have worked with federal representatives in both parties to continue the research and legal use of kratom due to its promising help in a number of health conditions as well as its ability to help many people overcome addiction. I've been moved by the many, many personal stories of the benefits of kratom from people across the nation.

According to the Wisconsin Legislative Reference Bureau: "Under current law, kratom is classified as a Schedule I controlled substance and if a person manufactures, distributes, or delivers kratom, [they are] guilty of a misdemeanor."¹ Last legislative session, AB 599 attempted to reverse this unfounded restriction by removing kratom from the schedule of controlled substances while legalizing the manufacture, distribution, delivery, and possession of kratom, subject to certain limitations. This legislative outcome would have been consistent with the emerging view in Washington, D.C. where kratom is now supported on a bipartisan basis, it will be receiving millions of dollars in new research funding, and its benefits have been recognized by the Director of the National Institute on Drug Abuse (NIDA) within the National Institutes of Health (NIH).

In a recent letter addressed to both the U.S. Ambassador to the United Nations and the Secretary of the U.S. Department of Health and Human Services², Senator Mike Lee – a Republican from Utah – and I wrote "to ask that the United States oppose any effort to add kratom and its alkaloids to the 1971 U.N. Convention on psychotropic substances as a banned substance." Additionally, we noted that "In 2016, 145,906 Americans including consumers, scientists, and state and federal lawmakers raised their voices in opposition to the Department of Health and Human Services' (HHS) proposal to schedule kratom as a controlled substance."

¹ <https://docs.legis.wisconsin.gov/2021/related/proposals/ab599>

² <https://www.amerikankratom.org/mediak/news/bi-partisan-letter.html>

Similar to this strong support for kratom from Members of the U.S. House of Representatives and the U.S. Senate – across party lines – the Fiscal Year 2022 Labor, Health and Human Services, Education, and Related Agencies Subcommittee appropriation legislation in the House of Representatives contained the following³:

“Kratom.—The [Appropriations] Committee recognizes that NIDA-funded research has contributed to the continued understanding of the health impacts of kratom, including its constituent compounds, mitragynine and 7-hydroxymitragynine. The Committee is aware of the potential promising results of kratom for acute and chronic pain patients who seek safer alternatives to sometimes dangerously addictive and potentially deadly prescription opioids and of research investigating the use of kratom’s constituent compounds for opioid use disorder. The Committee directs NIDA to continue to invest in this important research, especially considering the increase in overdose deaths during the COVID–19 pandemic.” (p. 135)

“Kratom.—The [Appropriations] Committee directs the Secretary to maintain current Agency policy to not recommend that the substances mitragynine and 7-hydroxymitragynine, known as kratom, be permanently controlled in Schedule I of the Controlled Substances Act, either temporarily or permanently [...] The Committee encourages AHRQ to continue to fund research on natural products that are used by many to treat pain in place of opioids, including kratom [...] The Committee recommends an additional \$3,000,000 for this research and directs AHRQ to make center-based grants to address research which will lead to clinical trials in geographic regions which are among the hardest hit by the opioid crisis.” (p.189)

While testifying before the Appropriations Committee in the U.S. House of Representatives on May 25, 2021, Dr. Nora Volkow, the Director of NIDA, stated: “Kratom, most notably mitragynine, has many interesting properties that could be of value potentially as a medication for pain. Also, interestingly, they could hold value as treatment for addiction [...] it is so important to actually do research on this substance.”⁴ HHS Secretary Becerra went one step further in a letter responding to Senator Lee and me in which he stated: “Discussions continue within HHS on mitigating actions to best address the various public health concerns presented, including potential unintended consequences that may arise from transitioning to riskier alternatives (for example fentanyl) if kratom were to be scheduled.”⁵

Clearly, Wisconsin is out of sync with the nation when it comes to kratom, and the results can be devastating. You, however, can contribute to addressing this disparity, and publish guidance that will place Wisconsin one step closer to joining the 44 states that do not restrict kratom in the way

³ <https://www.congress.gov/117/crpt/hrpt96/CRPT-117hrpt96.pdf>

⁴ <https://appropriations.house.gov/events/hearings/fy-2022-budget-request-for-the-national-institutes-of-health>

⁵ <https://www.politico.com/newsletters/prescription-pulse/2022/04/12/fda-combatting-field-mice-at-white-oak-campus-00024563>

our state currently does. I hope you will look favorably upon this request.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Mark Pocan', with a large circular flourish at the end.

Mark Pocan
Member of Congress



DAVE MURPHY

State Representative • 56th Assembly District

Assembly Committee on State Affairs

Public Hearing, December 8, 2021

Assembly Bill 599

Testimony of State Representative Dave Murphy

Mr. Chair and members of the committee, thank you for hearing Assembly Bill 599 today.

Kratom is a plant and member of the coffee family native to Southeast Asia. As an herbal supplement it has been cultivated and used in that part of world for centuries for pain relief, alertness, and general well-being. Studies have shown kratom to be an effective natural alternative to opioids, providing Americans with a safer way to address unmanageable pain and alleviate opioid dependency.

The ability for individuals to legally utilize kratom to alleviate their opioid dependency is a critical next step for the Wisconsin HOPE agenda.

In 2013, Wisconsin enacted SB 325, a model bill intended to address the national synthetic drug problem by identifying and scheduling hundreds of specific chemical compounds. Included on the list of state scheduled compounds was mitragynine and 7-hydroxymitragynine, both found naturally in the kratom leaf, effectively making natural kratom illegal to possess. Model legislation with this unintended consequence was adopted in only Wisconsin and five other states. Since that time, no other states have banned the sale or use of kratom. Initial concerns raised regarding the danger of these chemical compounds have since been attributed to another chemical compound not found naturally in kratom.

The U.S. Drug Enforcement Agency has rejected multiple attempts to federally schedule the chemical compounds of kratom and as of 2018 the Federal Drug Administration has rescinded their recommendation to schedule kratom stating, “This decision is based on

many factors, in part on new data, and in part on the relative lack of evidence, combined with an unknown and potentially substantial risk to public health if these chemicals were scheduled at this time.”

Just this October, the World Health Organization Executive Committee on Drug Dependency issued a report stating, “The Committee concluded that there is insufficient evidence to recommend a critical review of kratom.”

Our bill proposes Wisconsin de-schedule mitragynine and 7-hydroxymitragynine and replace this prohibition with the Kratom Consumer Protection Act (KCPA). Instead of making kratom unavailable to those that benefit from it, the KCPA would regulate kratom products to ensure that kratom processors are registered with DATCP, products are pure kratom and not adulterated with a controlled substance or any ingredient that may cause injury, and prohibit the sale of the kratom products to anyone under 21 years of age.

MARK POCAN
2ND DISTRICT, WISCONSIN

COMMITTEE ON APPROPRIATIONS
COMMITTEE ON EDUCATION & LABOR
JOINT ECONOMIC COMMITTEE
SENIOR WHIP



UNITED STATES
HOUSE OF REPRESENTATIVES

10 EAST DOTY STREET, SUITE 405
MADISON, WI 53703
(608) 258-9800

1727 LONGWORTH HOUSE OFFICE BUILDING
WASHINGTON, DC 20515
(202) 225-2906

POCAN.HOUSE.GOV

December 6, 2021

The Hon. Rob Swearingen
Chair
Assembly Committee on State Affairs
Wisconsin State Legislature

Dear Chair Swearingen:

I write in support of Assembly Bill 599 (AB 599), a bill to legalize the manufacture, distribution, delivery, and possession of kratom, being considered during Wednesday's public hearing in the Committee on State Affairs.

As a Member of Congress, I have worked with federal representatives in both parties to continue the research and legal use of kratom due to its promising help in a number of health conditions as well as its ability to help many people overcome addiction. I've been moved by the many, many personal stories of the benefits of kratom from people across the nation.

According to the Wisconsin Legislative Reference Bureau: "Under current law, kratom is classified as a Schedule I controlled substance and if a person manufactures, distributes, or delivers kratom, [they are] guilty of a misdemeanor. [AB 599] removes kratom from the schedule of controlled substances and legalizes the manufacture, distribution, delivery, and possession of kratom, subject to certain limitations."¹ This legislative outcome is consistent with the emerging view in Washington, D.C. where kratom is now supported on a bipartisan basis, it will be receiving millions of dollars in new research funding, and its benefits have been recognized by the Director of the National Institute on Drug Abuse (NIDA) within the National Institutes of Health (NIH).

In a recent letter addressed to both the U.S. Ambassador to the United Nations and the Secretary of the U.S. Department of Health and Human Services², Senator Mike Lee – a Republican from Utah – and I wrote "to ask that the United States oppose any effort to add kratom and its alkaloids to the 1971 U.N. Convention on psychotropic substances as a banned substance." Additionally, we noted that "In 2016, 145,906 Americans including consumers, scientists, and state and federal lawmakers raised their voices in opposition to the Department of Health and Human Services' (HHS) proposal to schedule kratom as a controlled substance."

Similar to this strong support for kratom from Members of the U.S. House of Representatives and the U.S. Senate – across party lines – the Fiscal Year 2022 Labor, Health and Human Services,

¹ <https://docs.legis.wisconsin.gov/2021/related/proposals/ab599>

² <https://www.americkratom.org/mediak/news/bi-partisan-letter.html>

Education, and Related Agencies Subcommittee appropriation legislation in the House of Representatives contains the following³:

“Kratom.—The [Appropriations] Committee recognizes that NIDA-funded research has contributed to the continued understanding of the health impacts of kratom, including its constituent compounds, mitragynine and 7-hydroxymitragynine. The Committee is aware of the potential promising results of kratom for acute and chronic pain patients who seek safer alternatives to sometimes dangerously addictive and potentially deadly prescription opioids and of research investigating the use of kratom’s constituent compounds for opioid use disorder. The Committee directs NIDA to continue to invest in this important research, especially considering the increase in overdose deaths during the COVID–19 pandemic.” (p. 135)

“Kratom.—The [Appropriations] Committee directs the Secretary to maintain current Agency policy to not recommend that the substances mitragynine and 7-hydroxymitragynine, known as kratom, be permanently controlled in Schedule I of the Controlled Substances Act, either temporarily or permanently [...] The Committee encourages AHRQ to continue to fund research on natural products that are used by many to treat pain in place of opioids, including kratom [...] The Committee recommends an additional \$3,000,000 for this research and directs AHRQ to make center-based grants to address research which will lead to clinical trials in geographic regions which are among the hardest hit by the opioid crisis.” (p.189)

And, finally, while testifying before the Appropriations Committee in the U.S. House of Representatives on May 25th of this year, Dr. Nora Volkow, the Director of NIDA, stated: “Kratom, most notably mitragynine, has many interesting properties that could be of value potentially as a medication for pain. Also, interestingly, they could hold value as treatment for addiction [...] it is so important to actually do research on this substance.”⁴

Clearly, Wisconsin is out of sync with the nation when it comes to kratom, however this legislation would rectify that and put us with the other 44 states that do not restrict kratom in the way our state currently does. I commend the authors of this bill for their work, and this Committee for including AB 599 as part of Wednesday’s public hearing. I hope you will look at this bill favorably.

Sincerely,



Mark Pocan
Member of Congress

³ <https://www.congress.gov/117/crpt/hrpt96/CRPT-117hrpt96.pdf>

⁴ <https://appropriations.house.gov/events/hearings/fy-2022-budget-request-for-the-national-institutes-of-health>

To: Members, Assembly Committee on State Affairs
From: Badger State Sheriffs' Association (BSSA)
Wisconsin Sheriffs and Deputy Sheriffs Association (WS&DSA)
Date: December 9, 2021
RE: **Testimony in Opposition to Assembly Bill 599: Kratom Legalization**

Good afternoon, Chairmen Swearingen, and committee members. My name is Dale Schmidt, and I am the Dodge County Sheriff as well as the 1st Vice President and Legislative Chair for the Badger State Sheriffs. Together with the Wisconsin Sheriffs and Deputy Sheriffs Association, our organizations represent all of Wisconsin's 72 Sheriffs and over 1,000 deputies and jail officers.

Our organizations oppose AB 599, which would legalize the manufacture, distribution, delivery, and possession of kratom in Wisconsin. As law enforcement officers representing small and larger Wisconsin communities, we are concerned about efforts to legalize a substance that the Drug Enforcement Administration has identified as a "drug of concern:" *Kratom is a tropical tree native to Southeast Asia. Consumption of its leaves produces both stimulant effects (in low doses) and sedative effects (in high doses), and can lead to psychotic symptoms, and psychological and physiological dependence. The psychoactive ingredient is found in the leaves from the kratom tree. These leaves are subsequently crushed and then smoked, brewed with tea, or placed into gel capsules.*¹

Currently, there are no recognized medical uses for kratom; indeed, the Food and Drug Administration (FDA) has warned consumers not to use any product containing kratom or the psychoactive compounds derived from the plant. At the FDA's direction, U.S. Marshals have seized large shipments of raw and processed kratom across the country, including a 2016 shipment of kratom dietary supplements worth more than \$400,000 in South Beloit, Illinois, just over the border from our state.²

Kratom use has been linked to psychotic episodes, overdose deaths, and the abuse of other drugs. According to the Centers for Disease Control and Prevention, many victims of kratom-involved and kratom-positive overdose deaths also tested positive for fentanyl, heroin, or prescription opioids.³ The FDA has noted that kratom "affects the same opioid brain receptors as morphine, appears to have properties that expose users to the risks of addiction, abuse, and dependence."⁴

At a time when so many Wisconsin communities are dealing with the devastating effects of opioid abuse, why would we legalize a dangerous substance, with links to opioid addiction and death, that lacks any FDA-approved uses? Legalizing Kratom would be detrimental to the public health of Wisconsin, not to mention the rippling effects through OWI and other areas. **Because of the health and safety risks to our communities, we urge you to oppose efforts to legalize kratom in Wisconsin.**

¹ U.S. Drug Enforcement Administration, "Drugs of Abuse: A DEA Resource Guide," 2017 Edition, https://www.dea.gov/sites/default/files/2018-06/drug_of_abuse.pdf.

² U.S. Food and Drug Administration, "FDA and Kratom," 11 September 2019, <https://www.fda.gov/news-events/public-health-focus/fda-and-kratom>.

³ Centers for Disease Control and Prevention, "Notes from the Field: Unintentional Drug Overdose Deaths with Kratom Detected," April 12, 2019, https://www.cdc.gov/mmwr/volumes/68/wr/mm6814a2.htm?s_cid=mm6814a2_w.

⁴ U.S. Food and Drug Administration, "FDA and Kratom."

Written Comment by Professor Dr. Dr. (h.c.) Marilyn A. Huestis
Thomas Jefferson University, and President, Huestis & Smith Toxicology, LLC

To The
Wisconsin Committee on State Affairs Hearing on AB 599
8 December 2021

I am a forensic toxicologist and former Chief of Chemistry and Drug Metabolism, National Institute on Drug Abuse (NIDA), NIH for more than 23 years. Since my recent retirement, I remain highly active in the field as a collaborator with many other researchers, as a Professor, Thomas Jefferson University, Honorary Professor, Queen Mary University of London, England, President of Huestis & Smith Toxicology, LLC, on the World Antidoping Agency's Prohibited Drug List Committee and consultant to diagnostic and pharmaceutical companies, and state and federal governments. As a Senior Science and Policy Advisor with Pinney Associates, I worked with the American Kratom Association and its research supporting affiliate, the Center for Plant Science and Health. I am the author of 535 manuscripts and book chapters and Past President of The International Association of Forensic Toxicologists, the Society of Forensic Toxicologists and Past Chair of the Toxicology Section of the American Academy of Forensic Sciences.

I am writing about designating kratom's primary active constituent mitragynine as cause of death in postmortem investigations. Currently, there is no consensus on a lethal mitragynine concentration. There is a substantial overlap between non-toxic, therapeutic, and lethal mitragynine blood concentrations. The possibility that kratom exposure alone is the primary contributor to death in some cases cannot be ruled out but most investigations of kratom-associated deaths describe the presence of other potentially lethal drug concentrations, deaths due to trauma, and/or limited toxicology testing. The National Institute on Drug Abuse stated, "There have been multiple reports of deaths in people who had ingested kratom, but most have involved other substances." The FDA website description of "Mentions of Kratom in Overdose Deaths in the US" (<https://www.drugpolicyfacts.org/node/3978>) was not updated with information from more recent and thorough investigations that clearly documented all three of these factors in the presented death cases. As the CDC stressed in its report (Olsen et. al., 2019), in the few cases where only mitragynine was identified, toxicology testing was limited and did not include screening for many other potentially lethal drugs. Also, the FDA described one kratom-associated death of "particular concern" because the Agency had not found evidence of other drug use; however, the US DHHS later determined that the death was due to trauma in a motor vehicle crash.

The US Assistant Secretary of Health rescinded the FDA's recommendation for scheduling kratom in 2018 stating there is "still debate among reputable scientists over whether kratom by itself is associated with fatal overdoses." In almost all cases, other potent drugs were also identified, making it difficult to define the contribution of mitragynine. I personally reviewed all the published kratom reported deaths world-wide and reached the same conclusion as the CDC that lack of comprehensive toxicological testing precludes assigning causation to mitragynine. Mitragynine concentrations ranged from 3.5 to 3500 ng/mL and in most of these, the authors state that there was limited toxicological testing to rule out the presence of other

drugs. Mitragynine alone was reported in only seven cases; however, in four cases there was sufficient blood for expanded toxicology testing. Other drugs that could have contributed to the death were identified in all four cases.

Novel synthetic opioids, a NPS subclass, are agonists at opioid receptors producing analgesia, sedation, and respiratory depression, contributing greatly to the North American opioid epidemic. In my review of published kratom-associated deaths, frequently fentanyl, NPS fentanyl analogs, heroin and other NPS opioids were identified. NPS are not routinely included in toxicological testing and may be taken unknowingly as adulterants in the unregulated drug supply, especially in drugs purchased online. In addition, researchers found multiple packaged commercial kratom products with artificially elevated concentrations of 7-hydroxy-mitragynine, presumably due to intentional adulteration to make the product more potent (Lydecker et. al., 2016). We agree with other kratom experts (e.g., Prozialeck et. al., 2019) that marketed kratom products should be regulated to prevent boosting 7-hydroxy-mitragynine concentrations or per serving content above those naturally present, due to the greater safety risks of 7-hydroxy-mitragynine at supranatural concentrations. Dr. Abhishek Sharma and his University of Florida colleagues, analyzed thousands of fresh kratom samples and always found less than 0.01% 7-hydroxy-mitragynine, the limit of quantification of the method. However, controlling 7-hydroxy-mitragynine concentrations by scheduling effectively bans naturally occurring kratom products for consumer use. Scheduling kratom, mitragynine or 7-hydroxy-mitragynine would lead to an unregulated illicit kratom market and could exacerbate the concern of fortifying kratom or mitragynine products with 7-hydroxy-mitragynine.

Another example included in the FDA report of mitragynine-associated deaths was a case report of nine Swedish deaths (Kronstrand et. al., 2011). The authors concluded that the kratom powdered leaf product purchased online was laced with a toxic dose of O-desmethyltramadol and the nine cases should not have been characterized as kratom caused deaths. The complexities of making conclusions on a cause of death associated with mitragynine concentrations are also highlighted in Papsun et. al., 2019 that concluded “Quantitative reports of mitragynine in biological specimens from forensic investigations in the literature are sparse and may be influenced by poor analyte stability and inadequate resolution of mitragynine from its diastereomers, which could lead to falsely elevated concentrations and subsequently render those reported concentrations inappropriate for comparison to a reference range.”

In the latest peer reviewed report of 35 mitragynine-associated deaths (Schmitt et. al., 2021), there was no statistically significant difference in blood concentrations between cases where mitragynine was not listed as a cause of death (mean, 315 ± 297 ng/mL) and cases in which mitragynine was listed as a contributor to death (mean, 269 ± 382 ng/mL; P < 0.201). In the only case where mitragynine was considered to be the only drug contributing to death, aripiprazole, an atypical antipsychotic was present at 310 ng/mL but phenibut, a central nervous system depressant prescribed in Russia to treat anxiety, was found at the scene but was not included in toxicological testing.

In addition, as described on NIDA's Kratom Facts web page, the stimulant effects of mitragynine and 7-hydroxy-mitragynine are due to its binding to adrenergic receptors and their

sedating and analgesic effects due to binding to the G-protein coupled opioid receptors. However, the opioid G-protein receptor binding is biased and does not include recruitment of beta-arrestin, resulting in less respiratory depression. (<https://www.drugabuse.gov/publications/drugfacts/kratom>).

Dr. Jack Henningfield and I recently completed a controlled high dose mitragynine vs 60 and 150 mg/kg oxycodone administration study in rats according to an FDA-recommended protocol to evaluate respiratory depression. While significant respiratory depression and some deaths were observed in oxycodone-treated animals, no significant respiratory depression and no deaths were reported in mitragynine-treated animals. We are preparing the data for publication but FDA and NIDA were briefed on outcomes, and we are happy to brief the State of Wisconsin legislative committee. I am advising on a human controlled dosing study of pure mitragynine and other kratom-derived products that is currently being conducted with approval by Health Canada. Full safety evaluation and pharmacokinetics of mitragynine and 7-hydroxy-mitragynine are included. To date, there are no serious adverse events and doses were well tolerated.

I conclude that there is a lack of sufficient scientifically sound evidence that kratom or its alkaloids pose an imminent public health threat that warrants scheduling. Regulations are needed as already established in five US states and Canada to ensure that kratom products are not adulterated or artificially elevated in alkaloid content. In addition, more comprehensive toxicological analysis must be performed prior to designating mitragynine as cause of death.

Thank you for your efforts and the opportunity to comment.

References

CDC drug overdose deaths 2020 <https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm#notes>. Accessed 16 September 2021.

Giroir DHHS letter rescinding scheduling request for kratom https://images.go02.informamarkets.com/Web/Informa02/%7b548e6d56-2ea4-4da4-9404-0348b56e9a88%7d_dhillon-8.16.2018-response-letter-from-ash-radm-giroir.pdf accessed 16 September 2021.

Health Canada Natural Health Products Kratom <https://www.canada.ca/en/health-canada/topics/buying-using-drug-health-products-safely/kratom-health-risks.html> (Accessed 16 September 2021).

Kronstrand R, Roman M, Thelander G, Eriksson A. Unintentional fatal intoxications with mitragynine and O-desmethyltramadol from the herbal blend Krypton. *J Anal Toxicol.* 2011 May;35(4):242-7. doi: 10.1093/anatox/35.4.242. PMID: 21513619.

Lydecker AG, Sharma A, McCurdy CR, Avery BA, Babu KM, Boyer EW. Suspected Adulteration of Commercial Kratom Products with 7-Hydroxymitragynine. *J Med Toxicol.* 2016

Dec;12(4):341-349. doi: 10.1007/s13181-016-0588-y. Epub 2016 Oct 17. PMID: 27752985; PMCID: PMC5135684.

National Institute on Drug Abuse (NIDA) at <https://www.drugabuse.gov/publications/drugfacts/kratom>. Accessed 16 September 2021.

Olsen EO, O'Donnell J, Matteson CL, Schies JG, et al. (2019) Unintentional drug overdose deaths with kratom—27 states, July 2016–December 2017. *Morbidity & Mortality Weekly Report* 68(14):326-327.

Papsun DM, Chan-Hosokawa A, Friederich L, Brower J, Graf K, Logan B. The Trouble With Kratom: Analytical and Interpretative Issues Involving Mitragynine, *J Analytical Toxicology*, Volume 43, Issue 8, October 2019, Pages 615–629.

Prozialeck WC, Avery BA, Boyer EW, Grundmann O, Henningfield JE, Kruegel AC, et al. Kratom policy: The challenge of balancing therapeutic potential with public safety. *Int J Drug Policy*. 2019;70:70-7.

Schmitt J, Bingham K, Knight LD. Kratom-Associated Fatalities in Northern Nevada-What Mitragynine Level Is Fatal? *Am J Forensic Med Pathol*. Epub 2021 Jun 5.

Sharma A, McCurdy CR. Assessing the therapeutic potential and toxicity of *Mitragyna speciosa* in opioid use disorder. *Expert Opin Drug Metab Toxicol*. 2021 Mar;17(3):255-257.

Ti L, Tobias S, Maghsoudi N, Milloy MJ, McDonald K, Shapiro A, Beriault D, Stefan C, Lysyshyn M, Werb D. Detection of synthetic cannabinoid adulteration in the unregulated drug supply in three Canadian settings. *Drug Alcohol Rev*. Epub 2020 Dec 22.



Wisconsin Medical Society

TO: Assembly Committee on State Affairs
Representative Rob Swearingen, Chair

FROM: Mark Grapentine, JD – Chief Policy and Advocacy Officer

DATE: December 8, 2021

RE: **Opposition** to 2021 Assembly Bill 599

On behalf of nearly 10,000 physician members statewide, thank you for this opportunity to share our opposition to 2021 Assembly Bill 599, which would remove elements found in kratom from our state's Controlled Substances Act. The Society and the Wisconsin Society of Addiction Medicine (WISAM) oppose the legalization of kratom in Wisconsin and urge you to protect Wisconsin citizens from a legalization/regulatory scheme that would increase access to a drug the U.S. Food and Drug Administration has warned “appears to have properties that expose users to the risks of addiction, abuse and dependence.”¹

FDA Warnings are Clear: “Regulation” of Kratom Does Not Protect Consumers

The FDA's posted warning about kratom is clear and should be heeded:

There are no FDA-approved uses for kratom, and the agency has received concerning reports about the safety of kratom. FDA is actively evaluating all available scientific information on this issue and continues to warn consumers not to use any products labeled as containing the botanical substance kratom or its psychoactive compounds, mitragynine and 7-hydroxymitragynine. FDA encourages more research to better understand kratom's safety profile, including the use of kratom combined with other drugs.

Assembly Bill 599's sections 3 and 4 would remove the substances cited in the FDA's warning, mitragynine and 7-hydroxymitragynine, from the state's Controlled Substances Act. The Wisconsin Medical Society and WISAM believe this would be harmful to Wisconsin's citizens.

The kratom industry and other supporters of AB 599 allege that “[k]eeping kratom illegal isn't solving any problems.”² To the contrary, the previously cited FDA warning included a number of actions the agency has taken across the country, including a 2016 action in South Beloit, IL, where U.S. Marshals seized 90,000 bottles labeled as “dietary supplements” containing kratom. The FDA's press release³ about the action makes it clear that such actions are taken for public safety reasons when kratom suppliers attempt to skirt FDA requirements about adulterated dietary supplements:

“We have identified kratom as a botanical substance that could pose a risk to public health and have the potential for abuse,” said Melinda Plaisier, the FDA's associate

¹ “FDA and Kratom”, Sept. 11, 2019: <https://www.fda.gov/news-events/public-health-focus/fda-and-kratom>

² Memo to Legislature, American Kratom Association, July 15, 2021

³ <https://www.fda.gov/news-events/press-announcements/us-marshals-seize-dietary-supplements-containing-kratom>

commissioner for regulatory affairs. “The FDA will continue to exercise our full authority under law to take action on these new dietary ingredients, especially if they ignore the notification requirements, as part of our commitment to protecting the health of the American people.”

Leading health care systems also warn their patients about kratom – including using kratom as a way to, as the cosponsor memo for AB 599 put it, “alleviate their opioid dependency.” The Mayo Clinic has a web page⁴ to help answer the question: “Kratom for opioid withdrawal: Does it Work?” From that resource:

Natural, but not safe

Because kratom may ease withdrawal symptoms, researchers have studied it as a potential treatment. The evidence suggests that rather than treating addiction and withdrawal, the use of kratom may lead to them.

In one study, people who took kratom for more than six months experienced withdrawal symptoms similar to those that occur after opioid use. Over time, people who use kratom may develop cravings for it and need the same medications that are used to treat opioid addiction, such as buprenorphine (Buprenex) and naloxone (Narcan, Evzio). When kratom is used during pregnancy, the infant may experience symptoms of withdrawal after birth.

As with pain medications and recreational drugs, it is possible to overdose on kratom. The treatment for kratom overdose is similar to that for opioid overdose, and people experience many of the same treatment problems. Kratom has caused at least 36 deaths. Although people may enjoy the good feelings that kratom can produce, kratom has not proved to be an effective treatment for opioid withdrawal.

Continuing Research into Kratom Use Shows Troubling Effects


Legalizing/regulating kratom will simply exacerbate the problems addiction medicine physician specialists are witnessing in their practices. The active components of kratom, mitraginine and 7-hydroxy-mitragynine, act like opioids in the body, and addiction to kratom requires treatment just like that of an opioid use disorder. The *Wisconsin Medical Journal* in April 2021 published a literature review⁵ of how best to treat what the paper terms “Kratom Use Disorder (KUD).” In their introduction, the paper’s authors highlight the concerning trend about kratom’s effects (citations omitted):

The increasing consumption of kratom (*Mitragyna speciosa*) is emerging as a public health concern among Americans, and forecasting models indicate its use will continue to rise. Aside from the Food and Drug Administration (FDA) reports of concern and adverse effects exhibited through increased calls to poison control centers and overdose deaths, the notion of addiction is rapidly emerging.

For more Wisconsin physician-conducted research into kratom and its harmful effects, please review the materials accompanying this memo. Thank you again for this opportunity to provide the Society’s and WISAM’s opposition to AB 599. Please feel free to contact the Society with any questions on this or other health care issues.

⁴ <https://www.mayoclinic.org/diseases-conditions/prescription-drug-abuse/in-depth/kratom-opioid-withdrawal/art-20402170>

⁵ <https://wmjonline.org/wp-content/uploads/2021/120/1/54.pdf>



07/14/2021

Mark Grapentine, JD
Chief Policy and Advocacy Officer
Wisconsin Medical Society
Mark.grapentine@wismed.org

Dear Mr. Grapentine,

Thank you for bringing proposed legislation, LRB-3796/1, to the attention of the Wisconsin Society of Addiction Medicine (WISAM). WISAM strongly opposes LRB-3796/1, which would remove mitragynine and 7-hydroxy-mitragynine - both constituents of the plant kratom - from the schedule 1 controlled substances list in Wisconsin.

Mitragynine (a partial mu-opioid agonist) and 7-OH-Mitragynine (a full mu-opioid agonist, which is similar in action to other opioid analgesics and is likely the greatest contributor to overdose deaths associated with kratom) should remain schedule 1 substances in Wisconsin at this time. Legislation similar to LRB-3796/1 is being proposed in other states where kratom is illegal as part of a lobbying effort that could lead to further commercialization of kratom. There is currently no sound scientific data that kratom, or any of its constituents, is safe and effective for the management of acute or chronic painful conditions. There is also no data that kratom helps treat patients with opioid use disorder (OUD), while there are already FDA-approved treatment options in buprenorphine and methadone for OUD. Of note, I am an author on two, published papers (enclosed) illustrating that the active components of kratom act like opioids in the body and that addiction to kratom requires medical treatment. Thus, access to buprenorphine and methadone for OUD should be prioritized over the legalization of a substance with kratom's concerning record.

Further, as for overdose potential related to kratom, I have served as an expert witness for the plaintiff in a lawsuit in Montana against a distributor of kratom following an overdose death of a young man who incorrectly believed that kratom was safe. The young man believed that it was safe because of the information he had read from participants in the kratom industry, including unsubstantiated statements regarding the potential benefits of kratom for pain management and OUD. At the time of his death, the young man's toxicology results showed no other opioids, benzodiazepines, or controlled substances in his system - only mitragynine and his prescribed medications (none of which was a controlled substance). The case eventually settled after my extensive testimony on the literature regarding the dangers of kratom and that, in my expert opinion, it was the only possible explanation for this gentleman's overdose death.


Finally, any attempt to introduce this bill as part of the HOPE legislation under the guise of treatment for OUD is anti-scientific and harmful. The FDA has issued warning letters to

marketers and distributors of kratom that make false claims that kratom has been shown to treat opioid withdrawal symptoms or OUD.

For far too long, persons with OUD and their family members have been misled into believing that kratom is a safe and effective treatment for OUD. As noted above, there are indeed safe and effective FDA-approved treatments for OUD; kratom is neither safe nor effective for this condition. People struggling with OUD should not be misled into taking kratom for this condition, thereby not availing themselves of safe, effective, FDA-approved medications that are proven to help prevent dysfunction, disability, and death.

WISAM truly hopes that our state representatives will not introduce or pass legislation that would allow for a commercial model of legalization for an opioid-like substance like kratom. This would be a tragic mistake. Please do not hesitate to contact me with any questions or concerns or to provide further expert assistance.

Sincerely,



David Galbis-Reig, M.D., DFASAM
President, Wisconsin Society of Addiction Medicine

References

Galbis-Reig D. A case report of kratom addiction and withdrawal. WMJ. 2016;115(1): 49-52.

Stanciu C, Ahmed S, Hybki B, Penders T, Galbis-Reig D. Pharmacotherapy for management of 'kratom use disorder': a systematic literature review with survey of experts. WMJ. 2021; 120(1): 54-61.

A Case Report of Kratom Addiction and Withdrawal

David Galbis-Reig, MD

ABSTRACT

Kratom, a relatively unknown herb among physicians in the western world, is advertised on the Internet as an alternative to opioid analgesics, as a potential treatment for opioid withdrawal and as a “legal high” with minimal addiction potential. This report describes a case of kratom addiction in a 37-year-old woman with a severe opioid-like withdrawal syndrome that was managed successfully with symptom-triggered clonidine therapy and scheduled hydroxyzine. A review of other case reports of kratom toxicity, the herb’s addiction potential, and the kratom withdrawal syndrome is discussed. Physicians in the United States should be aware of the growing availability and abuse of kratom and the herb’s potential adverse health effects, with particular attention to kratom’s toxicity, addictive potential, and associated withdrawal syndrome.

CASE PRESENTATION

A 37-year-old white woman with no previous history of substance abuse treatment was admitted to the inpatient mental health and addiction service after contacting the unit for treatment of an “addiction to kratom.” The patient denied any past medical history except for postpartum depression that was partially responsive to sertraline, which the patient discontinued on her own. The patient reported that she works as a teacher and was first introduced to kratom 2 years prior to admission by a fellow teacher who was using it to treat her fibromyalgia pain. Because the patient had been in pain from recent carpal tunnel surgery and was concerned about taking opioid analgesics due to their “addictive potential,” her colleague convinced her that kra-

• • •

Author Affiliations: Wheaton Franciscan Healthcare—All Saints, Racine, Wis.

Corresponding Author: David Galbis-Reig, MD, Medical Director of Addiction Services, Wheaton Franciscan Healthcare—All Saints, 1320 Wisconsin Ave, Racine, WI 53403; phone 262.687.2365; fax 501.423.1588; e-mail dgalbisreig@aol.com.

tom, a “nonaddictive, natural option” to “pain killers,” could be a good alternative to treat her pain. She gave the patient some capsules containing dried, crushed kratom leaves. The patient reports that it provided her pain relief and also gave her a “boost of energy.” Given the expense, however, she decided to purchase the concentrated extract off the Internet on the assumption that it would last longer because it would require less of the substance. Over the course of the next 2 years, the patient continued to purchase kratom extract

from a single Internet site based in Florida for \$150 for a 20 ml bottle labeled only with the name of the company and the country of origin (in this case Bali). The patient reported that within 6 months she realized that she was using much more of the kratom than she intended. When she attempted to cut back, she discovered that she would experience cravings as well as significant withdrawal symptoms consisting of severe abdominal cramps, sweats, blurred vision, nausea, vomiting, and diarrhea. Over the course of the next 1.5 years she attempted to detoxify in the outpatient setting with medication support from 2 outpatient providers using low dose clonidine, without success. By this point, the patient had also lost a significant amount of weight, stating that the kratom curbed her appetite. Her husband later told the physician that she was hiding the fact that she had continued to use kratom, was hiding the bottles around the home, and had gone to significant lengths to ensure that he would not discover that she had continued to order kratom online by having the product shipped to local FedEx stores. The patient admitted she was worried that she would lose her family if she did not stop taking the kratom. Despite its effects on her health (weight loss, insomnia, cravings, and decreased overall energy level) and the conflict that her use had been creating in her marriage, she had continued to take the kratom extract. Both her husband and father gave her an ultimatum to stop using the kratom, which led to her contacting the inpatient mental health and addiction unit for assistance.

CME

CME available. See page 53 for more information.

Figure 1. Clinical Opioid Withdrawal Scale Scores Over Time





Figure 2. Kratom Withdrawal Clonidine Dose Requirements



On presentation, the patient's pupils measured approximately 2-3 mm in diameter and she complained only of mild diaphoresis. She admitted to taking her last dose of kratom at 5 AM on the day of admission. She brought her last vial of kratom, which contained approximately 2 ml of a clear fluid that she admitted was concentrated kratom extract diluted with water. Unfortunately, there was not enough of the diluted concentrate left in the bottle for laboratory analysis. The initial examination was unremarkable except for mild diaphoresis of the palms and back of the neck and significant cachexia. Electrolytes, renal function, hemogram, and liver studies were within normal limits. Urine toxicology by immunoassay was negative for all drugs of abuse including oxycodone, opioids, and methadone. A sample of urine was sent for liquid chromatography-mass spectrometry (LC-MS) to detect mitragynine (the active alkaloid in kratom), results of which came back positive at a cutoff value of 10 ng/ml. While an exact toxic concentration has not been clearly established for mitragy-

nine, case reports suggest that side effects of mitragynine, including risk of torsade de pointes, appear to be dose dependent.^{1,2} The patient was started on the opioid withdrawal protocol using symptom-triggered clonidine at a dose of 0.1-0.2 mg every 2 hours based on the Clinical Opioid Withdrawal Scale (COWS) Score, a validated scale that scores typical opioid withdrawal symptoms such as pupillary dilatation, diaphoresis, gastrointestinal distress, anxiety, fever, bone and joint pains, increased lacrimation or rhinorrhea, tremors, and yawning based on the severity of the symptoms. Scheduled hydroxyzine 50 mg by mouth every 6 hours also was started, along with a 0.1 mg per day clonidine patch to assist with withdrawal symptoms. By 1 PM on the day of admission, the patient's withdrawal symptoms started to increase rapidly as she developed myalgias, bone pain, abdominal cramping pain, nausea, and blurred vision due to rapid pupillary dilatation. The patient developed severe withdrawal symptoms by mid-afternoon, which progressed rapidly requiring up to 2 mg of oral clonidine over the next 36 hours as noted by the Clinical Opioid Withdrawal Scale (COWS) Scores (Figure 1) and frequency and dose of clonidine administered (Figure 2). Fortunately, the hyperautonomic symptoms improved rapidly over the course of 2 to 3 days. During previous attempts at detoxification, the patient described a prolonged period of severe depression and anxiety. Given the patient's previous history of postpartum depression only partially treated with sertraline, she also was started on extended release venlafaxine beginning at a dose of 37.5 mg and titrated daily up to 150 mg for her depression. In order to avoid benzodiazepines, the patient was started on pregabalin at a dose of 25 mg by mouth every 8 hours and titrated to 50 mg every 8 hours prior to discharge for her anxiety. The patient's condition stabilized over the course of 3 days in the hospital. After a family meeting with her husband and father, the patient was discharged to home with an appointment to begin participation in a dual partial hospital program. She was provided with a prescription to start naltrexone 50 mg by mouth daily for opioid antagonist therapy to begin no sooner than 7 days after discharge to avoid precipitating any additional withdrawal symptoms.

Table. Literature Review of Kratom Case Reports, Case Series, and Investigations

Authors	Number of Cases	Type of Article	Outcome	Comments
Nelson JL, et al ⁷	1	Case report	Generalized tonic-clonic seizure; discharged to home	Kratom combined with Modafanil
Kronstrand R, et al ⁸	9	Retrospective case series	Death	All 9 cases involved combined kratom and O-desmethyltramadol (Krypton).
Singh D, et al ⁹	293	Cross-sectional survey of kratom user	Dose dependent effects of toxicity, addiction, and withdrawal	First study to measure kratom dependence, withdrawal symptoms, and drug craving.
Forrester MB ¹⁰	14	Retrospective case series	All patients treated and recovered	Retrospective case series of kratom exposure reports to Texas Poison Centers.
Trakulsrichai S, et al ¹¹	52	Retrospective review series	Most cases with good prognostic outcome	Study describes toxicity and withdrawal reported to Ramathibodi Case Poison Center in Thailand.
McIntyre IM, et al ¹²	1	Case report	Death	Kratom overdose; tissue samples also demonstrated mirtazapine, venlafaxine, and diphenhydramine.
Karinen R, et al ¹³	1	Case report	Death	Kratom overdose; blood analysis also demonstrated citalopram, zopiclone, and lamotrigine.
Neerman MF, et al ¹⁴	1	Case report	Death	Kratom overdose; toxicology also revealed therapeutic levels of over-the-counter cold medicine and benzodiazepine.

DISCUSSION

Kratom (*Mitragynia speciosa* Korth) is an herb indigenous to Thailand and other countries in Southeast Asia that has been used by people in that part of the world for hundreds of years to stave off fatigue and to manage pain, opioid withdrawal, and cough.³ In the past decade, the herb has made its way around the world via Internet sales as an alternative to opioids for pain relief. Unfortunately, kratom is not well known by physicians in the United States. Kratom contains a number of active phytochemicals, but the chemical entity mitragynine (the plant's primary alkaloid) is widely regarded to produce the majority of the plant's psychoactive effects, with additional contributions from other phytochemicals, including 7-hydroxymitragynine (7-HMG) and mitraphylline.^{4,5} When ingested orally, the bioavailability of mitragynine is estimated in the laboratory to be approximately 3.03% with an onset of action of approximately 5 to 10 minutes.² The half-life of mitragynine is not known with certainty, but its effects appear to last several hours consistent with the initiation of withdrawal symptoms within 12 to 24 hours (as occurred in the current case).² At low doses, mitragynine has stimulant effects, but at high doses, mitragynine behaves like an opioid and has been shown to have agonist activity at the Mu and Kappa-opioid receptors.⁶ Kratom is not currently scheduled by the Drug Enforcement Agency (DEA) but is listed on its "Drugs and Chemicals of Concern" list and is sold on the Internet as a "nonaddictive" herbal alternative for pain control.^{6,7} It also is used by many as a "legal high" and to assist with withdrawal from opioids. Despite its non-scheduled status with the DEA, in 2013 Wisconsin Act 351 classified kratom as a schedule 1 controlled dangerous substance, making it illegal to possess or use in Wisconsin.^{8,9} Mitragynine, the primary active component of kratom, currently is being investigated as a potential analgesic with a diminished risk of respiratory depression in overdose compared to traditional opioid analgesics.⁶

At the present time, however, the clinical properties of mitragynine and its potential for development as a therapeutic agent are only in the early stages of investigation.

The Internet is ripe with sites and articles that proclaim the analgesic and stimulant properties of kratom while downplaying its adverse side effects and addictive potential. Numerous case series and reports, however, have described the addictive potential of kratom, both in herbal form and as an extract. The oldest of these published articles dates back to 1975 with an early description of kratom addiction in the Thai population.¹⁰ In a more recent study carried out to determine the risk of suicide among illicit drug users in Thailand, the investigators report that the primary drug of abuse in their study was kratom (illegal in Thailand since 1943), which was used by 59% of the 537 respondents who admitted to illicit drug use, followed by methamphetamine (24%).¹¹ This epidemiological study, however, did not distinguish between abuse and addiction.

More recently, a number of case series and reports of kratom toxicity have started to surface in the United States and Europe (Table). In one such report, a male patient abusing and addicted to hydromorphone attempted to use kratom to prevent withdrawal and was admitted to the hospital after he mixed the kratom with modafanil and suffered a generalized tonic-clonic seizure.¹² It is unclear if the seizure was a result of the kratom or the combination of the 2 drugs. In a separate case series from Sweden, investigators report on 9 cases of krypton intoxication and death.¹³ Krypton is an herbal preparation of dried, crushed kratom leaves mixed with another mu-opioid receptor agonist, O-desmethyltramadol.¹³ The abuse potential, toxicity, and withdrawal symptoms associated with kratom use have been described in at least 3 case series.¹⁴⁻¹⁶ Three additional case reports also have demonstrated the potentially fatal effects of kratom without the addition of other mu-opioid agonists.¹⁷⁻¹⁹

The addictive potential of kratom (specifically mitragynine) has been well described in a discriminative stimulus rat model of addiction with properties similar to morphine and cocaine.²⁰ While the toxicity and addictive potential of kratom and its derivatives has not been well described in human populations, several case series and reports describe a clear addiction potential and a potentially severe, opioid-like withdrawal syndrome in humans.^{14,16} Toxicity has included reports of palpitations, seizures, and coma.^{12,16} The most extensive description of kratom withdrawal suggests symptoms of physical withdrawal that include myalgias, pupillary dilatation, insomnia, rhinorrhea, lacrimation, fever, hot flashes, anorexia, and diarrhea as well as psychological withdrawal symptoms that include agitation, anxiety, irritability, and depression.¹⁴ Given the mu-opioid agonist effects of the alkaloids mitragynine and 7-hydroxymitragynine found in kratom, the symptom complex of kratom withdrawal is, not surprisingly, similar to the opioid withdrawal syndrome. The investigators of the aforementioned cross-sectional survey study declare that “kratom use is associated with drug dependence, drug withdrawal, and craving” consistent with drug addiction.¹⁴

Empirical evidence regarding how best to treat the kratom withdrawal syndrome and assist with long-term maintenance of sobriety from kratom is currently lacking, though the current case report suggests that a combination of high dose alpha-2 agonist therapy and hydroxyzine may provide relief from both the physical and mental symptoms of kratom withdrawal. Theoretically, buprenorphine and methadone agonist therapy also might be utilized for long-term maintenance of sobriety in kratom addiction, though kratom's current classification as a distinct chemical entity not related to the opioid class of chemicals creates some medico-legal and regulatory issues that require consideration with respect to opioid agonist therapy. As a result, and because there are no regulatory issues with antagonist therapy, the patient was prescribed oral naltrexone to assist with craving and maintenance of sobriety from kratom.

CONCLUSION

Kratom (*Mitragynia speciosa* Korth), an herb originating in Southeast Asia, which currently is not scheduled by the DEA, but is classified as a schedule 1 dangerous controlled substance in Wisconsin,²¹ possesses psychoactive properties that include both stimulant and opioid-like effects. Kratom has grown, and continues to grow, in popularity in the United States and in Wisconsin. Withdrawal symptoms are mediated by the opioid properties of the plant's primary alkaloid compounds and can successfully be treated using an alpha-2 agonist and hydroxyzine as demonstrated by the current case report in which symptom-triggered clonidine therapy was utilized with COWS in conjunction with scheduled hydroxyzine. Physicians should be aware of the growing availability of kratom and its potential adverse health effects, especially its toxicity, addictive potential, and withdrawal syndrome.

Funding/Support: None declared.

Financial Disclosures: Dr Galbis-Reig reports ownership of stock in GW Pharmaceuticals and Cortex Pharmaceuticals, Pfizer Inc bonds, and spousal ownership of stock options in Abbvie, Abbott Pharma, and Hospira.

Planners/Reviewers: The planners and reviewers for this journal CME activity have no relevant financial relationships to disclose.

REFERENCES

1. Prozialeck W, Jivan J, Andurkar S. Pharmacology of kratom: an emerging botanical agent with stimulant, analgesic, and opioid-like effects. *Am Osteopath Assoc*. 2002;112(12):792-799.
2. Manda V, Avula B, Ali Z, Khan I, Walker L, Khan S. Evaluation of the in vitro absorption, distribution, metabolism, and excretion (ADME) properties of mitragynine, 7-hydroxymitragynine, and mitraphylline. *Planta Med*. 2014;80(7):568-576.
3. Le D, Goggin M, Janis G. Analysis of mitragynine and metabolites in human urine for detecting the use of the psychoactive plant kratom. *J Anal Toxicol*. 2012;36(9):616-625.
4. Suwanlert S. A study of kratom eaters in Thailand. *Bulletin Narcotics*. 1975;27(3):21-27.
5. Kittirattanapaiboon P, Suttajit S, Junsirimongkol B, Likhitsathian S, Srisurapanont M. Suicide risk among Thai illicit drug users with and without mental/alcohol use disorders. *Neuropsychiatr Dis Treat*. 2014;10:453-458.
6. Nelson J, Lapoint J, Hodgman M, Aldous K. Seizure and coma following kratom (*Mitragynia speciosa* Korth) exposure. *J Med Toxicol*. 2010;6:424-426.
7. Kronstrand R, Roman M, Thelander G, Eriksson A. Unintentional fatal intoxications with mitragynine and O-desmethyltramadol from the herbal blend krypton. *J Anal Toxicol*. 2011;35:242-247.
8. Greenemeier L. Should kratom use be legal? *Scientific American*. September 30, 2013. <http://www.scientificamerican.com/article/should-kratom-be-legal/>. Accessed January 14, 2016.
9. Drug Enforcement Administration, Office of Diversion Control. January 1, 2013. http://www.deadiversion.usdoj.gov/drug_chem_info/kratom.pdf. Accessed January 14, 2016.
10. Singh D, Muller C, Vicknasingam B. Kratom (*Mitragyna speciosa*) dependence, withdrawal symptoms, and craving in regular users. *Drug Alcohol Depend*. 2014;139:132-137.
11. Forrester M. Kratom exposures reported to Texas poison centers. *J Addict Dis*. 2013;32(4):396-400.
12. McIntyre I, Trochla A, Stolberg S, Campman S. Mitragynine 'Kratom' related fatality: a case report with postmortem concentrations. *J Anal Toxicol*. 2015;39(2):152-155.
13. Karinen R, Fosen J, Rogde S, Vindenes V. An accidental poisoning with mitragynine. *Forensic Sci Int*. 2014;245c:e29-e32.
14. Trakulsrichai S, Tongpo A, Sriapha C, et al. Kratom abuse in Ramathibodi Poison Center, Thailand: a five-year experience. *J Psychoactive Drugs*. 2013;45(5):404-408.
15. Neerman M, Frost R, Deking J. A drug fatality involving kratom. *J Forensic Sci*. 2013;58(Suppl 1):S278-S279.
16. Harun N, Hassan Z, Navaratnam V, Mansor S, Shoaib M. Discriminative stimulus properties of mitragynine (kratom) in rats. *Psychopharmacology (Berl)*. 2015;232(13):2227-2238.
17. Lu J, Wei H, Wu J, et al. Evaluation of the cardiotoxicity of mitragynine and its analogues using human induced pluripotent stem cell-derived cardiomyocytes. *PLoS One*. 2014;9(12):1-18.
18. Ulbricht C, Costa D, Dao J, et al. An evidence-based systematic review of kratom (*Mitragyna speciosa*) by the Natural Standard Research Collaboration. *J Diet Suppl*. 2015;10(2):152-170.
19. Drug Enforcement Administration, Office of Diversion Control. KRATOM (*Mitragyna speciosa korth*). January 2013. http://www.deadiversion.usdoj.gov/drug_chem_info/kratom.pdf. Accessed January 14, 2016.
20. Synche Enterprises. Kratom Legal Status. February 9, 2015. <http://www.synche.com/tag/kratom-legal-status/>. Accessed January 14, 2016.
21. Wisconsin State Legislature. 2013 Wisconsin Act 351. April 24, 2014. <https://docs.legis.wisconsin.gov/2013/related/acts/351>. Accessed January 14, 2016.

Pharmacotherapy for Management of ‘Kratom Use Disorder’: A Systematic Literature Review With Survey of Experts

Cornel Stanciu, MD, MRO; Saeed Ahmed, MD; Bryan Hybki, MD; Thomas Penders, MS, MD; David Galbis-Reig, MD

ABSTRACT

Objectives: An increasing number of Americans are turning to kratom for self-management of various pain, anxiety, and mood states and as an opioid substitute. Addiction to this unique botanical develops and carries a high relapse risk and, to date, there are no guidelines on how to maintain long-term abstinence. The aim of this article is to compile all available information on management of “kratom use disorder” (KUD)—as coined here—from the literature, with evidence from the clinical practice of expert addictionologists in an attempt to develop a standard of care consensus.

Methods: A systematic literature search was conducted to capture all relevant cases pertaining to maintenance treatment for KUD. Results were supplemented with case reports and scientific posters gleaned from reliable online sources and conference proceedings. Additionally, a survey of members of the American Society of Addiction Medicine (ASAM) was administered to assess the practice patterns of experts who treat patients with KUD in isolation of a comorbid opioid use disorder (OUD).

Results: Based on a literature review, 14 reports exist of long-term management of KUD, half of which do not involve a comorbid OUD. Pharmacological modalities utilized include mostly buprenorphine but also a few cases of naltrexone and methadone, all with favorable outcomes. This is supported by the results of the expert survey, which demonstrated that those who have managed KUD in isolation of a comorbid OUD reported having utilized buprenorphine (89.5%), as well as the other medications for opioid use disorder (MOUD).

Conclusions: This is the first comprehensive review to examine the existing literature referring to management of KUD in combination with a survey of current experts’ clinical consensus regarding pharmacological management. Based on this information, it seems reasonable that the indication for MOUD should be extended to cases of moderate to severe KUD.

• • •

Author Affiliations: Dartmouth Geisel School of Medicine, Hanover, NH (Stanciu); New Hampshire Hospital, Concord, NH (Stanciu); Rutland Regional Medical Center, Rutland, VT (Ahmed); Dartmouth Hitchcock Medical Center, Lebanon, NH (Hybki); Brody School of Medicine, East Carolina University, Greenville, NC (Penders); Walter B Jones Drug and Alcohol Treatment Center, Greenville, NC (Penders); Ascension All Saints Hospital, Racine, Wis (Galbis-Reig).

Corresponding Author: David Galbis-Reig, MD, DFASAM, Medical Director of Addiction Services, Ascension Wisconsin Healthcare - All Saints, 1320 Wisconsin Ave, Racine, WI 53403; email dgalbisreig@aol.com; ORCID ID 0000-0003-2919-2854.

INTRODUCTION

The increasing consumption of kratom (*Mitragyna speciosa*) is emerging as a public health concern among Americans, and forecasting models indicate its use will continue to rise.¹ Aside from the Food and Drug Administration (FDA) reports of concern² and adverse effects exhibited through increased calls to poison control centers³ and overdose deaths,⁴ the notion of addiction is rapidly emerging. In Southeast Asia where this botanical is indigenous, 55% of regular users develop dependence and tolerance. Withdrawal and cravings also have been reported.⁵⁻⁸ There is now substantial evidence showing it is possible for individual kratom users to meet all Diagnostic and Statistical Manual, Fifth Edition (DSM-5) criteria associated with a substance use disorder diagnosis.⁹ A category for “kratom use disorder” (KUD)—as we coin in this paper—does not formally exist in the DSM-5, which was last revised in 2013. In the United States, a survey of 8,000 users conducted through American Kratom

Association (AKA)¹⁰ revealed that although some disclosed use with an underlying intent to self-manage opioid misuse including withdrawal, 68% reported using to self-manage chronic pain and 65% for anxiety or mood states, where opioids are not involved at all.

The effects of kratom to date are attributed primarily to the 2 active alkaloids—mitragynine (MG) and 7-hydroxymitragynine (7-HMG)—although more than 25 other alkaloids have been identified in the plant.¹¹ Both exert their primary action through agonism at the μ opiate receptor and weak antagonism at δ and κ receptors.^{12,13} There is also evidence that MG is involved in sero-


tonergic (antagonist at serotonin 5-HT-2A receptors), dopaminergic (agonist at dopamine D1 receptors), and noradrenergic (agonist at postsynaptic alpha-2 receptors) pathways.¹⁴⁻¹⁷ These translate to users experiencing stimulant-like and opioid-like intoxicating syndromes when either low or high doses are consumed. In traditional medicine, kratom leaves have been used for pain relief; to increase appetite, mood, energy, and sexual desires; to provide wound healing based on anti-inflammatory properties; as a local anesthetic; and to manage coughs, diarrhea, and intestinal infections, among other uses. It is apparent that MG, 7-HMG, and the rest of the plant's constituents are involved in a multitude of other pathways as well, which have yet to be determined. Although there have been efforts by the FDA to classify MG and 7-HMG as an opioid based on the Public Health Assessment via Structural Evaluation (PHASE) model,¹⁸ this is a very complex botanical with much more unique pharmacodynamic and intracellular signaling actions, hence deserving its own category and classification.

In a previous review of kratom withdrawal,⁶ we outlined that symptoms respond akin to that of opioid withdrawal through symptomatic management of a hyperadrenergic state and/or use of opioid receptor agonists (methadone) or partial agonists (buprenorphine). We also alluded to the notion of cravings being present and that there is a high risk of relapse to use on cessation. To date, no guidelines exist regarding the long-term management of KUD. In medical terminology, the "standard of care" is established based on what the average physician in the appropriate specialty community would do when faced with a specific situation. When it comes to KUD management, there is a great need to establish such a standard of care. In this article we report on all the evidence currently available in the literature and combine it with survey information regarding pharmacological management by the addiction medicine specialty community. The aim here is to evaluate potentially beneficial pharmacotherapy only and not specifically any behavioral treatments.

METHODS

Literature Search

We searched PubMed/MEDLINE, PsycINFO, PsycARTICLES, CINAHL, EMBASE, Scopus, Cochrane, and Academic OneFile for English-language medical literature published between January 1, 1970, and January 1, 2020, using the search terms: "kratom,"



"mitragyna speciose," "mitragynine," and "7-hydroxymitragynine."

Regarding inclusion and exclusionary criteria, our interest revolved around clinical cases reporting the use of any pharmacotherapy in management of remission from kratom use in both humans and animals. Only English literature was considered.

The original search yielded a total of 2156 returns: PubMed (n=463), Embase (n=752), Web of Science (n=677), CINAHL (n=182), and PsychINFO (n=82). After removing duplicates, 671 citations were left. Authors CS and BH examined each by title and abstract. After eliminating studies based on exclusionary criteria and applying the inclusion criteria, 14 papers met the original search criteria (Figure 1, Tables 1 and 2). Any disagreements would have been mediated for proper allocation by a third reviewer, but that was not required. Results were supplemented by references gleaned from recent reviews and citations of searched returns, as well as credible reports from academic conferences (Figure 1).

Survey

A survey was designed via Qualtrics (<https://www.qualtrics.com>) and distributed to the 40 state chapter presidents of the American Society of Addiction Medicine (ASAM), with a request to extend it to their specific membership group. At the time of the survey,

Table 1. Cases Reporting Maintenance Pharmacotherapy of Patients With Kratom Use Disorder and Opioid Use Disorders

Ref No.	Clinical Paradigm	Reason for Kratom Use	Extent of Kratom Used	Intervention	Maintenance Regimen	Outcome
16	43-year-old man with history of chronic pain from thoracic outlet syndrome treated with hydromorphone. Started subcutaneously injecting crushed 10 mg tablets of hydromorphone and using kratom to help ameliorate withdrawal when hydromorphone not available. Stopped hydromorphone 3.5 years before presenting and was strictly using kratom. Started taking modafinil 100 mg to help with alertness and presented to ED after experiencing a generalized tonic-clonic seizure. Following discharge, stopped kratom and reported a less intense but more protracted withdrawal compared to opioids persisting for 10 days.	Opioid substitution	Initially used unknown amount of kratom to manage episodic withdrawal from hydromorphone. Ultimately continued using unknown quantity of kratom as a tea 4 x/day; reported spending \$15,000/year on kratom.	Started on BUP/NX following withdrawal from kratom to assist with cravings, 16-4 mg.	BUP/NX 16-4 mg/day	Ongoing abstinence confirmed by urine toxicology, maintained on BUP/NX 16-4 mg/day.
20	52-year-old woman with depression and chronic pain admitted to inpatient psychiatric unit for suicidal ideations. She was experiencing opioid-like withdrawal symptoms. Years prior had developed iatrogenic opioid addiction and switched to kratom 9 months prior to presentation.	Pain management	9 months of use. Gradually increased from 1 tsp/day powdered plant matter to 1 tbsp 4-6 times/day.	As inpatient, BUP/NX induction occurred, requiring 16/4 mg on day 1 for withdrawal symptoms. Initial plan was for taper but, due to difficulty tapering, was discharged with 2-0.5 mg 4 times/day. BUP/NX increased to 8-2 mg 2x/day to manage cravings as outpatient.	BUP/NX 8-2mg 2x/day	Ongoing abstinence at 18 months, corroborated via negative urine toxicologies.
21	32-year-old man with history of PTSD, alcohol use disorder, and OUD in remission from heroin for 2 years. Presented to outpatient clinic for help with kratom dependence.	Energy	8 months of use. Started using 1 capsule kratom product/day; increased to 5-10 capsules/day.	As outpatient, started on BUP/NX 4-1 mg/day; increased to 16-4 mg/day due to withdrawal symptoms.	BUP/NX 16-4 mg/day	No cravings endorsed at follow-up visits; toxicology screens unremarkable.
22	28-year-old woman at 19 weeks of gestation with history of alcohol use disorder in remission, stimulant (methamphetamine) and OUD (heroin) complicated by a bipolar spectrum diagnosis; presented to ED for symptoms of withdrawal due to kratom use.	Opioid substitution	4 months of use prior to presentation via smoking; unknown amount, frequency.	Upon admission to inpatient unit, BUP/NX induction occurred. Discharged on 4-1 mg 4 times/day. At 36 weeks gestation, BUP/NX increased to 20-3 mg daily to address withdrawal symptoms.	BUP/NX 4-1 mg 4 x/day; increased to 20-3 mg/day at 36 weeks gestation	Upon induced delivery at 39 weeks, patient continued with BUP/NX 20-3 mg during hospitalization; discharged on it with ongoing abstinence at follow-up.
23	57-year-old man with chronic back pain, anxiety, depression; originally prescribed oxycodone but developed iatrogenic addiction. After oxycodone was discontinued, transitioned to using kratom 1 year prior to presenting. Noted withdrawal when without kratom and sought help.	Pain management	1 year of use; unknown dose, duration, frequency, route of administration. Purchased from online retailer; spent ~\$2500/month.	Outpatient induction to BUP/NX was performed; patient transitioned to 24-6 mg/day for maintenance.	BUP/NX 24-6 mg daily	Abstinence maintained at 7-month follow-up; confirmed by urine toxicology.
24	54-year-old man with history of depression, anxiety, and 16-year history of iatrogenic opioid addiction. Used kratom to assist quitting opioids but experienced difficulty when trying to stop. Presented to outpatient addiction treatment clinic for help.	Opioid substitution	Unknown amount, formulation, duration.	Inducted on BUP/NX 8-2 mg on day 1; increased to 16-4 mg on day 2 to target withdrawal symptoms and cravings.	BUP/NX 8-2 mg 2x/day	Maintained abstinence at 2 months while on BUP/NX 8-2 mg 2x/day. Weeks 2-5 post induction, urine mitragynine levels were 52.7, 36.6, 1.2, and < 1 ng/mL (negative), respectively.
25	Report of 9 veterans using kratom in 2013 and 8 more between 2016 and 2017. Two-thirds used kratom daily. One used kratom solely for pain and had an alcohol use disorder. Remainder had history of severe OUD and other substance use disorders. Kratom listed as opioid of choice in 50%; 40% noted tolerance and withdrawal.	Opioid substitution, pain management	Two-thirds had reported daily use of kratom. Formulation included tea/drink, capsules, leaves added to food, or multiple means.		BUP/NX, methadone, naltrexone	All who were opioid dependent were treated with BUP/NX, referred to a methadone clinic, or treated with naltrexone.

Abbreviations: ED, emergency department; BUP/NX, buprenorphine/naloxone; tsp, teaspoon; PTSD, posttraumatic stress disorder; OUD, opioid use disorder.

ASAM's membership was 6,365. By using formulas for the maximum error of the estimates, we determined that—for a 95% confidence interval and margin of error of 0.4—a sample size of 564 was required.¹⁹ The survey was distributed initially on January 9, 2020 and was available for 10 days, with 1 brief communication reminder sent during this period to the ASAM chapter presidents. A total of 711 participation invites were sent. Participants were registered electronically through an individualized link, responses were anonymous, and no personal identifiers were collected.

The survey was intended to gauge whether specialists have encountered patients suffering from KUD and how they have managed abstinence in such cases. Our main interest was in pharmacological management of KUD in isolation of past or comorbid OUD histories. Specific questions and flow are detailed in Appendix A.

Eighty-two participants completed the survey, a response rate of 11.5%. Data generated were analyzed via Qualtrics. Some participants who had encountered KUD in isolation of OUD also entered comments regarding management and outcomes (see Appendix B).

RESULTS

Literature Search

The literature review yielded 14 reports involving patients for whom long-term maintenance of KUD was required, including 7 with concomitant OUD diagnoses. Of those 7 patients, all received buprenorphine for maintenance with doses of 16 mg daily; 1 patient required increase from 16 mg to 20 mg due to pregnancy, and another required 24 mg daily. All had switched to kratom use to replace their opioid addiction.

Of the 7 patients without concomitant OUD, 4 were using kratom for pain management, 1 for anxiety/insomnia, 1 for concentration and focus, and 1 patient's reason for use was unclear. For maintenance, 1 patient was started on naltrexone, and 5 were started on buprenorphine at the following doses: 8 mg eventually tapered to 2 mg prior to pregnancy, 16 mg, 6 mg (2 patients), and 4 mg daily. The other patient was on buprenorphine initially; however, due to chronic pain, he eventually was switched to methadone. See Tables 1 and 2 and Figure 1 for a summary.

Survey

Eighty-two ASAM members completed the survey, and 69 qualified for study inclusion based on their credentials (physicians only). A total of 57 (82.6%) endorsed having encountered patients with KUD, including 19 (27.5%) who had patients with KUD only—no past or comorbid OUD (Figure 2). In managing their abstinence, 17 used buprenorphine (17/19, 89.5%)—including 6 who combined it with talk therapy 1 used methadone, and 3 used naltrexone. Additionally, 1 respondent used buspirone in conjunction with therapy, and another used talk therapy only (Figure 3). (Some of the participant-reported outcomes are included in Appendix B.)

Statistical Analysis

A biostatistician analyzed 2 research questions: (1) Does the proportion of those with kratom addiction in isolation of comorbid OUD from the survey match that found through the literature review? and (2) Among those without comorbid OUD from the survey, does the profile of maintenance modalities match that from the literature review? To address these questions, the survey data was compared with the historical data via a 1-sample proportion test.

Out of the 69 qualifying participants who completed the survey, 57 encountered cases of KUD, including 19 (19/57, 33.3%) cases in isolation of comorbid OUD. This is contrasted to the 14 reports found in the literature, with 7 (7/14, 50%) in isolation of OUD comorbidity. In terms of the profile for maintenance modalities, 17 survey respondents (17/19, 89.5%) endorsed having used buprenorphine maintenance, compared to 6 (6/7, 85.7%) found in the literature. A 1-sample proportion test shows that the proportion in isolation of OUD from the survey is significantly different from the proportion of 0.50 found in the literature (95% CI, 0.22-0.47; $P=0.02$). Given the small sample size of data and the fact that the upper limit of the confidence interval is close to 0.50, it is reasonable to believe that such a difference is not large. There is no significant difference between the profile of buprenorphine maintenance reported in the survey versus that found in the literatures (95% CI, 0.69-0.97; $P=0.64$).

DISCUSSION

Kratom is a botanical with a known addiction liability and, in vulnerable individuals, dependence may develop rather quickly with tolerance noted at 3 months and 4- to 10-fold dose escalations required within the first few weeks.³¹ Kratom addiction carries a relapse risk as high as 78% to 89% at 3 months post-cessation.^{7,8,32} Although there are numerous pathways that kratom's constituents act upon, the opioid pathway has received the most interest with respect to mediation of withdrawal and addiction.^{33,34} This is consistent with the notion that stimulant effects are noted at low doses—5 grams or less daily, while opioid effects at higher doses and the doses used by those addicted to it indeed seem to range from 14 grams to 42 grams daily.³¹ Unfortunately, most of the cases included in our review do not reference doses. In the 3 that do (all without comorbid OUD), 1 describes an individual using 7 grams every 4 hours, and 2 involve doses of 30 grams daily. One of the experts surveyed also mentioned having managed patients with histories of 30 grams daily use.

There are 2 main pathways describing how individuals are introduced to kratom – opioid substitution by those with OUD^{35,36} and self-management of various ailments (ie, anxiety and mood states, pain) by those without OUD. The cases included in this review corroborate this notion. For patients with OUD, relapse rates without MOUD are in the 90% range³⁷⁻³⁹—similar to relapse

Table 2. Cases Reporting Maintenance Pharmacotherapy of Patients With Kratom Use Disorder Without Co-occurring Opioid Use Disorder

Ref No.	Clinical Paradigm	Reason for Kratom Use	Extent of Kratom Used	Intervention	Maintenance Regimen	Outcome
22	32-year-old woman at 22 weeks gestation presented to specialty clinic for pregnant women with substance use disorders. Had previously undergone radiation for Hodgkin's lymphoma, resulting in chronic shoulder pain and anxiety. Managed on oxycodone until previous pregnancy, but had been self-managing with kratom for previous 7 months. Attempted to stop kratom at 16 weeks gestation but resumed due to withdrawal.	Pain management, anxiety	7 months of use; unknown dose, duration, frequency, and route of administration.	After kratom abstinence period, patient started on BUP as outpatient; reported good results with 8 mg/day. Given concern of neonatal abstinence syndrome, tapered off BUP over 2 weeks but experienced severe depression and was restarted and maintained on 2 mg for remainder of pregnancy.	BUP 2 mg during pregnancy	Upon planned C-section at 39 weeks gestation, patient maintained on BUP; abstinence maintained at follow-up visits.
23	60-year-old woman with chronic pain and history of alcohol dependence in sustained remission presented following unintentional overdose on illicit methadone. No history of OUD; endorsed kratom use and was on a long-term opioid regimen with tramadol and oxycodone with no evidence of misuse. Discharged following admission and stabilization, but presented several months later because of difficulty stopping kratom due to rebound pain and withdrawal symptoms.	Pain management	At time of evaluation, 0.25 ounces every 4 hours; purchased via online retailer.	Outpatient induction to BUP/NX performed; patient then transitioned to 4-1 mg 4 x/day maintenance.	BUP/NX 4-1 mg 4x/day	Abstinence maintained at 9-month follow-up; confirmed by urine toxicology.
26	37-year-old woman with history of postpartum depression and 2-year history of kratom use to self-manage pain stemming from fibromyalgia and after surgery for carpal tunnel syndrome. Experienced withdrawal symptoms when trying to cut back; attempted outpatient detox with low-dose clonidine without success. Contacted mental health and addiction service for inpatient kratom detox; ultimately admitted for inpatient detox.	Pain management	Started using unknown amount of kratom capsules; transitioned to using kratom extract purchased from online retailer over 2 years.	As inpatient, treated with symptom-triggered clonidine protocol and supportive medications for 3 days prior to discharge.	Naltrexone 50 mg/day	Patient discharged to partial hospitalization program and instructed to start oral naltrexone on day 7 post-discharge.
27	20-year-old man with history of ADHD (treated with stimulant) presented to office-based addiction treatment clinic for KUD management. Had used kratom past 2 years to manage anxiety and insomnia but developed tolerance. Cessation attempts led to opioid-like withdrawal.	Anxiety, insomnia	2 years of use; increased gradually to every 2 hours for 30 g total daily dose. Obtained from local gas station and mixed with water into tea.	Outpatient induction to BUP/NX performed, starting with 4-1 mg 12 hours after last kratom use and with moderate withdrawal. Attempt to taper to 2-0.5 mg over 4 days resulted in withdrawal symptoms and dose was brought back up.	BUP-NX 4-1 mg daily	Noted difficulty tapering off BUP/NX with supervision. After 3 months treatment, had 1 setback on kratom when out of BUP/NX. Has maintained sobriety after several months, working to taper off BUP/NX.
28	35-year-old male veteran presented to addiction treatment clinic reporting escalating kratom use over past 3 years. Started using kratom for concentration but use gradually increased and became singular focus over work, school, and personal activity. Was able to reduce from 30g daily to 5g/day following motivational interviewing, but experienced withdrawal.	Focus, concentration	Daily use increased from 10 g/day initially to 30 g/day. First obtained from gas station; consumed in smoothie or shake form.	Outpatient induction to BUP/NX performed, 4-1 mg 2x/day.	BUP/NX 8-2 mg/day for 16 months, then decreased to 6-1.5 mg/day	BUP/NX increased to 12-3 mg to target evening cravings; decreased back to 8-2 mg/day due to sedation. Maintained abstinence at 16 months, corroborated by urine toxicology screens for mitragynine. After 16 months, BUP/NX dose decreased to 6-1.5 mg/day, with goal of tapering off over 1 year.
29	24-year-old man with history of alcohol use disorder, Asperger's, and kratom use presented to ED after being found down, minimally responsive, hypothermic, and having a witnessed seizure by emergency medical personnel. Upon stabilization in ICU, was transferred to inpatient psychiatric unit.		Unclear duration, but was using 600 mg/day prior to presentation.	BUP 2 mg started on hospital day 13 on psychiatric ward to target kratom cravings. On day 25, BUP increased to 4 mg 2x/day due to persistent signs/symptoms of withdrawal. Discharged to a rehab center on day 28. BUP discontinued initially but restarted at 2-0.5 mg 3x/day due to withdrawal symptoms.	BUP/NX 2-0.5 mg 3x/day.	Tapered off BUP/NX after 45 days at rehab center and discharged home.

continued on next page

Table 2 continued. Cases Reporting Maintenance Pharmacotherapy of Patients With Kratom Use Disorder Without Co-occurring Opioid Use Disorder

Ref No.	Clinical Paradigm	Reason for Kratom Use	Extent of Kratom Used	Intervention	Maintenance Regimen	Outcome
30	44-year-old man with history of alcohol use disorder presented to detox unit for help stopping kratom. Began use after brief use of nonprescription oxycodone for chronic abdominal pain. Noted difficulty stopping after 1 year due to withdrawal.	Pain management	1 year of use. Initially used a "tincture" dosed by "dropper squeeze;" gradually increased to "6 dropper squeezes" every 4-6 hours.	Inpatient induction to BUP to help with withdrawal.		At 15 months post discharge revealed use of oral opiates, including methadone and oxycodone, for chronic pain syndrome.

Abbreviations: BUP/NX, buprenorphine/naloxone; OUD, opioid use disorder; detox, detoxification; ADHD, attention deficit hyperactivity disorder; ED, emergency department.

rates for KUD—versus less than 50% when MOUD are implemented.^{7,8,32} Hence, for those with both OUD and KUD, it is logical to utilize MOUD. In all such cases reported above, buprenorphine was used with good results in terms of opioid and kratom abstinence.

There is a clear need to establish a consensus on how to manage KUD independent of an OUD. As demonstrated in this review, there has been success with treating KUD using the same pharmacological agents as those approved for OUD. In the cases included here that did not involve a comorbid OUD diagnosis, clinicians have utilized naltrexone (n=1 case) and buprenorphine for maintenance. The use of MOUD to treat KUD has been hindered historically by the medicolegal aspects governing these agents, yet reports of treatment do exist and are corroborated by results of the survey conducted as part of this review.

There is pharmacodynamic evidence to suggest for those with OUD, ~70% mu receptor occupancy is required to achieve suppression of psychological aspects of opioid addiction.⁴⁰ Depending on the severity of one's OUD, for example high dose and intravenous use, upwards of 90% occupancy may be required.⁴¹ Although the first may be achieved with 2-3 ng/mL plasma concentration of buprenorphine (corresponding with 8-16 mg oral dose), the latter would require 5-6 ng/mL (corresponding to 20-32 mg oral dose).⁴¹ It is still uncertain what the opioid receptor dynamic with MG and 7-HMG is, however, it is believed that—at least for MG—it is very similar to buprenorphine.^{12,13} From the cases included here, it appears that lower buprenorphine doses tend to be required for KUD in absence of OUD. Antagonist treatment has even been used in 1 case.

Limitations

The cases resulting from the literature search and included in the analysis/comparison have a significant amount of heterogeneity in the descriptions, information provided (ie, kratom dose, route, etc), toxicology screens used for abstinence monitoring, reporting of maintenance follow-up duration, etc. Nonetheless, they all used buprenorphine or naltrexone for management of long-term abstinence as a general consensus.

Figure 2. Percentage of Survey Participants Who Have Encountered Any Kratom Addiction





Figure 3. Pharmacological Modalities for Managing Kratom Use Disorder When Found in Isolation of Opioid Use Disorder



CONCLUSION

Through our survey, we assessed clinical practice patterns for management of KUD without the confounding OUD diagnosis, which would be a clear indication MOUD—the standard of care. A substantial number of respondents (82.6%) have encountered cases of KUD, of which the majority involved a comorbid OUD diagnosis. Those who endorsed treating cases of kratom addiction that did not involve a comorbid OUD reported having used primarily buprenorphine (89.5%) to manage abstinence, with the

rest using naltrexone and methadone. Based on some of the comments in Appendix B, the outcomes have been good and, like with OUD, counseling alone is not sufficient.

Together, the literature review and survey data suggest that a standard of care for maintenance of abstinence from kratom use in those with KUD hints towards the use of MOUD. This is especially true for individuals with histories of using in excess of 24 grams of kratom daily. The maintenance buprenorphine doses seem to be lower than those needed for OUD.

In light of the detrimental risks associated with growing reports of kratom use disorder and lack of any randomized controlled trials to explore treatment, this review provides sufficient evidence that the indication of MOUD should be extended to KUD as well. This is especially true if one's use of kratom involves high doses and meets DSM-5 diagnostic criteria for a moderate or severe substance use disorder.

Acknowledgements: The authors would like to acknowledge the contribution made by Karen Goodman, MSLIS, MA; Medical Librarian Dorothy M. Breene Memorial Library at New Hampshire Hospital, as well as Elizabeth Jenkins, MS(LIS), Education and Information Services Librarian at Boston University Alumni Medical Library for their assistance with the literature search and procurement of articles needed for this review.

Funding/Support: None declared.

Financial Disclosures: None declared.

Appendices: Available at www.wmjonline.org.

REFERENCES

1. Stogner JM. Predictions instead of panics: the framework and utility of systematic forecasting of novel psychoactive drug trends. *Am J Drug Alcohol Abuse*. 2015;41(6):519-526. doi:10.3109/00952990.2014.998367
2. Post S, Spiller HA, Chounthirath T, Smith GA. Kratom exposures reported to United States poison control centers: 2011-2017. *Clin Toxicol (Phila)*. 2019;57(10):847-854. doi:10.1080/15563650.2019.1569236
3. Anwar M, Law R, Schier J. Notes from the field: kratom (*Mitragyna speciosa*) exposures reported to poison centers - United States, 2010-2015. *MMWR Morb Mortal Wkly Rep*. 2016;65(29):748-9. doi:10.15585/mmwr.mm6529a4
4. Olsen EO, O'Donnell J, Mattson CL, Schier JG, Wilson N. Notes from the field: unintentional drug overdose deaths with kratom detected - 27 states, July 2016-December 2017. *MMWR Morb Mortal Wkly Rep*. 2019;68(14):326-327. doi:10.15585/mmwr.mm6814a2
5. Suwanlert S. A study of kratom eaters in Thailand. *Bull Narc*. 1975;27(3):21-27.
6. Stanciu CN, Gnanasegaram SA, Ahmed S, Penders T. Kratom withdrawal: a systematic review with case series. *J Psychoactive Drugs*. 2019;51(1):12-18. doi:10.1080/02791072.2018.1562133
7. Singh D, Müller CP, Vicknasingam BK. Kratom (*Mitragyna speciosa*) dependence, withdrawal symptoms and craving in regular users. *Drug Alcohol Depend*. 2014;139:132-137. doi:10.1016/j.drugalcdep.2014.03.017
8. Singh D, Müller CP, Vicknasingam BK, Mansor SM. Social functioning of kratom (*Mitragyna speciosa*) users in Malaysia. *J Psychoactive Drugs*. 2015;47(2):125-131. doi:10.1080/02791072.2015.1012610
9. Penders T, Stanciu C. Kratom, A Substance of Increasing Concern. Providers Clinical Support System. November 28, 2018. Accessed January 21, 2020. <https://pcssnow.org/event/kratom-a-substance-of-increasing-concern/>
10. Grundmann O. Patterns of kratom use and health impact in the US—results from an online survey. *Drug Alcohol Depend*. 2017;176:63-70. doi:10.1016/j.drugalcdep.2017.03.007
11. Hassan Z, Muzaimi M, Navaratnam V, et al. From kratom to mitragynine and its derivatives: physiological and behavioural effects related to use, abuse, and addiction. *Neurosci Biobehav Rev*. 2013;37(2):138-151. doi:10.1016/j.neubiorev.2012.11.012
12. Kruegel AC, Grundmann O. The medicinal chemistry and neuropharmacology of kratom: a preliminary discussion of a promising medicinal plant and analysis of its potential for abuse. *Neuropharmacology*. 2018;134(Pt A):108-120. doi:10.1016/j.neuropharm.2017.08.026
13. Váradi A, Marrone GF, Palmer TC, et al. Mitragynine/corynantheidine pseudoindoxyls as opioid analgesics with mu agonism and delta antagonism, which do not recruit β -arrestin-2. *J Med Chem*. 2016;59(18):8381-8397. doi:10.1021/acs.jmedchem.6b00748
14. Apriyani E, Hidayat MT, Moklas MA, Fakurazi S, Idayu NF. Effects of mitragynine from *Mitragyna speciosa* korth leaves on working memory. *J Ethnopharmacol*. 2010;129(3):357-360. doi:10.1016/j.jep.2010.03.036
15. Babu KM, McCurdy CR, Boyer EW. Opioid receptors and legal highs: *Salvia divinorum* and kratom. *Clin Toxicol (Phila)*. 2008;46(2):146-152. doi:10.1080/15563650701241795
16. Boyer EW, Babu KM, Adkins JE, McCurdy CR, Halpern JH. Self-treatment of opioid withdrawal using kratom (*Mitragyna speciosa* korth). *Addiction*. 2008;103(6):1048-1050. doi:10.1111/j.1360-0443.2008.02209.x
17. Boyer EW, Babu KM, Macalino GE. Self-treatment of opioid withdrawal with a dietary supplement, kratom. *Am J Addict*. 2007;16(5):352-356. doi:10.1080/10550490701525368
18. Statement from FDA Commissioner Scott Gottlieb, MD, on the agency's scientific evidence on the presence of opioid compounds in kratom, underscoring its potential for abuse. FDA Statement. February 6, 2018. Accessed December 18, 2019. <https://www.fda.gov/news-events/press-announcements/statement-fda-commissioner-scott-gottlieb-md-agencys-scientific-evidence-presence-opioid-compounds>
19. Jones J. Statistics: lecture notes. Accessed December 18, 2019. <https://people.richland.edu/james/lecture/>
20. Khazaeli A, Jerry JM, Vazirian M. Treatment of kratom withdrawal and addiction with buprenorphine. *J Addict Med*. 2018;12(6):493-495. doi:10.1097/ADM.0000000000000435
21. Cheng J, Kmiec JA, Lin L, Glance JB. Treatment of kratom dependence: a case report. Poster presented at: The 50th American Society of Addiction Medicine Annual Conference; April 4-7, 2019; Orlando, FL. Accessed December 18, 2019. <https://www.eventscribe.com/2019/posters/ASAM/SplitViewer.asp?PID=MzMO0TQ4NTYNTY>
22. Smid MC, Charles JE, Gordon AJ, Wright TE. Use of kratom, an opioid-like traditional herb, in pregnancy. *Obstet Gynecol*. 2018;132(4):926-928. doi:10.1097/AOG.0000000000002871
23. Buresh M. Treatment of kratom dependence with buprenorphine-naloxone maintenance. *J Addict Med*. 2018;12(6):481-483. doi:10.1097/ADM.0000000000000428
24. Bath M. Buprenorphine-naloxone treatment of kratom addiction: a unique case report and literature review. Poster presented at: American Academy of Addiction Psychiatry Annual Meeting and Scientific Symposium; December 6-9, 2018; Bonita Springs, FL.
25. Hartwell K, Maxwell A. Kratom (*Mitragynine*) use on the rise: a case series from a VA substance treatment and recovery program. *Am J Addict*. 2018;27:296. doi:10.1111/ajad.12753
26. Galbis-Reig D. A case report of kratom addiction and withdrawal. *WMJ*. 2016;115(1):49-52.
27. Schmuhl KK, Gardner SM, Coltrill CB, Bonny AE. Home induction and outpatient treatment of kratom use disorder with buprenorphine-naloxone: a case report in a young adult. *Subst Abuse*. 2020;41(3):311-314. doi:10.1080/08897077.2019.1671945
28. Agapoff JR, Kilaru U. Outpatient buprenorphine induction and maintenance treatment for kratom dependence: a case study. *J Subst Use*. 2019;24(6):575-577. doi:10.1080/14659891.2019.1638459
29. Diep J, Chin DT, Gupta S, Syed F, Xiong M, Cheng J. Kratom, an emerging drug of abuse: a case report of overdose and management of withdrawal. *A A Pract*. 2018;10(8):192-194. doi:10.1213/XAA.0000000000000658

30. Sheleg SV, Collins GB. A coincidence of addiction to "kratom" and severe primary hypothyroidism. *J Addict Med*. 2011;5(4):300-301. doi:10.1097/ADM.0b013e318221fbfa
31. Alsarraf E, Myers J, Culbreth S, Fanikos J. Kratom from head to toe—case reviews of adverse events and toxicities. *Curr Emerg Hosp Med Rep*. 2019;7(4):141-168. doi:10.1007/s40138-019-00194-1
32. Vicknasingam B, Narayanan S, Beng GT, Mansor SM. The informal use of ketum (*Mitragyna speciosa*) for opioid withdrawal in the northern states of peninsular Malaysia and implications for drug substitution therapy. *Int J Drug Policy*. 2010;21(4):283-288. doi:10.1016/j.drugpo.2009.12.003
33. White CM. Pharmacologic and clinical assessment of kratom: an update. *Am J Health Syst Pharm*. 2019;76(23):1915-1925. doi:10.1093/ajhp/zxz221
34. White CM. Pharmacologic and clinical assessment of kratom. *Am J Health Syst Pharm*. 2018;75(5):261-267. doi:10.2146/ajhp161035
35. Smith KE, Bunting AM, Walker R, Hall MT, Grundmann O, Castillo O. Non-prescribed buprenorphine use mediates the relationship between heroin use and kratom use among a sample of polysubstance users. *J Psychoactive Drugs*. 2019;51(4):311-322. doi:10.1080/02791072.2019.1597224
36. Likhitsathian S, Jiraporncharoen W, Aramrattana A, et al. Polydrug use among kratom users: findings from the 2011 Thailand National Household Survey. *J Subst Use*. 2018;23(4):384-389. doi:10.1080/14659891.2018.1436599
37. Stein MD, Cioe P, Friedmann PD. Brief report: buprenorphine retention in primary care. *J Gen Intern Med*. 2005;20(11):1038-1041. doi:10.1111/j.1525-1497.2005.0228.x
38. Kakko J, Svanborg KD, Kreek MJ, Heilig M. 1-year retention and social function after buprenorphine-assisted relapse prevention treatment for heroin dependence in Sweden: a randomised, placebo-controlled trial. *Lancet*. 2003;361(9358):662-668. doi:10.1016/S0140-6736(03)12600-1
39. Ling W, Charuvastra C, Collins JF, et al. Buprenorphine maintenance treatment of opiate dependence: a multicenter, randomized clinical trial. *Addiction*. 1998;93(4):475-486. doi:10.1046/j.1360-0443.1998.9344753.x
40. Nasser AF, Heidbreder C, Gomeni R, Fudala PJ, Zheng B, Greenwald MK. A population pharmacokinetic and pharmacodynamic modelling approach to support the clinical development of RBP-6000, a new, subcutaneously injectable, long-acting, sustained-release formulation of buprenorphine, for the treatment of opioid dependence. *Clin Pharmacokinet*. 2014;53(9):813-824. doi:10.1007/s40262-014-0155-0
41. Greenwald MK, Comer SD, Fiellin DA. Buprenorphine maintenance and mu-opioid receptor availability in the treatment of opioid use disorder: implications for clinical use and policy. *Drug Alcohol Depend*. 2014;144:1-11. doi:10.1016/j.drugalcdep.2014.07.035

I am a Healthcare Executive and Nurse Practitioner who retired early due to disability. Despite struggling through many health issues during my life, I pushed through work and school earning my doctorate in nursing in 2011. Unfortunately, by 2015 my health issues led to an inability to stand longer than a few minutes, severe pain, fatigue, frequent choking, and gait instability. Finally, after extensive research and multiple specialist visits, I was diagnosed with several rare congenital disorders including:

1. Chiari malformation-the cerebellum in my brain was below my skull and placing pressure on my spinal cord and flattened my brain stem.
2. Tethered Spinal Cord- caused severe nerve pain to my trunk and legs.
3. Ehlers-Danlos hypermobility- a connective tissue disorder that leads to instability of joints and severe chronic pain.

Unfortunately, I was never able to find a low-risk tolerable way to control my pain and fatigue. Even after major surgery removing a portion of my skull and sewing a patch to my brain, I was only able to tolerate the prescribed Oxycodone for a week due to dizziness, confusion, and fatigue. I am so drug sensitive even acetaminophen (Tylenol) makes me so sleepy that I can only take it at bedtime. I did take Naproxen (Aleve) daily for 3 months which was minimally helpful but had to discontinue it due to the side effects.

Luckily, my son introduced me to Kratom. I like to say that I gave him his life, but he gave me mine back! Although I am still limited in my activity, my comfort level and fatigue have improved significantly with the use of Kratom without the side effects that I experience with other medications.

The fact that it is illegal to take Kratom in Wisconsin has been an extreme hardship and has affected my family's life significantly. I spend half of my time in Illinois away from my husband where I can take Kratom and have a healthy level of activity.

Please pass this legislation so I don't have to move to Illinois!

Sincerely,

Heidi Sykora RN, DNP

8 December 2021

Written Comment by Jack E. Henningfield, PhD

Vice President, Research, Health Policy and Abuse Liability, PinneyAssociates,

Bethesda, Maryland

To The

Wisconsin Committee on State Affairs Hearing on AB 599

I am Jack Henningfield, Vice President, Research Health Policy, and Abuse Liability at PinneyAssociates where I consult on the abuse/dependence potential of new medicines, tobacco products, cannabinoids, and natural products including kratom. I am also Professor, Adjunct, Behavioral Biology at Johns Hopkins University. Formerly, I was Chief of the Clinical Pharmacology Branch, and the Biology of Dependence and Abuse Potential Assessment Section of the National Institute on Drug Abuse, or NIDA. Through PinneyAssociates, I advise the American Kratom Association (AKA) on kratom science.

I recently completed an update of the abuse potential of kratom which includes over 100 new studies in the past three years. This updated 8-Factor Analysis, that was supported by the AKA, but which had no input or oversight by AKA, is available on the AKA website. A more recent peer-reviewed assessment of kratom abuse potential and safety includes addition studies and should be online in a special issue of Frontiers in Pharmacology addressing kratom science. It has been accepted for publication following peer-review and should be available online within a few weeks.

As a scientist, throughout my career I have worked closely with health policy staff at the Food and Drug Administration (FDA), the Department of Health and Human Services (HHS), the National Institutes of Health (NIH), and the Drug Enforcement Administration (DEA) to protect the public by evaluating emerging substances, any safety threat they pose, and their associated addiction liability. All of us shared the common goal of protecting the public, and I continue to have enormous respect for my colleagues even where we occasionally disagree.

Kratom is an area where a substantial disagreement currently exists between the policy staff at the FDA and the scientists at NIH, NIDA, HHS, and DEA. It was not always the case. When the reports of 9 deaths in 2009 in a 12-month period from a powdered kratom product sold on the Internet known as Krypton, that legitimately raised the safety signal on kratom with public health officials around the world.

Over the next several years, the FDA widely disseminated their concerns about kratom that convinced six states, including Wisconsin, to ban kratom based largely on those 9 deaths in Sweden. The FDA also confidently assured the states that the DEA would classify two of kratom's alkaloids as Schedule 1 substances.

But the seven years since Wisconsin's policy makers were assured the DEA would be scheduling kratom, it has not happened. The reason is found in the 8-Factor Analysis where the science clearly

demonstrates that the FDA's assumptions about the safety profile and the addiction liability of kratom were plainly wrong. In fact, in the most recent assessment of the FDA's claims about kratom in a letter on August 16, 2018, by the HHS Assistant Secretary of Health Dr. Brett Giroir that withdrew the scheduling recommendation, it was determined that the FDA failed to provide the evidence and data required to ban kratom, and that "new data" disputed the FDA's claims about kratom. Dr. Giroir called it "disappointingly poor evidence and data" and cited the "significant risk of immediate public health consequences for potentially millions of users if kratom or its components are included in Schedule I."

In 2014, the FDA laid out a case based largely on assumptions to convince states to ban kratom, but the emerging science dramatically contradicts those now outdated assumptions. Today, the threat appears to be part of a common problem where unscrupulous bad actors are spiking otherwise safe substances with dangerous adulterants. With kratom, it is fentanyl, heroin, morphine – all of which are deadly when unsuspecting consumers think they are buying pure kratom.

Extensive new research, much of it supported by the U.S. National Institute on Drug Abuse, supports the following conclusions:

- (1) The pharmacology of kratom reveals the profile of a relatively low abuse potential and low risk substance compared to most scheduled substances, and use is overwhelmingly by the oral route and does not escalate to injection, smoked, or nasal routes as is common with opioids and stimulants.
- (2) Despite use by an estimated 10-16 million adults in the US, none of the major national surveys used to identify substance use public health threats indicate an imminent threat; the Drug Enforcement Administration or DEA, has never listed kratom in its annual drug threat reports, and in 2018 the Assistant Secretary of Health, Dr. Giroir, rescinded the 2017 FDA scheduling recommendation.
- (3) National surveys in the US and Canada and studies in SEA region indicate that most consumption is to enhance health and well-being, and contributes to improved social and occupational performance, which is in contrast to prototypic controlled substances.
- (4) There is evidence that removal of kratom would pose an individual and public health risk in countries (e.g., the US and Canada), and regions, (e.g., SEA) where kratom is widely used by people to abstain from opioids (also see Assistant Secretary Giroir's letter)
- (5) New research confirms that kratom is rich in alkaloids with potential medicinal value. NIDA is funding extensive research that may lead to safer new medicines modeled or derived from kratom, but this is likely a decade or more away and scheduling would severely impede such research.
- (6) Nature got it right: The most abundant alkaloid, mitragynine, common to most marketed products, primarily accounts for kratom's effects, is of relatively low risk and abuse potential, whereas other alkaloids, including the mitragynine metabolite, 7-hydroxymitragynine, is present at such low levels as to not substantially contribute to abuse potential or risks, or are of low pharmacological activity.
- (7) I encourage regulatory frameworks such as were adopted by 5 states in the US to ensure that marketed products are pure and not adulterated or artificially elevated in alkaloid content, and with other risk-reducing provisions. Canada also has a potential model regulatory approach.

(9) Drs. Marilyn Huestis and Joseph Rodricks and I recently completed a study of the respiratory effects of oral mitragynine compared to oxycodone in a rat model published by FDA. Oxycodone produced dose related reductions in blood gas measures of respiratory depression and deaths. Over a wide range of doses, mitragynine did not produce dose-related respiratory depressant effects.

Thank you for your efforts and the opportunity to comment. I will be pleased to provide PDFs of research addressing any of my comments.

Leading Edge Kratom Science

Addressing Abuse Potential, Safety, Patterns of Use, Reasons for Use, and New Studies of Mitragynine, 7-hydroxymitragynine, and Other Kratom Alkaloids

September 2, 2021

**An annotated update of the 2018 published review article:
The Abuse Potential of Kratom According to the 8 Factors of the Controlled
Substances Act:**

Implications for Regulation and Research

By

Jack Henningfield, Reginald Fant & Daniel Wang

This report was developed by

Dr. Jack Henningfield and colleagues at PinneyAssociates

For the American Kratom Association to inform and update policy makers, health and regulatory officials, and public health and medical experts on kratom safety and abuse potential

August 6, 2021

Acknowledgement and disclosure. This update of the Henningfield et al. 2018 kratom abuse potential assessment review is required to account for the significant number of new research studies that have been completed that collectively adds to the body of scientific evidence about the kratom plant and its constituent alkaloids. The American Kratom Association (AKA) and its affiliate, the Center for Plant Science and Health that funds new research into kratom, have supported an independent assessment of the current research landscape. This update followed a request for partial support of the time and effort for Dr. Henningfield and his colleagues at PinneyAssociates to develop the report. The purpose was to provide a state-of-the-art report to inform policy makers, health and regulatory officials, and public health and medical experts on kratom safety and abuse potential. AKA did not contribute to or influence the conclusions of Dr. Henningfield and colleagues at PinneyAssociates.

Through PinneyAssociates, Dr. Henningfield and his colleagues provide scientific and regulatory consulting to support new drug applications (NDAs) and risk management programs for a broad range of CNS active substances and drug products including psychedelic substances, new chemical entities, and alternative formulations and routes of delivery, as well as dietary ingredient notifications, cannabinoid assessment, and noncombustible tobacco/nicotine products for FDA regulation.

PinneyAssociates scientific experts who contributed to this report include: Rachel Beck, PhD; August Buchhalter, PhD; Yolanda Green; Marilyn Huestis, PhD, HonD; Mark Sembower, MS; and Daniel Wang.

We also acknowledge the thinking embodied in this document by our former colleague and co-author of the 2016 kratom Abuse Potential Assessment submitted to the DEA and FDA and its updated published version in 2018. Dr. Fant died in September 2020, and we miss him dearly. See more about our team and Dr. Fant at www.pinneyassociates.com.

Preface and Main Findings

Background: The 2018 Henningfield, Fant & Wang kratom abuse potential assessment was based on a 2016 assessment developed by Dr. Henningfield and colleagues at PinneyAssociates to inform the United States (US) Drug Enforcement Administration (DEA) and Food and Drug Administration (FDA) in their assessment as to the most appropriate regulatory approach to kratom and whether listing kratom (specifically, its alkaloids mitragynine [MG] and 7-hydroxymitragynine [7-OH-MG]) in Schedule I of the Controlled Substances Act (CSA) was warranted and in the interests of public health.

In brief, we concluded there was no evidence of an imminent threat to public health (a requirement for temporary or emergency scheduling) and that kratom was not like opioids in its safety and addiction risks. Furthermore, there was evidence that millions of people were using kratom for reasons associated with health and well-being, including in place of opioids they had been using for pain and/or addiction, and that thousands of people would be at risk of relapse to opioids and overdose if sale of kratom were banned and possession considered a narcotic criminal offense. We also concluded that banning kratom would foreseeably lead to the emergence of a deadly illicit market that would worsen what appeared to be the main problems with kratom, namely contaminated, adulterated, and inappropriately marketed products. We concluded that these problems could be addressed by continuing to allow legal sale of kratom but with FDA oversight providing standards for product quality, labeling, and other issues that FDA routinely addresses.

Overview of main findings: This update reaffirms all of the conclusions of the 2018 report. The more than 100 new peer-reviewed published studies by researchers worldwide and many laboratory studies in the US with funding from the National Institute on Drug Abuse (NIDA), sustain those earlier findings. These studies provide a much fuller characterization of how kratom works and how it provides the benefits that many people report as their reason for use, but without narcotic-like addiction and overdose risks. The studies include the state-of-the-art types of animal abuse and physical dependence/withdrawal studies that FDA requires for new medicines and which DEA relies on for drug scheduling decisions. New clinical studies in humans provide initial assessments of kratom's physiological health and safety related effects on liver, kidney, and cardiovascular function, as well as brain function, using magnetic resonance imaging techniques.

Conclusions based on new studies since January 1, 2018

- *Since the Henningfield, Fant & Wang (2018) 8-FA, there have been over 100 new published scientific studies, reviews, and commentaries by leading kratom experts, and an accelerating research pipeline funded in part by the US National Institutes of Health (NIH), National Institute on Drug Abuse (NIDA). These studies provide an increasingly strong evidence base for regulation and policy.*
- *Nature got it right. There is a convergence of studies showing that the main natural constituent of kratom that accounts for the reasons people use kratom is MG, which carries relatively low abuse and health risks (See below). 7-OH-MG naturally occurs at*

very low levels and product standards should prevent marketing of products with levels higher than those that appear to carry little risk.

- *Evidence does not support the conclusion that kratom is an imminent public health threat or that it is fueling the opioid and drug overdose epidemic that led to more than 93,000 deaths in 2020. Rather, the evidence supports the conclusion that for many people kratom is a path away from opioids and other drugs to help self-manage craving and withdrawal for people who find kratom more effective, accessible, acceptable, tolerable, and/or prefer natural products.*
- *Animal drug self-administration, physical dependence, and withdrawal studies show low abuse potential and withdrawal risks of kratom relative to opioids. Furthermore, these studies also show that MG administration can reduce self-administration of morphine and heroin as well as withdrawal from morphine. These findings are consistent with human surveys and studies showing that addiction risks for kratom are overall low as compared to opioids.*
- *Numerous surveys and field studies of kratom users have been conducted in the US and Malaysia. These new studies largely confirm the earlier large US survey on kratom consumer usage patterns published by Dr. Grundmann (2017). Most US kratom users are 30-50 years old, employed, have some college education, and have health insurance. Leading reasons for use are to self-manage pain, depression, anxiety, to increase focus and alertness analogous to caffeinated beverage use, and to self-manage opioid and other substance use disorders to relieve craving and withdrawal and often the pain that motivates such drug use.*
- *Surveys also show that users fear a kratom ban and the risks of resumption of opioid and other drug use, and/or turning to illicitly marketed kratom. This makes it foreseeable that thousands of people would be at risk of opioid overdose and other mortality risks associated with illicit drug use, injection drug use, and adulterated kratom products.*
- *Studies of kratom's alkaloids support the conclusion that that MG and other alkaloids are not appropriately categorized as opioids, as they are diverse in their activity, effects, and mechanisms of action. Moreover, the primary active constituent of kratom, MG, does not produce the signature powerfully rewarding and lethal respiratory depressant effects that characterize morphine-like opioids.*
- *Kratom PK and safety studies include examination of the pharmacokinetics (PK) and pharmacodynamics (PD) in rats and dogs by oral and intravenous administration of many kratom alkaloids in addition to MG. MG, at human dose equivalents many times higher than humans take, are without acute serious adverse effects and there is little evidence of a respiratory depressant effect.*
- *Six clinical studies evaluated the effects of long term kratom use on a variety of physiological parameters including kidney and liver function, hematological parameters, cognition, and brain function by magnetic resonance imaging. Although these were*

relatively small studies, none suggest serious adverse consequences of long term kratom use. It is important to note that these are not definitive safety studies and cannot be used to claim that kratom has no adverse effects on any of the studied physiological domains and limitations of each study were noted in the publications. Nonetheless, the findings are encouraging and should facilitate the conduct of more comprehensive follow-up studies.

- *New medicine innovation efforts are developing new molecules as analogs of MG and other kratom alkaloids as possible safer and/or more effective treatments for pain, addiction, depression, and other disorders, due to the promising findings with kratom and its naturally occurring alkaloids. These efforts are also contributing to knowledge about kratom safety and effects; however, New Drug Applications (NDAs) typically require a decade or more of research at costs often exceeding one billion dollars before they can be submitted for review and potential approval by the FDA.*
- *The pipeline of research and new science has been enhanced in quantity and quality not only by funding from the US National Institutes of Health (NIH) and other organizations but as well by regular scientific conferences that are fostering global collaboration and cooperation in an exciting new frontier in search of safer and more effective ways to manage health and well-being. Such efforts are working and should be expanded.*
- *These scientific findings taken together have implications for consideration of kratom regulation by the Controlled Substances Act (CSA). The CSA is intended to protect the public health from substances that pose as imminent threat to public health, and in the case of medicines with a potential for abuse to ensure that they are appropriately regulated if the science supports placement in the CSA. Kratom is not a new drug but rather is a naturally occurring substance with decades of history of use in the US and much longer in Southeast Asia where it grows in abundance and is used by many more people. The scientific evidence does not indicate a profile of meaningful abuse potential or physiological dependence potential of its primary active constituent, mitragynine. This review supports the key findings and action by Assistant Secretary of Health, Dr. Brett Giroir (Giroir, 2018) to rescind the 2017 recommendation (FDA, 2017a) to place MG and 7-OH-MG in Schedule I of the CSA. Specifically, it supports the conclusions that “mitragynine does not satisfy the first of the three statutory requisites for Schedule I”, and that “there is a significant risk of immediate adverse public health consequences for potentially millions of users if kratom or its components are included in Schedule I” and that the very research that all parties agree is needed would be severely stifled by CSA scheduling.*
- *Kratom regulation would be better informed by scientific and public health information exchange and active collaboration among CDC, DEA, FDA, NIDA, and the Substance Abuse and Mental Health Services Administration. Kratom science should be accelerated by increased kratom research funding to NIDA, as well as to support increased surveillance that is specific to kratom. As in other areas of science and public health, progress and process would likely be improved if federally funded kratom*

research had input and possibly oversight by a multi-agency task force and with an annual report developed with updates on the state of kratom science and annual surveillance, perhaps led by NIDA.

- *An important development that relates to overall safety, health benefits and risks of kratom use is a regulatory and policy update and is not included in the science updates: at the time of this writing, five states, Arizona, Georgia, Nevada, Utah, and Oklahoma, have enacted laws referenced as the Kratom Consumer Protection Act (KCPA). The KCPA establishes a regulatory framework to protect consumers from unsafe and adulterated kratom products that by requiring manufacturers strict adherence to good manufacturing standards (GMP) to ensure purity; requires testing for contaminants; prohibits adding any dangerous substances to kratom products; forbids boosting the alkaloid levels of MG and 7-OH-MG over those present in the natural kratom plant; bars synthesizing any of the alkaloids; requires registration and product testing; prohibits any therapeutic health claims; and forbids sales to minors. These KCPA laws provide needed consumer protections for consumers. To illustrate the kratom regulatory framework for the Utah KCPA, the Utah Department of Agriculture rule on kratom can be found at <https://aq.utah.gov/businesses/regulatory-services/kratom/> . For updates on the status of KCPA legislation in other states, visit the American Kratom Association website at <https://www.amerikankratom.org/advocacy/aka-in-your-state.html> .*

Contents

1	Introduction	8
1.1	Comments on Efficacy, Risk, and Drug Scheduling According to the Controlled Substances Act.....	8
1.1.1	Comment on Risk	9
1.1.2	Comment on Drug Scheduling	9
1.2	Approach.....	10
1.3	Comment on Current State of Research	11
2	Summary of Findings	13
2.1	Factor 1 – Actual or Relative Potential for Abuse	13
2.1.1	Summary of 2018 Findings.....	13
2.1.2	Factor 1 Science Updates	13
2.1.3	Factor 1 Updated Conclusions	18
2.2	Factor 2 – Scientific Evidence of its Pharmacological Effect	19
2.2.1	Summary of 2018 Findings:.....	19
2.2.2	Factor 2 Science Updates	19
2.2.3	Factor 2 Updated Conclusions	26
2.3	Factor 3 – The State of Current Scientific Knowledge Regarding the Drug.....	27
2.3.1	Summary of 2018 Findings:.....	27
2.3.2	Factor 3 Science Updates	27
2.3.3	Factor 3 Updated Conclusions	32
2.4	Factors 4, 5, and 6 – History and Current Patterns of Abuse; The Scope, Significance and Duration of abuse; What, if any, Risk is there to the Public Health	33
2.4.1	Summary of 2018 Findings:.....	33
2.4.2	Factor 4, 5, and 6 Science Updates	34
2.5	Factor 7 – The Psychic or Physiological Dependence Liability.....	51
2.5.1	Summary of 2018 Findings:.....	51
2.5.2	Factor 7 Science Updates:	52
2.5.3	Factor 7 Updated Conclusions	55
3	Conclusions Based on New Studies since January 1, 2018.....	55
4	References.....	58

1 Introduction

This is a scientific update to “The abuse potential of kratom according to the 8 factors of the Controlled Substances Act: implications for regulation and research”, by Jack Henningfield, Reginald Fant, and Daniel Wang (Henningfield, Fant & Wang, 2018). Primarily findings and conclusions quoted directly from kratom-related scientific research since December 2017 are included.

Seven of the eight factors of the Controlled Substances Act were affected by new research and survey data. The eighth factor did not change, as neither kratom nor any of the constituents in kratom or its alkaloids are controlled substances, nor are they immediate precursors of controlled substances.

This update includes several new studies employing a variety of state-of-the-art animal models of abuse potential, physical dependence, and withdrawal potential as compared to opioids and other classic drugs of abuse. The understanding of kratom’s mechanisms of action and its safety profile help explain not only why it differs from opioids with respect to safety but also its relatively low potential for abuse and dependence.

1.1 Comments on Efficacy, Risk, and Drug Scheduling According to the Controlled Substances Act

Therapeutic efficacy standard by FDA. This research update includes additional evidence that the major reasons for kratom use for millions of people in the US are for health and well-being including for self-management of pain, addiction, depression, and other disorders. The evidence includes peer reviewed surveys and field studies in the US and Southeast Asia (SEA), some clinical studies, and many animal studies that show that the mechanisms of action of MG are consistent with such effects. Moreover, several animal models used to predict efficacy for treating opioid use disorder, opioid withdrawal, and pain, demonstrated efficacy.

However, none of this research meets FDA’s standard for therapeutic efficacy which is typically determined by evaluation of a New Drug Application (NDA) (whether NDA is based on a new chemical entity or botanical substance). The NDA must be supported by “substantial evidence of effectiveness,” and is defined as “evidence consisting of adequate and well-controlled investigations” (Dabrowska & Thaul, 2018; Katz, 2004). The time and cost to develop and achieve FDA approval of a product as therapeutically effective and acceptably safe varies widely but is often approximately ten years and 1 billion dollars (DiMasi, Grabowski & Hansen, 2016; Wouters, McKee & Luyten, 2020). Only two botanical substances have been developed as drug products consistent with FDA’s Botanical Drug Guidance (FDA, 2016).

Thus, by FDA’s standard for efficacy, no kratom product or kratom alkaloid or derivative is recognized as therapeutically efficacious or “safe and effective”. This report does not endorse or recommend therapeutic use. However, terms such as therapeutic use are used in many of the articles cited and by many consumers of kratom who report using it for and obtaining therapeutic benefits. Denial of this would not be consistent with the science regardless of whether it meets the FDA standard. Neither should it be denied that studies estimate that over ten million people in the US (AKA, 2019; Henningfield, Grundmann, Garcia-Romeu & Swogger, 2021) use kratom products and find them acceptable, and sometimes preferred over

other products. For this population, kratom is perceived as effective, accessible, tolerable, and preferable as a natural product compared to conventional medicines.

1.1.1 Comment on Risk

Risk is a relative concept. This report discusses many risks and benefits of kratom, particularly as compared to morphine-like opioids which carry far greater risks of addiction and overdose death as discussed in the report (see also Henningfield, Grundmann, Babin, et al., 2019). This research does not suggest that kratom consumption is without risk. It is also important to recognize that kratom is not approved for therapeutic use by the FDA. Therefore, surveys showing that individuals use kratom to improve personal health and wellbeing, and for self-management of disease should not be taken as endorsements of such use or that use is without risk.

1.1.2 Comment on Drug Scheduling

Drug scheduling in the US is guided by the Controlled Substances Act (CSA). For new drugs, scheduling recommendations are developed by FDA, with input from NIDA and transmitted to DEA by the Assistant Secretary of Health (ASH) to the Administrator of the DEA (FDA, 2017a; Giroir, 2018). The same process can be applied to substances that are not approved as drugs and this process was followed for the 2017 FDA recommendation that MG and 7-OH-MG be permanently placed in Schedule I of the CSA, although it was concluded in a critique of the FDA recommendation that there was no evidence of actual NIDA input into the FDA 8-Factor Analysis (FDA 2017a; Henningfield, Babin, Boyer, et al. 2018).

By law and in practice, following FDA's 2017 Guidance (FDA, 2017b), scheduling decisions are guided by analysis of the eight factors of the CSA, which include three factors (nos. 4, 5 and 6) that address public health implications of scheduling including whether it is in the interest of public health to schedule a substance and, if so, which schedule is most appropriate. Regardless of the actual level of abuse potential and public health risk, if it is determined that a substance warrants CSA scheduling and it is not approved for therapeutic use by FDA (i.e., as an approved drug), only Schedule I (C-I) is an option. If the substance or product is approved for therapeutic use and is recommended for CSA scheduling then it will be placed in Schedule II, III, IV or V, in which V is least restrictive (e.g., lacosamide, pregabalin, and low dose codeine plus acetaminophen) and Schedule II is most restrictive (e.g., amphetamine, fentanyl, morphine) supported by the 8-factor analysis. For discussions and examples of the process and how public health considerations including risks and benefits related to scheduling are considered, see FDA's 2017 Guidance and review articles (Belouin & Henningfield, 2018; FDA, 2017b; Giroir, 2018; Johnson, Griffiths, Hendricks & Henningfield, 2018; Spillane & McAllister, 2003).

The science update supports the conclusion that kratom is providing a public health benefit by enabling millions of people in the US to self-manage their health and well-being and that it is foreseeable that banning sales and criminalizing those who possess kratom could lead to thousands of opioid overdose deaths among people who reverted to opioid use. We believe that individuals and public health would be better served by regulations that ensure that lawfully marketed products are pure, uncontaminated, and unadulterated by other harmful substances, drugs, or unnaturally high levels of kratom's naturally occurring alkaloids, and that

kratom products are appropriately marketed, packaged, and labeled and unsubstantiated health claims are not made.

1.2 Approach

This update is based on a review of studies published primarily since January 1, 2018 to update the science cited in the Henningfield, et al. (2018) 8-Factor Analysis which was completed and accepted for publication in December 2017.

Published literature was obtained by internet searches and a direct request for the most recent published and “accepted for publication” studies of more than twenty of the leading kratom research centers and research leaders worldwide. Conclusions were also influenced by the several national and international meetings in which new kratom research findings were presented and discussed each year (including virtual meetings from March 2020 to the present).

We do not represent this as a consensus report but have made every effort to reflect the thinking of other leading kratom science and policy experts. The approach to our study summaries is to rely heavily on direct quotes from the authors of articles or brief summaries that we feel accurately represented the articles. We provide the references and will make available the library of the more than 100 articles on request. It is our intent that this transparent process will also facilitate efforts to contact researchers for more information about their research and thinking.

A review of this body of evidence strengthens the conclusions of the 2018 8-FA that the public health benefits of continued access to kratom (ideally, with a regulatory framework developed by FDA with input from stakeholders and experts and other agencies including NIDA) outweigh the risks.

Kratom and its primary alkaloid, mitragynine, is not without risks or devoid of abuse potential; however, those risks are overall relatively small as compared to the serious risks of a kratom ban. The abuse potential of kratom and mitragynine do not rise to the level of abuse potential or risk that would be effectively or appropriately mitigated by placement in the CSA. This takes into consideration the overall public health impact, as required by consideration of factors 4, 5 and 6.

Thus, this update does not fundamentally change the following conclusion of the 2018 8-FA:

“The overarching public health and policy question is not could kratom be regulated as a controlled substance but rather should kratom be so regulated. From a pharmacological perspective, this review suggests, as concluded by Henningfield (2015) and Pinney Associates (2016) that a case could be made to place kratom in the CSA. In fact, if MG, for example, was a newly discovered active chemical entity in a medicine submitted for approval by FDA, and hence without decades of use in the community, it would certainly be evaluated for potential scheduling according to the CSA and FDA’s guidance (FDA 2017b), and it might be recommended for scheduling following its approval as a therapeutic medicine.” (Henningfield, Fant & Wang, 2018, p. 585)

1.3 Comment on Current State of Research

There have been extensive new scientific advances since 2018 on the impact of kratom on substance use disorders and rehabilitation. This includes many thoughtful integrative reviews. We provide an example of one of these that we think provides a useful framing from this report.

Drs. Veltri and Grundmann (2019) concluded as follows:

“Throughout its history of use, Kratom has been known to exert stimulant- and opioid-like effects that is raising concerns with regulatory agencies and resulted in scheduling actions in various countries. Although knowledge from clinical studies is limited, epidemiological data obtained from Southeast Asia, Europe, and the United States indicate that Kratom has a distinct user profile and presents with discrete effects from other stimulants or opioids. A substance-dependent opioid user does not prefer Kratom over another opioid but instead would utilize Kratom as a harm reduction or mitigation agent. This has been the conclusion from studies in Malaysia and the United States although the current information is preliminary in scope based on the small sample sizes and regional limitation of the surveys. The findings do align with preclinical observations in rodents that report a reduction in morphine self-administration with the use of mitragynine. This current knowledge points to a potential for further development of mitragynine or use of Kratom as a harm reduction agent similar to methadone or buprenorphine....While a majority of regular Kratom users in Southeast Asia and the West alike do not experience acute or chronic adverse effects, the incidence of unwanted side effects remains unknown and can include both stimulant and opioid-like sedative effects....a direct causative link between the fatalities in which Kratom was detected cannot be drawn because nearly all of them involved poly-drug exposures. The toxicity of Kratom in various animal species is variable and has not been determined for most of them following acute and chronic exposure. The only clinical pharmacokinetic study in humans that provides blood concentrations of mitragynine does not correlate with post-mortem blood mitragynine concentrations thus not allowing for the determination of a toxic or lethal cut-off level.... Reports and studies of the dependence potential to Kratom are of serious concern given the current opioid crisis in the United States and rising abuse of opioids in other countries. It appears that most Kratom-dependent users had a prior substance use disorder or were seeking relief from a chronic pain condition but wanted to avoid opioid use. The severity of Kratom dependence symptoms appears to be milder compared to opioid use disorder...” (pg. 29)

Note that research is rapidly expanding in the US and SEA, especially at the Center for Drug Research (CDR), Universiti Sains Malaysia, in part due to increased support of kratom related research by NIDA. For nearly a decade, NIDA has supported research into potentially safer and less abusable medicines for pain and treatments derived from kratom alkaloids for opioid use disorder. This is among the more rapidly expanding areas of research providing new facts and insights to characterize the benefits and risks of kratom use and how appropriate regulation could minimize risks.

Along with this accelerated research, NIDA has also supported conferences in the US and internationally which have been important in the facilitation of research sharing. This has also fostered global collaborative efforts that are evident in many of the published articles in this update in which authorship represents multiple research centers, sometimes from three or four countries.

Two conferences in particular are important to note for their important research stimulating effects. The first was the 2018 NIDA International Forum: Building International Collaborative Research on Drug Abuse, June 8–11, as a satellite meeting of the annual College on Problems of Drug Dependence meeting, which itself included a major kratom symposium and several individual presentations by researchers whose work is included in this update.^{1,2}

The second major international meeting that accelerated research and fruitful cross disciplinary, global collaborations was the NIDA supported Second International Kratom Symposium convened by the University of Florida Clinical and Translational Science Institute and the Department of Pharmacodynamics from February 8-10,2019.³ See more about their program and efforts to accelerate kratom science at the University of Florida Kratom Resource page⁴.

An additional influence on the conclusions of the present report were policy efforts that involved more than a dozen kratom and substance abuse research leaders developing three reports in the form of open letters to update FDA, DEA, NIDA, the White House, and Congressional leaders^{5,6,7}. These reports were also developed with support from the AKA. Each of these reports were co-authored and signed by nine or more contributors with eight contributing to all of them.

As the safety and effects of kratom and its primary active alkaloid MG have become increasingly studied over the past 5-10 years there have been a growing number of articles and scientific meetings exploring the diverse potential public health and therapeutic benefits of kratom that are already evident (Grundmann, Brown, Henningfield, et al., 2018; Prozialeck et al., 2020; Sharma & McCurdy, 2021). All of these articles recognized that the FDA standard for therapeutic benefit, which is generally approval of a new drug application (NDA) for therapeutic use, has not been met.

To date, there has not been an NDA submission to FDA for a kratom product and it is not clear that there ever will be. However, kratom-related potential new drug development efforts are already underway as some companies have announced on their websites (e.g., Kures

¹ <https://www.drugabuse.gov/international/2018-nida-international-forum-building-international-collaborative-research-drug-abuse>

² <https://www.drugabuse.gov/international/kratom-research-presented-nida-international-forum-promotes-international-cooperation>

³ https://www.leg.state.nv.us/App/NELIS/REL/80th2019/ExhibitDocument/OpenExhibitDocument?exhibitId=41965&fileDownloadName=0403ab303c_gasr_symposium.pdf

⁴ <https://pd.pharmacy.ufl.edu/research/kratom/>

⁵ February 2018 Letter to White House and DEA at

<http://www.americankratom.org/images/file/Document%2019%20Science%20Letter%20on%20Kratom%20Sent%20to%20WH%20and%20DEA%20Feb%208%202018.pdf>

⁶ June 2018 Letter to Leaders of Congress at

https://www.americankratom.org/images/16_Kratom_Scientist_Letter_to_Congressional_Leaders_June_21_2018_FINAL.pdf

⁷ November 2018 letter to DHHS, FDA, DEA, and NIDA critiquing the FDA's kratom 8 Factor Analysis at

<https://www.americankratom.org/images/file/Scientists-Response-to-FDA-Kratom-8FA--28-Nov-2018-FINAL.pdf>

Therapeutics, Inc⁸ and Sparian Biosciences⁹). The foregoing efforts include scientists on their teams who have been researching kratom alkaloids, with support from NIDA, as part of NIDA's efforts to foster research to stimulate the development of new medicines to treat substance use disorders as well as medicines for other disorders for which the present leading medicines carry addiction and safety risks.

2 Summary of Findings

For each factor, this report will begin with a short summary of the main finding of the 2018 8-Factor Analysis (8-FA), followed by key scientific updates, and finally conclusions. Mitragynine is abbreviated "MG" and 7-hydroxy-mitragynine "7-OH-MG". Unless specified, "opioids" means morphine, heroin, oxycodone and fentanyl, and other full opioid agonists, and not opioid antagonists such as naloxone (Narcan®) or naltrexone, or the partial opioid agonist buprenorphine.

2.1 Factor 1 – Actual or Relative Potential for Abuse

2.1.1 Summary of 2018 Findings

Henningfield, Fant & Wang (2018) did not have the benefit of classic animal self-administration and withdrawal studies of kratom's alkaloids; however, other data suggested relatively low abuse potential as compared to opioids and other drugs of abuse. Survey data from the US and field studies in SEA observed most kratom use was for health-related benefits, including management of drug dependence and drug withdrawal, primarily for opioid related dependencies but also for alcohol and stimulant use disorders. Initial drug discrimination and conditioned place preference (CPP) studies with rats suggested weak opioid-like discriminative effects and weak rewarding effects at extremely high human dose equivalents that might not be tolerable in humans. Taken together, the 2018 Factor 1 evidence suggested that kratom was not without abuse potential but that its potential for individual and societal harm was relatively low as compared to opioids and other drugs of abuse.

2.1.2 Factor 1 Science Updates

2.1.2.1 Intravenous (IV) Self-administration Studies of Abuse Potential

Two 2018 studies provided assessment of kratom's abuse potential in the IV rat self-administration model, the most predictive animal model for reinforcing effects and abuse potential (FDA, 2017b). In addition, MG's brain rewarding effects were evaluated in the intracranial self-stimulation model and the CPP procedure.

Hemby, MacIntosh, Leon, et al. (2019) summarized the reinforcing effects of MG and 7-OH-MG compared to morphine, and also evaluated pretreatment of animals with MG or 7-OH-MG on morphine self-administration:

"The present findings indicate that MG does not have abuse potential and reduces morphine intake, desired characteristics of candidate pharmacotherapies for opiate

⁸ <https://www.kures.life/>

⁹ <https://www.sparianbiosciences.com/>

addiction and withdrawal, whereas 7-HMG should be considered a kratom constituent with high abuse potential that may also increase the intake of other opiates.” (p. 1)

It is important to note that the reinforcing human dose equivalents of 7-OH-MG in the rat were many times higher than would be tolerable for humans, and that 7-OH-MG is present at or near de minimis levels in kratom leaves and most marketed products. Their findings support recommendations that marketed kratom products should not contain more than 1-2% 7-OH-MG, the highest concentration found naturally in plants and that does not provide reinforcing or harmful effects. This is the approach adopted by states that passed Kratom Consumer Protection Act laws to regulate kratom.¹⁰

Yue, Kopajtic and Katz (2018) compared MG’s reinforcing effects to heroin and methamphetamine and evaluated MG pretreatment of animals prior to the opportunity to self-administer heroin or methamphetamine. Their conclusions:

“In rats trained to self-administer methamphetamine, saline substitutions significantly decreased the number of responses, whereas different doses of methamphetamine (0.002–0.068 mg/kg/injection) or heroin (0.001–0.03 mg/kg/injection) maintained self-administration with maximal responding at 0.022 or 0.01 mg/kg/injection, respectively. In contrast, no dose of mitragynine maintained response rates greater than those obtained with saline. Pre-session mitragynine treatment (0.1 to 3.0 mg/kg) decreased response rates maintained by heroin but had little effect on responding maintained by methamphetamine across the same range of doses. These results suggest limited abuse liability of mitragynine and the potential for mitragynine treatment to specifically reduce opioid abuse. With the current prevalence of opioid abuse and misuse, it appears currently that mitragynine is deserving of more extensive exploration for its development or that of an analog as a medical treatment for opioid abuse.” (p. 2823)

2.1.2.2 Intracranial Self-Stimulation (ICSS) Study of Abuse Potential

Another classic model for assessing the brain rewarding effects and drug abuse potential is the intracranial self-stimulation (ICSS) model. In the ICSS model, rats are equipped with electrodes in brain regions that lead animals to press a lever to self-deliver rewarding electrical brain stimulation (Negus & Miller, 2014). Opioids, amphetamine-like stimulants, cocaine, and other classic drugs of abuse reduce the threshold of stimulation and increase the strength of the rewarding effect of brain stimulation that delivers small electrical stimulations.

Behnood-Rod, Chellian, Wilson, et al. (2020) compared the potential brain rewarding effects of MG to morphine and found that morphine robustly and dose-dependently decreased the stimulation threshold consistent with other opioids, cocaine, amphetamine, and other drugs with high abuse potential (see also, Negus & Miller, 2014). In contrast, MG produced only a weak reduction in threshold with higher doses increasing the threshold. 7-OHMG did not reduce thresholds. Behnood-Rod, et al. (2020) concluded:

¹⁰ <https://www.amerikratom.org/media/attachments/2021/01/25/kcpastates.pdf>

“These initial findings indicate that mitragynine and 7-hydroxymitragynine are not rewarding in the ICSS procedure. The present results suggest that these kratom alkaloids do not have abuse potential.” (p. 7)

2.1.2.3 Conditioned Place Preference Studies of Abuse Potential

Four studies employing various preparations of MG on CPP observed mixed effects across studies and some evidence suggestive of abuse potential at high doses. Japarin, Yusoff, Hassan, et al. (2021) evaluated cross-reinstatement of MG and morphine place preference in rats.

Another study found that baclofen pretreatment could prevent the acquisition and expression of MG-induced CPP (Yusoff, Mansor, Müller et al., 2018).

CPP also was demonstrated in mice but at high doses of a methanolic extract of kratom leaves (Vijeepallam, Pandey, Murugan, et al., 2019). The relevance of the high dose CPP studies to humans is not clear but is an example of the importance of diverse scientific approaches to better profile the overall safety including abuse potential of substances.

In the fourth study, described in greater detail in Factor 2, Wilson, Harris, Eans, et al. (2020) evaluated lyophilized (freeze-dried) kratom tea (LKT) as a potential treatment for pain and opioid dependence in a mouse model in which mice (referred to as knockout mice) were absent various drug receptors. The effects of oral LKT were examined in a warm water tail assay for nociception (pain relief), locomotor effects, respiratory depression, conditioned place preference, and to determine if it would reduce withdrawal signs in mice that were made physically dependent to on morphine by chronic morphine administration.

LKT did not induce conditioned place preference. See Factor 2 for summary of results on other measures.

Taken together these seven studies found no evidence of rewarding effects of MG in the IV self-administration and ICSS models, and weak evidence of potential reward in the CPP procedure.

2.1.2.4 Physical Dependence and Withdrawal Studies

The CDR at University Sains, Malaysia is actively evaluating MG’s potential to produce physical dependence and withdrawal, as well as how its effects differ from those of classic opioids in animal physical dependence models evaluating substances under development as potential new medicines.

Harun, Johari, Mansor & Shoaib (2020) performed a series of studies comparing withdrawal following chronic MG and chronic morphine administration. Physical dependence with naloxone challenge tests and MG’s effectiveness at reducing morphine withdrawal were evaluated. These studies found little evidence of physical dependence or withdrawal as compared to morphine and evidence of potential therapeutic benefits of MG for treating opioid withdrawal, consistent with human reports. Harun et al. (2020) concluded:

“...the discontinuation of MG was not associated with the disruption of schedule-controlled behaviour in rats. This suggests that MG or analogs might be further investigated as potential therapeutic drugs for treating OUD and opioid withdrawal...The findings from this study suggest that discontinuation of MG is not associated with overt withdrawal effects, a finding that supports published studies using other behavioural models. For example, Hemby et al. (2019) and Yue et al. (2018) found that MG administration reduced IV morphine self-administration in rats but that MG itself did not maintain self-administration. The findings may suggest that MG possesses the desired characteristics of candidate pharmacotherapies for opioid dependence and withdrawal.... Although mitragynine may possess some addictive properties on its own, it may, in low-medium doses, in which humans voluntarily use it, help to manage opiate addiction.” (p. 864)

In a follow-up study to Harun, et al. 2020, Johari, Harun, Sofian & Shoaib (2021) compared mitragynine to morphine withdrawal using the pentylenetetrazol (PTZ) discrimination mode for evaluating anxiogenic signs in rats. Although there are qualitative similarities in kratom withdrawal signs with opioid withdrawal signs, they are not only weaker for kratom but also may be distinct in several respects and this model can be helpful in characterizing the profile. The administration of PTZ produces a rodent model of anxiety that is used in pharmaceutical development. Morphine dependent rats press levers associated with PTZ administration when withdrawal is precipitated by naloxone administration. A recent study showed that MG withdrawal was not associated with such a response.

Twenty rats were treated with either MG at doses known to produce some physical dependence and withdrawal in rats and morphine. Then they were challenged with naloxone. Johari, et al. (2021) concluded as follows:

“Unlike morphine that produced dose-related PTZ-like stimulus, MG at 3, 10, 30 and 45 mg/kg doses showed no substitution to the PTZ discriminative stimulus. In contrast to morphine which produced a time-dependent generalization to the PTZ stimulus, naloxone did not precipitate withdrawal effects in MG-treated rats as they selected the vehicle lever at three withdrawal time points. These results demonstrate that MG produces a very different response to morphine withdrawal that is not associated with anxiogenic-like subjective symptoms. These characteristics of MG may provide further support for use as a novel pharmacotherapeutic intervention for managing opioid use disorder.” (p. 1)

Hassan, Pike See, Sreenivasan, et al. (2020) compared the efficacy of MG to methadone for treating morphine withdrawal in a rat model of physical dependence and withdrawal. Hassan, et al. (2020) concluded:

“...the morphine withdrawal model induced withdrawal signs for 16 days in rats. Four-day replacement treatment with mitragynine attenuated the withdrawal symptoms significantly, suggesting that mitragynine is able to reduce morphine withdrawal symptoms similar to methadone and buprenorphine. ...The present study suggests that mitragynine may serve as an alternative treatment for opiate withdrawal effects as they occur in opiate addiction. Although mitragynine may possess some addictive properties

on its own, it may, in low-medium doses, in which humans voluntarily use it, help to manage opiate addiction. The current report details the efficacy in comparison to methadone and buprenorphine. While mitragynine is equally effective in reducing opiate withdrawal effects in rats, it may be the safer drug with less undesired side-effects.” (p. 9-10)

Although withdrawal signs in rats are weak as compared to morphine withdrawal, there does appear to be evidence of some degree of physical dependence. Other studies have explored brain proteins that might serve as more sensitive biomarkers for physiological dependence in rats (Hassan, Othman, Mansor, et al., 2021). Another study examined the attenuation of MG withdrawal signs in rats with clonidine (Hassan, Sreenivasan, Müller et al., 2021). Another study examined potential signs of naloxone precipitated withdrawal in rats (Harun, Johari, Japarin, et al., 2021a). Overall, such research is consistent with human reports that kratom withdrawal is generally more modest and more readily self-manageable than that produced by opioids.

2.1.2.5 Real World Evidence of Abuse and Dependence

As reported in 2018, there is kratom recreational use; however, all surveys in the US and SEA indicate that its euphoriant effects are relatively low as compared to opioids and other recreational drugs. Also, for opioids, stimulants, and other drug use there is a strong tendency to increase euphoria by smoking, injecting, and/or insufflating the drug. Electronic vaping devices can also be employed. This is notably less common for kratom, as raising the dose produces little increase in euphoria and increases undesirable effects including nausea. These factors limit kratom doses, as reported by kratom users in public hearings and internet discussion groups and may contribute to kratom’s overall safety profile. Rapid delivery of high doses by non-oral routes contributes to the morbidity and mortality of opioids, stimulants, and other recreational drugs.

Several new surveys from the US and SEA and conclusions from leading kratom researchers worldwide in consensus-type review articles support the conclusions of the 2018 8-FA. The new survey data are summarized in Factors 4, 5 and 6. Several reviews and studies confirm that chronic high daily intake can lead to kratom dependence and withdrawal in some kratom users, but these are substantially less likely to interfere with family, social and occupational life and commitments as compared to opioid dependence. Moreover, kratom is widely viewed as a healthier and less life-impairing substance to replace opioids and other drugs including alcohol and stimulants (Galbis-Reig, 2016; Prozialeck, et al., 2019; Singh, et al., 2014; Swogger & Walsh, 2018).

A variety of reports confirm kratom use to self-manage opioid withdrawal and also that abstinence from high chronic kratom use is typically associated with milder symptomatology than abstinence from classical opioids as documented in surveys and discussed on the internet in websites and discussion groups such as Erowid and Reddit (See survey and internet discussion data in the following: Coe, et al., 2019; Prozialeck, et al., 2019; Singh, et al., 2014; Singh, et al., 2016; Singh, Narayanan, Müller, et al., 2018; Grundmann, et al., 2017; Garcia-Romeu, et al., 2020; Henningfield, et al., 2020; Smith, et al., 2017; Swogger, et al., 2015; Veltri & Grundmann, 2019).

The conclusions by Prozialeck, et al. (2020) and Grundmann, et al. (2018) were further strengthened by two published US surveys, which found that the overwhelming majority of kratom consumers use for health benefits and not to get high or for other recreational purposes (Coe, et al., 2019; Garcia-Romeu, et al., 2020). A third survey of over 12,000 kratom consumers presented at the 2020 annual meeting of the American College of Neuropsychopharmacology by Henningfield, Barr, Wang & Huestis (2020) showed that approximately 8300 respondents were using kratom to manage some “ailment” other than a substance use related disorder and approximately 3800 (32%) respondents were using kratom to manage “drug” withdrawal.

These three surveys were generally consistent with the Grundmann (2017) survey that reported most US kratom users were approximately 30-50 years old, had some college education and healthcare, were employed and consumed kratom for health and well-being. Leading reasons for use were pain, self-management of opioid and other substance use disorders and withdrawal, and mood disorders including depression, anxiety, and post-traumatic stress disorder. Dependence and withdrawal can occur but are generally reported as more tolerable, less disruptive to work and social function, and more readily self-manageable than opioid and other classic drugs of abuse, dependence, and withdrawal.

While this update on science related to the abuse potential and regulatory status was under development by Dr. Henningfield and colleagues at PinneyAssociates, several of the world’s leading kratom researchers, Drs. Harun, Johari, Japarin, Suhaimi, Hassan, & Shoaib (2021b), published a new review article addressing similar scientific issues and reached generally similar conclusions. Harun, et al. (2021b) also described needed research, particularly for development of MG and/or analogs for submission for FDA regulatory approval as new drugs.

2.1.3 Factor 1 Updated Conclusions

Two rat intravenous self-administration studies showed no evidence of morphine or heroin like abuse potential by MG (Hemby et al. 2018 and Yue et al. 2018). Those same studies showed that MG pretreatment of animals reduced subsequent self-administration of morphine (Hemby et al., 2018) and heroin (Yue et al., 2018). These findings are consistent with human reports that kratom is useful in the management of opioid craving and withdrawal and to support opioid abstinence (Grundmann et al., 2018; Prozialeck et al., 2020; Coe et al., 2019; Garcia-Romeu et al., 2020).

Taken together, the new research suggests an overall abuse potential that is relatively low as compared to morphine and morphine-like opioids. Several models revealed little abuse potential, whereas the CPP model suggested weak but not zero abuse potential. This contrasts with opioids, stimulants and other classic drugs of abuse that demonstrate robust rewarding effects across all such abuse potential models. Similarly, MG’s potential to produce physical dependence and withdrawal appears relatively low, but not absent, as compared to opioids in animal models. It is worth noting that the animal self-administration studies were published during the summer of 2018 when the Department of Health and Human Services was reviewing the FDA’s 2017 recommendation (FDA, 2017a) that DEA permanently list MG and 7-OH-MG as CSA Schedule I drugs (see discussion below in Factors 4, 5 & 6) and one of the studies was cited as a new finding supporting the decision to withdraw the scheduling recommendation (Giroir, 2018).

The relevance and importance of such animal model data are well established, and in the case of kratom, was recognized in the formal FDA rescission of the kratom scheduling request submitted to the DEA in which Assistant Secretary Giroir stated:

“One recently published peer reviewed animal study indicated that mitragynine does not have abuse potential and actually reduced morphine intake. As such, these new data suggest that mitragynine does not satisfy the first of the three statutory requisites for Schedule I, irrespective of broader considerations of public health.”

These animal model findings are generally consistent with human reports that MG has a relatively low abuse potential as compared to Schedule II opioids but can reduce opioid self-administration and withdrawal. Surveys indicate that reducing opioid self-administration and withdrawal are among the most common reasons for kratom use in the US.

Not discussed above because they are not published articles are the tens of thousands of comments by kratom users and others interested in kratom policy to the DEA (approximately 20,300 in 2016) discussed in the Henningfield, Fant & Wang (2018) 8-FA, and many more in public hearings by FDA and NIDA (April, 2018), and public hearings convened by cities and states across the nation since 2018, in which kratom regulatory laws and policies were under consideration. These comments largely focused on the reasons that people use kratom which primarily fall into the category of health and well-being consistent with the surveys discussed in Factors 4, 5, and 6, and relatively rare reports of use to get high, or reporting addiction or serious harm.

2.2 Factor 2 – Scientific Evidence of its Pharmacological Effect

2.2.1 Summary of 2018 Findings:

“More research is clearly needed to elucidate receptor binding profiles and the diverse and probably complex mechanisms of action of the kratom alkaloids singly, in combination, and as commonly occurs in marketed products and brewed extracts.” (Henningfield, Fant & Wang, 2018, p. 589).

2.2.2 Factor 2 Science Updates

Since 2018, pharmacological research characterizing kratom’s effects and the mechanisms of action of its alkaloids rapidly advanced. For example, as discussed in Factor 1, the impact of drugs such as methadone, buprenorphine, and clonidine on rats that show evidence of MG withdrawal was studied (Hassan, Sreenivasan, Müller et al., 2021). This research documents the lower mortality risks of kratom compared to opioids based upon its mechanisms of action including its biased partial agonist effects that are lower in beta-arrestin recruitment, and thus also relatively low in producing physical dependence and respiratory depression.

There were also rapid advances in characterizing many of kratom’s alkaloids in addition to MG and 7-OH-MG. Although most were insufficiently abundant in kratom leaves to contribute to its effects, some may be model analogs for potentially more effective and safe medicines for a variety of medical disorders. Whereas new medicines based on kratom’s alkaloids may be ten years in the future, they are attracting increasing attention from leading researchers and pharmaceutical developers.

An important international clinical study collaboration between researchers at Yale School of Medicine and the Center for Drug Research Malaysia investigated kratom efficacy and safety for the treatment of pain (Vicknasingam, Chooi, Rahim, et al., 2020). As reported in 2018, animal models demonstrated MG's analgesic antinociceptive effects consistent with kratom's widespread use globally to self-manage pain; however, clinical evidence was lacking. The Vicknasingam et al. (2020) study employed the classic cold pressor task to evaluate the effects of kratom concoctions on pain tolerance by assessing how long research participants could tolerate the pain of inserting their hands into an ice water bath. Kratom produced significantly increased tolerance for pain as compared to placebo in long term daily kratom users, an important advancement in understanding kratom's therapeutic potential. The authors concluded:

“These study findings provide the first objectively measured evidence obtained in controlled research with human subjects that are preliminarily supporting or confirming previously published reports of kratom pain relieving properties based on self-reports collected in observational studies.” (p. 235-236).

In a study mentioned in Factor 2, Wilson, Harris, Eans, et al. (2020) evaluated lyophilized (freeze-dried) kratom tea (LKT) as a potential treatment for pain and opioid dependence in a mouse model in which mice (referred to as knockout mice) were absent various drug receptors. The effects of oral LKT were examined in a warm water tail assay for nociception (pain relief), locomotor effects, respiratory depression, conditioned place preference, and to determine if it would reduce withdrawal signs in mice that were made physically dependent on morphine by chronic morphine administration. Wilson, et al. (2020) reported the following results:

“Oral administration of LKT resulted in dose-dependent antinociception (pain relief) in mice lacking the mu-opioid receptor (MOR) and reduced in mice lacking the kappa-opioid receptor. These doses of LKT did not alter coordinated locomotion or induce conditioned place preference, and only briefly reduced respiration. Repeated administration of LKT did not produce physical dependence, but significantly decreased naloxone-precipitated withdrawal in morphine dependent mice. The present study confirms the MOR agonist activity and therapeutic effect of LKT for the treatment of pain and opioid physical dependence.” (p. 1)

Obeng, Wilkerson, Leon, et al. (2021) compared MG and 7-OH-MG in in vitro receptor binding affinity studies and in vivo studies of morphine discrimination, antinociception in the model pain “heated plate” test, and naloxone challenge tests to understand the role of endogenous morphine opioid receptors. This series of studies concluded:

“At human m-opioid receptor (MOR) in vitro, mitragynine has low affinity and is an antagonist, whereas 7-hydroxymitragynine has 9-fold higher affinity than mitragynine and is an MOR partial agonist. In rats, intraperitoneal mitragynine exhibits a complex pharmacology including MOR agonism; 7-hydroxymitragynine has higher MOR potency and efficacy than mitragynine. These results are consistent with 7-hydroxymitragynine being a highly selective MOR agonist and with mitragynine having a complex

pharmacology that combines low efficacy MOR agonism with activity at nonopioid receptors.” (p. 412)

Todd, Kellogg, Wallace, et al. (2020) investigated the functional selectivity of MG and 7-OH-MG to produce biased G-protein signaling, with little recruitment of β -arrestin. They concluded:

“...To evaluate the biological relevance of variable speciofoline levels in kratom, we compared the opioid receptor binding activity of speciofoline, mitragynine, and 7-hydroxymitragynine. Mitragynine and 7-hydroxymitragynine function as partial agonists of the human μ -opioid receptor, while speciofoline does not exhibit measurable binding affinity at the μ -, δ -, or κ -opioid receptors. Importantly, mitragynine and 7-hydroxymitragynine demonstrate functional selectivity for G-protein signaling, with no measurable recruitment of β -arrestin. Overall, the study demonstrates the unique binding and functional profiles of the kratom alkaloids, suggesting potential utility for managing pain, but further studies are needed to follow up on these in vitro findings. All three kratom alkaloids tested inhibited select cytochrome P450 enzymes, suggesting a potential risk for adverse interactions when kratom is co-consumed with drugs metabolized by these enzymes.” (p.1)

Kruegel, Uprety, Grinell, et al. (2019) examined this possibility in a series of studies and concluded:

“...preliminary research has provided some evidence that mitragynine and related compounds may act as atypical opioid agonists, inducing therapeutic effects such as analgesia, while limiting the negative side effects typical of classical opioids. Here we report evidence that an active metabolite plays an important role in mediating the analgesic effects of mitragynine. We find that mitragynine is converted in vitro in both mouse and human liver preparations to the much more potent mu-opioid receptor agonist 7-hydroxymitragynine and that this conversion is mediated by cytochrome P450 3A isoforms. Further, we show that 7-hydroxymitragynine is formed from mitragynine in mice and that brain concentrations of this metabolite are sufficient to explain most or all of the opioid-receptor-mediated analgesic activity of mitragynine. At the same time, mitragynine is found in the brains of mice at very high concentrations relative to its opioid receptor binding affinity, suggesting that it does not directly activate opioid receptors”. (p. 1)

“Further, it suggests a possible explanation for the seemingly improved safety profile of mitragynine compared to classical opioid agonists. However, the critical involvement of hepatic metabolism also complicates our understanding of mitragynine’s pharmacology and introduces the possibility of interindividual variability in the compound’s potential therapeutic effects and side effects. We believe mitragynine and related compounds have great potential as future therapeutics, but metabolic processes must be carefully considered as the field continues to advance”. (p. 7)

The Kruegel et al. studies provided the foundation for their new pharmaceutical company to develop new kratom derived molecular entities for the treatment of pain, depression, and substance use and other disorders¹¹.

Reeve, Obeng, Oyola, et al. (2020) evaluated the discriminative stimulus properties of MG in a series of studies to determine the pathway that primarily mediates these effects since it only partially generalizes to opioids. They found full generalization to lofexidine and phenylephrine suggesting that its discriminative effects are primarily mediated by adrenergic and not opioid receptors.

Hiranita, Sharma, Oyola, et al. (2020) investigated the hypothesis that MG exerts opioid agonist activity, in part, through metabolic conversion to 7-OH-MG. The authors concluded:

“Though the conversion rate of 7-hydroxymitragynine from p.o. mitragynine is low, 7-hydroxymitragynine is a more potent and efficacious μ -opioid receptor agonist than mitragynine, suggesting that conversion to this metabolite may contribute to the in vivo μ -opioid activity of mitragynine.” (p. 1)

Multiple investigators’ research characterizing MG alkaloids receptor binding profiles and pharmacologic activities also supports pursuit of kratom alkaloid-based substances for the treatment of alcohol use disorder, pain, opioid withdrawal, and other disorders (Chakraborty, Uprety, Daibani, et al., 2021; Gutridge, Robins, Cassell, et al., 2020). Chakraborty, Uprety, Daibani, et al. (2021) concluded:

“In conclusion, we report a thorough and complete in vitro pharmacological characterization of five kratom based minor alkaloids. Given their low abundance, it seems unlikely that these alkaloids play a major mediating role in the biological actions of kratom consumed by humans. However, these alkaloids represent novel starting points for optimizing probes to better understand opioid receptor function.

There are three major findings from this present work. First, we identify three new templates present in kratom with antinociceptive activity in mice, with corynoxine being equipotent to morphine. Second, we identify ligands with an array of pharmacological profiles, ranging from the partial opioid agonism displayed by corynantheidine and mitraciliatine and full agonism of corynoxine and KOR agonism with isopaynantheine. Finally, we identify corynoxine and mitraciliatine to be structurally unique natural products with safer, MOR dependent antinociception, and we identify isopaynantheine as the first kratom alkaloid with KOR mediated antinociceptive actions.” (p. 11)

Animal models are also employed to assess potential cognitive effects of kratom. Although kratom is commonly taken to enhance occupational performance and as a coffee substitute for energy at low doses, it would not be surprising to see performance decrements at high doses. Indeed, in an animal model of spatial learning and memory, high doses impaired memory in this model (Hassan, Suhaimi, Ramanathan, et al., 2019). The relevance of the results to

¹¹ <https://www.kures.life/>

humans cannot be assessed based on this study but it suggests that more research is warranted.

Suhaimi, Hassan, Mansor & Müller (2021) studied brain electroencephalogram (EEG) activity after acute and chronic exposure to chronic MG in rats. Suhaimi, et al. (2021) summarized their findings as follows:

“... the changes in brain electroencephalogram (EEG) activity after acute and chronic exposure to mitragynine in freely moving rats. Vehicle, morphine (5 mg/kg) or mitragynine (1, 5 and 10 mg/kg) were administered for 28 days, and EEG activity was repeatedly recorded from the frontal cortex, neocortex and hippocampus. Repeated exposure to mitragynine increased delta, but decreased alpha powers in both cortical regions. It further decreased delta power in the hippocampus. These findings suggest that acute and chronic mitragynine can have profound effects on EEG activity, which may underlie effects on behavioral activity and cognition, particularly learning and memory function.” (p. 1)

Gutridge, Robins, Cassell, et al. (2020) pharmacologically characterized kratom extracts, kratom alkaloids, and synthetic carfentanil-amide opioids interactions with G proteins and beta-arrestin at mu, delta and kappa opioid receptors *in vitro* and assessed the degree to which opioids reduced alcohol intake and whether they had rewarding properties. The authors stated:

“In conclusion, we found that kratom alkaloids do not recruit β -arrestin 2 at the μ OP, δ OP and κ OP and can significantly reduce both moderate and binge alcohol intake in male and female mice. This pharmacological profile and effect on alcohol intake in rodents may explain why some find kratom useful to self-medicate for alcohol use disorder. Yet, as we observed that kratom extract and 7-hydroxymitragynine exhibited reinforcing properties, our study also highlights the risks associated with kratom use. Our results indicate that δ OPs contributed to the efficacy of the kratom alkaloids to reduce alcohol intake, whereas the lack of efficacy for the G protein-biased μ OP agonist TRV130 to decrease alcohol intake argued against a major role for the μ OP in this behavioral response. The ability of MP102, a synthetic G protein-biased opioid with a preference for δ OP, to reduce alcohol intake without affecting general locomotion or inducing (δ OP-mediated) CPP provides support for future efforts to produce G protein-selective, δ OP-selective opioids for the treatment of alcohol use disorder, some of which could be plant-derived still as well”. (p. 1510)

Hiranita, Leon, Felix, et al. (2019) compared the effects of MG to morphine in behavioral and antinociception assays in rat models. They wrote:

“Morphine and mitragynine dose-dependently decreased schedule-controlled responding; the ED₅₀ values were 7.3 and 31.5 mg/kg, respectively. Both drugs increased thermal antinociception (the ED₅₀ value for morphine was 18.3). Further, doses of naltrexone that antagonized morphine did not antagonize mitragynine. Mitragynine (17.8 mg/kg) did not alter the rate-decreasing or antinociceptive effects of morphine. ...The antinociceptive effects of mitragynine and morphine occur at doses larger than those that disrupt learned behavior. Opioid receptors do not appear to mediate the disruptive effects of mitragynine on learned behavior. Mitragynine had

lesser antinociceptive effects than morphine, and these did not appear to be mediated by opioid receptors. The pharmacology of mitragynine includes a substantial non-opioid mechanism.” (p. 1)

2.2.2.1 Studies of Kratom Minor Alkaloids and their Metabolites

While kratom contains many alkaloids (more than 50 identified to date and more likely to be discovered), only one or a few of these account for most of the effects produced in humans. This is a trait also found in other psychoactive plants, such as coffee, tea, and cannabis.

Most of these alkaloids are likely at what may be de minimis levels with respect to the human experience, effects, and safety. However, it is also possible that while the majority of the effects produced by natural plant-based preparations are mediated by MG, one or more of these minor alkaloids may also play a minor role. This may account for possible differences in strains of kratom products. Increasingly, it appears that 7-OH-MG, long considered a substance of potentially greater concern than MG from a safety perspective may occur naturally at functionally de minimis levels (Chear, Leon, Sharma, et al., 2021; Kruegel, Uprety, Grinell, et al., 2019).

These molecules are also of interest as potential new drug candidates or as templates for novel synthesized molecules. It has been estimated that up to one third to one half of FDA approved medicines are based on natural plant product substances that provided the novel structures utilized in development of the final approved medicines or which at least were critical in the drug development process (Newman & Cragg, 2016; Domnic, Narayanan, Mohana-Kumaran & Singh, 2021).

Chear, et al. (2021) reported the results of an extensive study in which:

“Ten indole and oxindole alkaloids were isolated from the freshly collected leaves of Malaysian *Mitragyna speciosa* (Kratom). The chemical structures of these compounds were established on the basis of extensive 1D and 2D NMR and HRMS data analysis. The spectroscopic data of mitragynine oxindole B (4) are reported herein for the first time. The spatial configuration of mitragynine oxindole B (4) was confirmed by single-crystal X-ray diffraction. Simultaneous quantification of the isolated alkaloids in the *M. speciosa* leaf specimens collected from different locations in the northern region of Peninsular Malaysia was also performed using UPLC-MS/MS. The oxindole alkaloids (1–4) and the indole alkaloid (10) were assessed for binding affinity at opioid receptors. Corynoxine (1) showed high binding affinity to μ -opioid receptors with a K_i value of 16.4 nM. Further, corynoxine (1) was 1.8-fold more potent than morphine in rats subjected to a nociceptive hot plate assay. These findings have important implications for evaluating the combined effects of the minor oxindole alkaloids in the overall therapeutic activity of *M. speciosa*.” (p. 1).

Domnic, Chear, Rahman, et al. (2021) showed that combinations of kratom alkaloids may inhibit cell proliferation and migration of nasopharyngeal carcinoma cells suggesting potential for the development of the substances themselves or possibly new analogs as new treatments for cancer. As discussed by the authors, these are early-stage findings but certainly findings that merit further study. Regarding 7-OH-MG, they also reported that 7-OH-MG was only

present at very low levels in all samples, supporting other reports which suggest that it is a postharvest artifact resulting from MG.

Kruegel, et al. (2019) has also suggested that the effects of kratom are not produced by exogenously ingested 7-OH-MG but that the metabolism of MG to small amounts of 7-OH-MG may modulate and contribute to some of the desired effects such as pain relief.

Sharma, Kamble, Leon, et al. (2019) employed a method to simultaneously quantify ten key kratom alkaloids in kratom leaf extracts and commercial products using ultra-performance liquid chromatography–tandem mass spectrometry. They summarized their results as follows:

“...an ultra-performance liquid chromatography-tandem mass spectrometry (UPLC-MS/MS) method was developed and validated for the quantification of ten key alkaloids, namely: corynantheidine, corynoxine, corynoxine B, 7-hydroxymitragynine, isocorynantheidine, mitragynine, mitraphylline, paynantheine, speciociliatine, and speciogynine... After successful validation, the method was applied for the quantification of kratom alkaloids in alkaloid-rich fractions, ethanolic extracts, lyophilized teas, and commercial products. Mitragynine (0.7%–38.7% w/w), paynantheine (0.3%–12.8% w/w), speciociliatine (0.4%–12.3% w/w), and speciogynine (0.1%–5.3% w/w) were the major alkaloids in the analyzed kratom products/extracts. Minor kratom alkaloids (corynantheidine, corynoxine, corynoxine B, 7-hydroxymitragynine, isocorynantheidine) were also quantified (0.01%–2.8% w/w) in the analyzed products; however mitraphylline was below the lower limit of quantification in all analyses.” (p. 1)

Kamble, Berthold, King, et al. (2021) developed and validated a bioanalytical method for the simultaneous quantification of 11 kratom alkaloids in rats following oral administration of lyophilized kratom tea (LKT) and a marketed kratom product, Optimized Plant Mediated Solutions (OPMS). The authors concluded:

“In the present study, OPMS liquid showed an extended exposure of kratom alkaloids as compared to LKT. Among the tested alkaloids, only MTG, 7-HMG [7-OH-MG], COR, and SPC showed measurable systemic exposure following an oral dose. Having an understanding of the pharmacokinetics of individual kratom alkaloids following the oral administration of kratom products in preclinical species will facilitate the design of clinical trials evaluating kratom products. Additionally, the developed bioanalytical method can be implemented for the analysis of plasma samples obtained from a variety of animal species including humans using standardized kratom products”. (p. 6)

Bhowmik, Galeta, Havel, et al. (2021) mapped the neuropharmacology of Mitragyna alkaloids. The authors concluded

“In summary, we describe a systematic examination of late-stage functionalization of kratom alkaloids, which provided efficient access to MG analogs and identified 11-F-7OH (22) as an important lead compound for further investigations”. (p.11)

2.2.2.2 MG Metabolism and Metabolite Profiling.

Another rapidly advancing area of research is understanding the metabolic pathways and modulating enzymes including profiling of MG's metabolites, and identification of enzymes modulating MG metabolism.

Kamble, Sharma, King, et al. (2019) included the following summary in their abstract:

“Metabolic pathways of MG were identified in human liver microsomes (HLM) and S9 fractions. A total of thirteen metabolites were identified, four oxidative metabolites and a metabolite formed by demethylation at the 9-methoxy group were the major metabolites of MG. 3. The cytochrome P450 enzymes involved in the metabolism of MG were identified using selective chemical inhibitors of HLM and recombinant cytochrome P450. The metabolism of MG was predominantly carried out through the CYP3A4 with minor contributions by CYP2D6 and CYP2C9. The formation of five oxidative metabolites (Met2, Met4, Met6, Met8 and Met11) was catalyzed by the CYP3A4. 4. In summary, MG was extensively metabolized in HLM primarily to O-demethylated and monooxidative metabolites. The CYP3A4 enzyme plays a predominant role in the metabolic clearance of MG and also in the formation of 7-hydroxyMG (Met2), a known active minor alkaloid identified in the leaf material.” (p. 1)

Another study by Kamble, Sharma, King, et al. (2020) examined the potential interactions in metabolism of MG and other alkaloids that may occur with other substances including pharmaceutical products. This is also early work but fundamental in understanding potential interactions that could increase risk of use and may thereby at some point be included in warning labels for kratom and/or future potential kratom based drug products.

A systematic metabolic study evaluated how metabolism alters opioid mediated effects, possibly without increasing harmful respiratory effects. Kamble, León, King, et al. (2020) reported:

“...in human plasma 7-HMG is converted to mitragynine pseudoindoxyl, an opioid that is even more potent than either mitragynine or 7-HMG. This novel metabolite is formed in human plasma to a much greater extent than in the preclinical species tested (mouse, rat, dog, and cynomolgus monkey) and due to its μ -opioid potency may substantially contribute to the pharmacology of kratom in humans to a greater extent than in other tested species.” (p. 1)

Such research may explain potential human effects and benefits that may not be predicted in animal studies alone.

2.2.3 Factor 2 Updated Conclusions

Scientific advances in understanding the pharmacology and mechanisms of action of kratom's primary active alkaloid, MG, as well as 7-OH-MG, and increasingly the minor alkaloids that appear to contribute relatively little to the effects of kratom in kratom consumers may ultimately contribute to safer and more effective new medicines for a variety of disorders as well as for general health and well-being. Development and approval of such products may be a decade or more in the future, but in the meantime, this rapidly advancing science is helping to explain

how kratom works, and why its pain relieving and other benefits occur with relatively low levels of abuse, dependence, and harmful decreases in respiration as compared to opioids.

2.3 Factor 3 – The State of Current Scientific Knowledge Regarding the Drug

2.3.1 Summary of 2018 Findings:

The 2018 8-FA highlighted kratom’s pharmacodynamic effects described in earlier investigations and reviews (e.g., Prozialeck, et al., 2012; Warner, et al., 2016). In one PK study involving oral MG administration to ten healthy male volunteers, a two-compartment model best described MG’s pharmacokinetics (Trakulsrichai, et al., 2015). Preclinical and clinical pharmacokinetic data are limited, with significant variability within and between species. There was little clinical study of human physiological effects and health parameters to draw on.

2.3.2 Factor 3 Science Updates

Several new preclinical pharmacokinetic studies also provide important safety data, as animals were closely monitored over 12 h or more for adverse events associated with MG and 7-OH-MG plasma concentrations.

2.3.2.1 Pharmacokinetics and Pharmacodynamics Findings Related to Safety (MG and 7-OH-MG)

Most human consumption in the US and SEA is in traditional tea-like decoctions containing 0.5-1 mg/kg MG per serving; however, more intense users managing chronic pain or suffering from opioid use disorder may consume four or more servings per day and in some cases, larger serving sizes, totaling 20 mg/kg/day.

Avery, Boddu, Sharma, et al. (2019) studied the pharmacokinetics of mitragynine in rats following oral administration of a variety of preparations. One of the many important findings was summarized as follows:

“The results provide evidence that an equivalent oral dose of the traditional preparation (lyophilized kratom tea) and formulated/manufactured products (organic fraction) of kratom leaves provide better systemic exposure of mitragynine than that of mitragynine dosed alone.” (p. 1)

Maxwell, King, Kamble, et al. (2020) evaluated MG’s safety and pharmacokinetics in beagle dogs following 5 mg/kg oral MG (equivalent to approximately 3 mg/kg in humans) and 0.1 mg IV MG. The authors summarized:

“The dose of 7-HMG used in this study was well tolerated with no adverse events or major abnormalities in clinical parameters...Derived pharmacokinetic parameters of 7-HMG from this study can be scaled allometrically along with the pharmacokinetic parameters of mitragynine to predict the dose of mitragynine while designing the first in human study.” (p. 462)

No life threatening or serious adverse events were reported.

The Hiranita, Sharma, Oyola, et al. (2020) study discussed in Factor 2 also evaluated the pharmacokinetics of 55 mg/kg oral MG in rats. As reported:

“Following p.o. administration of mitragynine (HCl salt, 55 mg/kg), the C_{max} value of 7-hydroxymitragynine (85 ng/mL) was 14-fold less than that of mitragynine. The T_{max} values of 7-hydroxymitragynine and mitragynine were 30 and 84 minutes, respectively... drug discrimination was used as a pharmacologically selective measure of μ -opioid receptor agonism *in vivo*. In rats discriminating morphine (3.2 mg/kg, i.p.) from vehicle, the discriminative stimulus effects of mitragynine were assessed 90 minutes after p.o. administration to correspond to its T_{max}. Mitragynine (up to 178 mg/kg) produced 76% morphine-lever responding (ED₅₀=51 mg/kg). Though the conversion rate of 7-hydroxymitragynine from p.o. mitragynine is low, 7-hydroxymitragynine is a more potent and efficacious μ -opioid receptor agonist than mitragynine, suggesting that conversion to this metabolite may contribute to the *in vivo* μ -opioid activity of MG.” (p. 1)

2.3.2.2 Pharmacokinetic and Pharmacodynamic Findings Related to Safety (Minor Alkaloids)

In addition to studies of MG and 7-OH-MG pharmacokinetics, there is increasing attention to the pharmacokinetics and other effects of other alkaloids from traditional kratom tea decoctions and commercial products.

Kamble, Berthold, King, et al. (2021) characterized the pharmacokinetics of eleven alkaloids given orally to rats. As described by the authors, they:

“...developed and validated a bioanalytical method for the simultaneous quantitation of 11 kratom alkaloids (mitragynine, 7-hydroxymitragynine, corynantheidine, speciogynine, speciociliatine, paynantheine, corynoxine, corynoxine-B, mitraphylline, ajmalicine, and isospeciocifoline) in rat plasma. The validated method was used to analyze oral pharmacokinetic study samples of lyophilized kratom tea (LKT) and a marketed product, OPMS liquid shot, in rats. Among the 11 alkaloids, only mitragynine, 7-hydroxymitragynine, speciociliatine, and corynantheidine showed systemic exposure 8 h post dose, and the dose-normalized systemic exposure of these four alkaloids was higher (1.6–2.4-fold) following the administration of the commercial OPMS liquid. Paynantheine and speciogynine levels were quantifiable up to 1 h post dose, whereas none of the other alkaloids were detected. In summary, the method was successfully applied to quantify the exposure of individual kratom alkaloids after an oral dose of traditional or commercial products. This information will contribute to understanding the role of each alkaloid in the overall pharmacology of kratom and elucidating the pharmacokinetic differences between traditional and commercial kratom products.” (p. 1)

Berthold, Kamble, Raju, et al. (2021) studied the pharmacokinetics of the minor indole kratom alkaloid, speciociliatine. They summarized:

“An ultra-performance liquid chromatography tandem mass spectrometry method was developed and validated to quantify speciociliatine in rat plasma. The quantitation range

was 3–600 ng/mL. The validated method was applied to a preclinical pharmacokinetic study in male Sprague-Dawley rats after 2.5 mg/kg intravenous (I.V.) and 20 mg/kg oral (P.O.) dosing. The plasma was analyzed to obtain concentration-time profiles and results were subjected to non-compartmental analysis to determine pharmacokinetic parameters including volume of distribution (6.2 ± 2.3 L/kg I.V.), clearance (0.7 ± 0.2 L/h/kg), and absolute oral bioavailability (20.7%). Speciociliatine had higher systemic exposure and lower clearance compared to the other kratom alkaloids mitragynine and corynantheidine. The speciociliatine pharmacokinetic parameters described here will help to better understand the overall effects reported with kratom product use.” (p. 1)

These data suggest why natural kratom leaf based kratom products, extracts, and tea-like decoctions might differ in the effects experienced by kratom users from more refined extracts, as explained by the authors:

“Interestingly, the exposure of mitragynine when it is dosed orally in rats as lyophilized kratom tea or the organic fraction obtained from lyophilized kratom tea increases by 1.5- and 1.8-fold, respectively [18]. The lyophilized kratom tea and organic fraction contains all the alkaloids that would be present in the plant, including speciociliatine. These results indicate that the presence of other alkaloids found in the traditional preparation have influence on the pharmacokinetics of mitragynine. Similarly, the pharmacokinetic parameters of speciociliatine, when dosed in combination with the other naturally occurring alkaloids, may be altered. Further research into the pharmacokinetics of minor indole alkaloids after administration of a lyophilized kratom tea product must be investigated to determine which alkaloids’ parameters are affected by the presence of other compounds.” (p. 2)

This is not to imply that chewing kratom leaves, kratom tea like decoctions or more simplified extracts are more beneficial or safer than other MG products, but that they may differ in the effects that users seek, desired and undesired. It supports the conclusion that since none were demonstrated to be more beneficial or harmful than others, with the exception of adulterated products in which other substances are added or possibly an individual alkaloid’s concentration is boosted to unnaturally high levels (e.g., 7-OH-MG), that there is yet no safety basis for banning such products from the marketplace.

A published abstract by Jagabalan, Zainal, Ganaby, et al. (2019) reported:

“Estimated typical clearance (CL/F) value was 2.21 L/hr, absorption rate (Ka) of 0.82/hr, and volume of distribution (Vd) of 30.8L. . . . Based on the single dosing experimental rat data, the model [2-compartment distribution with 1st order absorption] provides a useful tool to quantify the pharmacokinetic parameters to propose an optimal dosing regimen in rats. Subsequently, the pharmacokinetics parameter can be modeled to the pharmacodynamics of MG for extrapolation into human use.” (p. 1)

King, Sharma, Kamble, et al. (2020) developed bioanalytic methods to study the PK of corynanthidine, which is a minor kratom alkaloid that binds to opioid receptors and acts as a functional opioid antagonist (e.g., with some naloxone-like properties). This study was important both for its methods development as well as characterization of the PK of corynanthidine given intravenously and orally to rats.

2.3.2.3 Safety Assessments from Preclinical and Clinical Studies

Currently, there are no validated assessments of the lethal dose for humans or animals, mainly due to the unreliability and difficulty in studies that have attempted to determine lethal doses in animals, and the fact that most human deaths in which kratom use was verified were more likely caused by other substances (e.g., Olsen et al. 2019; Henningfield, Grundmann, Babin, et al. 2018, Babin, 2019).

Smith et al., 2019 conducted a study comparing oral and intravenous MG and 7-OH-MG to establish the lethal doses (LD₅₀ doses) in mice. They were able to produce death by an oral dose of 547.7 mg/kg MG, though were unable to produce death by oral 7-OH-MG administration. Large intravenous doses of MG (27.8mg/kg), 7-OH-MG (24.7 mg/kg), and heroin (23.7 mg/kg) were also lethal. Some of their observations are inconsistent with those from other laboratories (e.g., Kruegel, Gassaway, Kapoor et al., 2016 and see also Kruegel et al., 2019), though not consistent with rat toxicity study data summarized in Henningfield, Fant & Wang, 2018; thus, this study awaits replication.

It should be noted that human use of kratom alkaloids by intravenous injection is not practiced for several reasons. First, rapid administration (e.g. smoking) does not produce as pleasurable effects or desired effects compared to oral use (Henningfield, Fant and Wang, 2018). Additionally, MG and 7-OH-MG are not soluble in water and must be prepared using specialized laboratory preparations involving a tween/DMSO based vehicle (as used in Smith et al., 2019). Thus, this study represents another line of research that will be important to continue but its relevance to real world kratom safety and toxicity is not clear.

To better understand potential health and safety related effects related to kratom use, Leong Bin Abdullah, Tan, Mohd, et al. (2020) studied the lipid profiles, liver function and other parameters in 100 chronic kratom users compared to 100 healthy nonusers in Malaysia. Although the study was acknowledged by the authors to be relatively small and exploratory, their preliminary findings will be useful in the design of future studies. They found:

“The liver parameters of the study participants were within normal range. The serum total cholesterol and LDL of kratom users were significantly lower than those of healthy subjects who do not use kratom. There were no significant differences in the serum triglyceride and HDL levels. However, higher average daily frequency of kratom use and increasing age were associated with increased serum total cholesterol among kratom users. Other kratom use characteristics such as age of first kratom intake, duration of kratom use, and quantity of daily kratom intake were not associated with increased serum triglyceride, total cholesterol, LDL, and HDL levels. Our findings suggest regular kratom consumption was not linked to elevated serum lipids, except when there is a higher frequency of daily kratom intake. However, the study was limited by the small sample size, and hence a more comprehensive study with larger sample size is warranted to confirm the findings.” (p. 1)

A preliminary study of the impact of kratom use on brain function (as assessed by brain magnetic resonance imaging) among chronic kratom users in Malaysia was conducted by Singh, Chye, Suo, et al. (2018). In brief, they reported:

“A total of 14 subjects (7 regular kratom users and 7 non-kratom users) voluntarily participated in this cross-sectional study.... There were no significant differences ($p>0.05$) in the intracranial volume (ICV), cortical volumes (frontal, parietal, temporal, occipital, or cingulate lobe), or subcortical volumes (striatum, hippocampus, or amygdala), as well as in the diffusion tensor imaging (DTI) metrics, fractional anisotropy (FA) and mean diffusivity (MD) between kratom users and the controls.

Conclusion: This preliminary study showed long-term consumption of kratom decoction is not significantly associated with altered brain structures in regular kratom users in traditional settings. However, further study is needed to establish more data for kratom use and its effects.” (p. 1)

Singh, Müller, Murugaiyah, et al. (2018) studied various hematological and clinical-chemistry parameters of kratom users in Malaysia. In brief, Singh, et al. (2018) summarized their results as follows:

“A total of 77 subjects ($n=58$ regular kratom users, and $n=19$ healthy controls) participated in this cross-sectional study. All the surveys were conducted through face-to-face interview to elicit subject's sociodemographic characteristics and kratom use history. A full-blood test was also administered. Laboratory analysis was conducted using GC-MS to determine mitragynine content in the acquired kratom samples in order to relate mitragynine consumption with possible alterations in the blood parameters of kratom users. Findings showed that there were no significant differences in the hematological and clinical-chemistry parameters of traditional kratom users and healthy controls, except for HDL and LDL cholesterol values; these were found to be above the normal reference range for the former. Similarly, long-term kratom consumption (> 5 years), and quantity of daily kratom use ($\geq 3 \frac{1}{2}$ glasses; mitragynine content 76.3–114.8 mg) did not appear to alter the hematological and biochemical parameters of kratom users. These data suggest that even long-term and heavy kratom consumption did not significantly alter the hematological and clinical-chemistry parameters of kratom users in a traditional setting.” (p. 1)

Singh, Narayanan, Grundmann, et al. (2020), studied the long-term effects of kratom use in thirteen people in Malaysia who had used kratom longer than 20 years in a cross-sectional pilot study. They summarized their results as follows:

“Respondents were required to undergo a blood-test and laboratory analysis was conducted to determine the mitragynine content in an acquired street sample of kratom. The regular, long-term consumption of brewed kratom decoction did not cause any significant alterations in haematological, kidney, liver, thyroid, inflammatory and gastrointestinal analytes in a cohort of kratom users who had no history of substance misuse. However, those who had a higher intake (>3 glasses per day) of kratom exhibited higher lipid values (except for HDL-cholesterol), and a moderate elevation of homocysteine level. Long-term (>20 years with a daily intake of ≥ 87.54 mg of mitragynine) kratom consumption was not associated with altered biochemical levels, although prolonged and heavy use (>3 glasses daily) may result in cardiovascular risks. The latter finding, however, requires further investigation.” (pg. 1)

Singh, Narayanan, Müller et al. (2019) studied potential long-term cognitive effects associated with kratom use in kratom users in Malaysia. Singh, et al. (2019) summarized their results as follows:

“We assessed the cognitive function of 70 regular kratom users and 25 control participants using the Cambridge Neuropsychological Test Automated Battery. Participants performed six neuropsychological tasks that assessed motor, learning and memory, attention and executive function. Relative to control participants, higher consumption (>3 glasses daily or mitragynine doses between 72.5 mg and 74.9 mg) of kratom tea was selectively associated with impaired performance on the Paired Associates Learning task, reflecting deficits in visual episodic memory and new learning. Overall, the performance of kratom users compared to control participants, and the performance of high (>3 glasses per day) as well as low (\leq 3 glasses per day) kratom using groups, were comparable on all neuropsychological domains. Higher intake of kratom juice (>3 glasses daily) did not appear to impair motor, memory, attention or executive function of regular kratom users.” (p. 1)

Increasing attention to safety related signals is evident in much ongoing kratom research. For example, Leong Abdullah, Tan, Narayanan, et al. (2021) studied the prevalence of ECG abnormalities and QTc intervals in kratom users without histories of illicit drug use. They found:

“...the odds of having ECG abnormalities did not differ between kratom users and non-kratom-using control subjects, except for higher odds of sinus tachycardia in kratom users. Torsades de pointes was not reported among kratom users, but greater age at first kratom use, longer duration of kratom use, the higher daily quantity of kratom use, and intake of kratom less than 3 h before an assessment could increase the QTc interval with an estimated daily mitragynine intake of 434.28 mg (7.06 mg/kg/day). Hence, we found that regular daily kratom consumption led to borderline QTc intervals, but it was not associated with prolonged QTc intervals. However, further controlled clinical studies are needed to confirm our findings.” (p. 1)

2.3.3 Factor 3 Updated Conclusions

Among the most important data in assessing product safety is investigation of the patterns of exposure and associated safety in pharmacokinetics and other studies. As described, the science advanced considerably in this domain. It shows that over a broad range of doses, dosage form and within two species (rat and dog) MG can be safely given. This includes oral doses that are many multiples of those consumed by humans.

Additionally, six clinical studies evaluated the effects of long-term kratom use on a variety of physiological parameters including kidney and liver function, blood chemistry hematological parameters, cognition, cardiac parameters including ECG, and on brain function by brain magnetic resonance imaging. Although these were relatively small studies, none suggest serious adverse consequences of use. It is important to note that these are not definitive safety studies and cannot be used to claim that kratom has no adverse effects on any of the studied physiological domains and limitations of each study were noted in the publications. Nonetheless, the findings are encouraging and should facilitate the conduct of more comprehensive follow-up studies.

2.4 Factors 4, 5, and 6 – History and Current Patterns of Abuse; The Scope, Significance and Duration of abuse; What, if any, Risk is there to the Public Health

Note that for this update, Factors 4, 5 and 6 are considered together because they all contribute to understanding nonmedical use, recreational use and abuse, and public health impact, relying on some of the same surveys across factors.

These factors address public health considerations which include the impact of various regulatory approaches on individual and public health risks and benefits of CSA scheduling versus not scheduling, as well as the most appropriate schedule if the substance or product is approved for therapeutic use. Substances that are considered to merit control in the CSA but which are not approved for therapeutic use can only be placed in Schedule I regardless of their actual abuse potential.

For temporary scheduling (also known as “emergency” scheduling) only factors 4, 5, and 6 must be considered. Temporary scheduling lasts for two years and can be recommended by the FDA or conducted by DEA without recommendation from FDA.

The key conclusion of analysis of Factors 4, 5 and 6 that must be drawn to support temporary scheduling is that the substance poses an imminent risk to public health related to its abuse. For poisons and toxins not used for psychoactive and abuse related effects, such as contaminated food products, etc. public health interventions and sometimes regulations other than the CSA are employed as appropriate.

2.4.1 Summary of 2018 Findings:

Survey and public health data are the most important sources of information to determine if a substance merits temporary scheduling. Only Factors 4, 5 and 6 must be considered for temporary scheduling. If these factors together support the conclusion that a substance poses imminent risk to public health related to its abuse and apparently addictive use, then the substance or product can be placed in the CSA. Schedule I is the only option if there is no FDA approved therapeutic use (i.e., approval as a medicine). Note for poisons and toxins that are not used for psychoactive and abuse related effects, the CSA is not considered the appropriate regulatory tool to protect public health.

Factors 4, 5 and 6 of the 2018 8-FA documented several decades of kratom use in the US that began before the 1980s. In contrast to opioids, kratom use in SEA and the US was almost exclusively by the oral route with use primarily for health and well-being including self-management of pain, opioids and other addictions, improvement of mood in people with depression and anxiety disorders, and for many people as an alternative or complement to coffee to improve occupational performance. Use for recreational purposes, e.g., to get “high” was not a major category of use. Major US federal surveys including the Drug Abuse Warning Network (DAWN) (until 2011 when it was discontinued), the Monitoring the Future Survey (MTFS), Treatment Episodes Data Set (TEDS), and the National Survey on Drug Use and Health (NSDUH) showed little evidence of kratom use, abuse, addiction or harm.

Although the DEA’s National Forensic Laboratory Information System (NFLIS) began detecting MG use and reporting it in 2010 as a potential emerging trend, overall reports remained low (less than 200 of 1,549,313) in 2015, and apparently below the threshold for continued

reporting when the 2018 8-FA was written. The Henningfield, Fant & Wang (2018) 8-FA summarized Factor 4 as follows

“As confirmed by NFLIS, kratom is available to persons who have been found with substances of abuse, yet kratom has not emerged as a substance of abuse by any of the federal surveillance systems. Nonetheless, as MG identifications were a new category, the DEA placed MG on its “watch list,” meaning essentially that laboratories and investigators are encouraged to be alert for products potentially containing MG and to be testing for MG....The relative absence of apparent abuse of kratom as measured by national surveys does not mean there is no abuse, but certainly the signal is very weak compared to many other substances that people seek help for to achieve abstinence....As mentioned earlier, the very low risk of overdose poisoning and serious adverse events does not mean that they have not and will not occur. However, given the two decades during which consumption has increased to an estimated two or more million consumers in the US, in addition to far more extensive consumption in SE Asia, this is a substance and category of product with a remarkable safety record.” (p. 580)

2.4.2 Factor 4, 5, and 6 Science Updates

2.4.2.1 Prevalence of Kratom Use in the US

One of the most important questions in public health assessments relevant to a drug’s health risks and benefits is the number of users. The surveys and more than 20,000 comments to the DEA in 2016 define the demographics of kratom users and their reasons for use. Although estimates vary across surveys, together they suggest that most kratom users are 30-50 years of age, more male than female, with some college education, employed, have health care, and are a diverse ethnic/racial mix with somewhat more kratom users identifying as White than other ethnicities (Coe et al., 2019; Covvey, Vogel, Peckham, et al., 2020; Garcia-Romeu, et al., 2020; US DHHS, 2020; Palamar et al., 2021). Surveys that focused on kratom use and opioids (e.g., Coe, et al., 2019; Garcia-Romeu, et al., 2020) or kratom use and pain find high rates of opioid use motivated in large part to replace opioids. The Grundmann (2017) survey found that most kratom users were not opioid users, and similarly the survey presented by Henningfield et al. at the American College of Neuropsychopharmacology meeting with more than 14,000 respondents found that most people used for reasons that were not related to opioids or addiction (Henningfield, et al., 2020).

But there still is no reliable estimate of the actual number of kratom users and surveys vary widely in their estimates, as shown in Table 5 below. There is consensus from 2014 that the American Botanical Education Alliance estimate of 3-5 million was credible and consistent with kratom suppliers and marketers estimates, and that kratom sales and use steadily increased. Thus, the American Kratom Association estimate of approximately 10-15 million based on Indonesian kratom export data, and with input from US marketers appears plausible.

The Covvey, et al. (2020) nationally representative online survey estimated past year use to be approximately 10.5 million kratom consumers. Informal marketer estimates suggest that kratom consumption also increased during the COVID-19 epidemic, which is not surprising due to frequent use of kratom to self-manage opioid use disorder, anxiety, stress, and depression.

2.4.2.1.1 National Survey on Drug Use and Health (NSDUH)

Prior to 2019, NSDUH did not include kratom/MG-specific items. From 2010 through 2018, there were a total of nine (9) lifetime kratom mentions (unweighted – not nationally representative), although five of those were in the last two years (2017 and 2018). By contrast, and over the same time frame, lifetime mentions (unweighted) of oxycodone, heroin, cocaine, amphetamine, marijuana, and other prototypic substances of abuse were in the many thousands. Lifetime aspirin mentions ranged from 7 to 23 per year, while lifetime diphenhydramine mentions ranged from 11 to 46 per year. See Table 1.

Table 1: Number of Unweighted Lifetime Cases of Kratom, Aspirin, Diphenhydramine, and Other Substances Reported to the National Survey on Drug Use and Health (2010-2018)

	NSDUH – Lifetime Number of Unweighted Cases									
	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Kratom/Mitragynine [†]	1	0	0	0	1	1	1	3	2	
Oxycodone [§]	2,068	2,097	2,017	1,877	1,835	*	*	*	*	
Heroin [§]	771	826	829	842	946	956	961	1,029	962	
Cocaine [§]	6,464	6,260	6,009	5,653	6,636	6,740	6,580	6,748	6,646	
Amphetamine [§]	3,916	4,136	4,113	4,171	4,179	*	*	*	*	
Marijuana [§]	22,842	22,994	22,238	22,163	23,462	24,302	23,789	24,225	24,280	
Aspirin [†]	17	22	18	18	19	7	7	18	23	
Diphenhydramine [†]	29	21	19	20	12	18	11	21	46	

[†] Unweighted non-medical/illicit use case mentions from open-ended response items only

[§] Unweighted non-medical/illicit use case mentions from drug-specific and open-ended response items

* Estimate suppressed by SAMHSA

In 2019, NSDUH added a series of kratom-related items to the survey, allowing for nationally representative estimates of lifetime, past-year, and past-month kratom use vs. comparators. In 2019, an estimated 3.9 million (1.4%) Americans aged 12 and older had used kratom in their lifetime, with 1.9 million (0.7%) using in the past year and 0.8 million (0.3%) using in the past month. In comparison, 4.5 million (1.6%) had misused prescription amphetamine products and 3.2 million (1.2%) had misused oxycodone in the past year, while illicit drugs such as marijuana (48.2 million [17.5%]) and cocaine (5.5 million [2.0%]) were also used more frequently than kratom. As shown in Table 2, the majority of kratom use is kratom only or kratom with alcohol which is different from the “polypharmacy” that is increasingly normal in recreational drug users; the exception is the common use of kratom by users of opioids, alcohol, stimulants, and other drugs as an aid to reducing and/or stopping use of those drugs and/or managing withdrawal when use of those drugs was discontinued.

Table 2: Lifetime, Past Year, and Past Month Use of Kratom vs. Misuse or Illicit Use of Comparators (Numbers in 1,000s), NSDUH (2019)

	Use / Misuse / Illicit Use		
	N in 1,000s (%)		
	<i>Lifetime</i>	<i>Past Year</i>	<i>Past Month</i>
Kratom/Mitragynine	3,909 (1.4%)	1,919 (0.7%)	825 (0.3%)
Oxycodone [†]	*	3,185 (1.2%)	N/A
Heroin [§]	5,696 (2.1%)	745 (0.3%)	431 (0.2%)
Cocaine [§]	41,445 (15.1%)	5,468 (2.0%)	1,998 (0.7%)
Amphetamine [†]	*	4,486 (1.6%)	N/A
Marijuana [§]	127,139 (46.2%)	48,242 (17.5%)	31,606 (11.5%)

All estimates (N and %) are weighted to be nationally representative

N/A Data not collected by NSDUH

† Misuse of prescription or OTC product

§ Illicit use

** Estimate suppressed by SAMHSA*

Past month kratom use alone and in combination with other substances are presented in Table 3 below.

Table 3: Past Month Kratom Use Among Adults 18+: Overall, Kratom Only Use, and In Combination with Misuse or Use of Other Substances, NSDUH (2019)

	Past Month Kratom Use	
	% of US Adults 18 Years of Age or Older	% of Adult Past Month Kratom Users
Overall	0.32%	100.00%
Kratom and Pain Reliever Misuse	0.02%	7.04%
Kratom and Sedative Misuse	<0.01%	1.05%
Kratom and Alcohol	0.23%	71.87%
Kratom and Stimulant Misuse or Cocaine Use	0.04%	12.38%
Kratom Only	0.08%	24.41%

* All estimates are weighted to be nationally representative

**Categories are not mutually exclusive (e.g., Kratom and Pain Relievers includes all respondents using both kratom and pain relievers, regardless of whether they were using other substances listed here)

***The Kratom Only category excludes only those substances listed in this table. A respondent using Kratom and a substance not included in this table would be considered a kratom only user for the purposes of this analysis

However, the NSDUH survey appears to greatly underestimate kratom use (see estimates in **Error! Reference source not found.**), just as it apparently does for many new psychoactive substances (NPS). This deficiency was discussed by Palamar et al. (2015), who called for “new survey methods to prevent underreporting”. Similarly, the RADARS survey (Schimmel, et al., 2021) may have similar deficiencies. Both of these surveys include large panels who are interviewed, and it is possible that panel selection and/or interview approaches that provide realistic assessments of traditional recreationally used drugs and prescription opioids may underestimate use of novel products, and products taken for health and well-being and not for recreational purposes. These hypotheses require examination as the answers are not clear; however, kratom experts and marketers agree that that the NSDUH and RADARS surveys substantially underestimate the number of kratom users in the US.

Table 4: Kratom use prevalence estimates across studies in the United States

Year	Source	Method	Prevalence
2019	NSDUH 2020	<ul style="list-style-type: none"> US Federal survey by SAMHSA (N=67,625) Nationally representative multi-stage probability sample with face-to-face interviews % estimates of US population aged 12+ (18+ presented in this slide) 	Lifetime: 1.5% Past year: 0.7% Past month: 0.3% Past year adult users estimate: 1,790,000
2018-2019	Schimmel et al. 2020	<ul style="list-style-type: none"> US survey by RADARS System panel (N=59,714) Non-probability sample with online self-administration % estimates of US population aged 18+ 	Lifetime: 1.3% Past year: 0.8% Past year adult users estimate: 2,040,000
2019	Covvey et al. 2020	<ul style="list-style-type: none"> US survey via Qualtrics Panels (N=1,842) Non-probability sample with online self-administration % estimates of US population aged 18–59 	Lifetime: 6.1% Past year: 4.1% Past month: 3.5% Past year adult users estimate: 10,500,000
2019	American Kratom Association	<ul style="list-style-type: none"> Southeast Asian survey of commercial kratom exporters Average monthly volume of kratom exported to US ÷ average volume of kratom used by US kratom consumer = approximate number of US kratom consumers 	estimated US kratom consumers: 15,600,244
2014-2016	Botanical Education Alliance	<ul style="list-style-type: none"> US survey of kratom vendors 	Estimated 3–5 million kratom consumers

2.4.2.1.2 Treatment Episode Datasets (TEDS) and Monitoring the Future (MTF)

There are no updates to the TEDS and MTF data sets since the 2018 report. Note that the lack of reports does not mean there were no instances of treatment seeking or recreational use by young people. In fact, there are internet and media reports that suggest some recreational use by youth, and there are self-reports of addiction in some kratom users on internet discussion groups and in internet surveys of adults. However, the signals from TEDS and MTF are apparently small enough not to warrant reporting.

2.4.2.1.3 Drug Abuse Warning Network (DAWN)

A new iteration of DAWN began collecting data from a sample of hospitals in April 2019. While some preliminary data were released (April 2019-October 2020), data related to kratom are not yet available.

2.4.2.1.4 American Association of Poison Control Centers’ National Poison Data System (AAPCC-NPDS)

From 2011-2017, a total of 1,807 exposures involving kratom were reported to AAPCC, with about two-thirds of those occurring in 2016-2017 (Post, Spiller Chounthirath & Smith, 2018). *Kratom* is listed as a separate product in the AAPCC annual reports since 2016; however,

Plants-Mitragyna and *Mitragyna speciosa korthals* are not listed separately in the reports (they are included in broader categories). Thus, only the generic-coded *Kratom* cases are available when using the AAPCC annual reports as a data source. Table 5 below shows those calls listed under the generic *Kratom* code, as well as widely used substances that are readily available without prescription as comparators, for the years 2016-2019. Nicotine gum, lozenge and patch and the lessor used prescription nicotine nasal spray and oral inhaler all carry dependence potential, are used off-label by some people, and can sustain dependence. Abrupt discontinuation is not recommended due to the possibility of a withdrawal syndrome, but these comparators are not listed in the Controlled Substances Act because their abuse potential is lower than the products they replace (namely cigarettes) and it was considered in the interest of public health to make them more readily available (FDA, 1995, 1996).

Table 5: Exposure Cases by Product, (AAPCC-NPDS, 2016-2019)

	2016	2017	2018	2019
Kratom	1	372	1,146	1,357
Diphenhydramine*	55,740	55,075	53,842	53,121
Aspirin**	17,882	18,089	17,380	16,317
Nicotine Pharmaceuticals***	1,571	1,582	1,741	1,809

*Diphenhydramine alone or in combine

**Aspirin only; does not include combination products

***Nicotine gum, patch, and lozenge

2.4.2.1.5 National Forensic Laboratory Information System (NFLIS)

There are no updates to the NFLIS data set since the 2018 report.

2.4.2.2 Reports of Overdose and Death

In FDA’s February 6, 2018 report by Commissioner Scott Gottlieb¹², in which FDA stated that it had documented 44 kratom associated deaths (worldwide over nearly ten years), it included the following acknowledgement:

“Overall, many of the cases received could not be fully assessed because of limited information provided; however, one new report of death was of particular concern. This individual had no known historical or toxicologic evidence of opioid use, except for kratom. We’re continuing to investigate this report, but the information we have so far reinforces our concerns about the use of kratom.”

About six months later, the Assistant Secretary of Health of the US Department of Health and Human Services (DHHS) reviewed the FDA-prepared 8-FA submitted to the US Drug Enforcement Administration (DEA) in October of 2017 with a recommendation to Schedule MG and 7-OH-MG as Schedule I drugs in the CSA (thus, effectively banning legal sales and possession of kratom). The Secretary discovered that the death highlighted in Commissioner

¹² <https://www.fda.gov/news-events/press-announcements/statement-fda-commissioner-scott-gottlieb-md-agencys-scientific-evidence-presence-opioid-compounds>

Gottlieb's report due to the apparent absence of other substances was caused by an automobile crash, and there was no evidence that kratom use was a contributing factor.

Babin (2018) evaluated all deaths reported by the FDA as potentially related to kratom. She concluded:

“None of the case reports released to date support the evidentiary standard required by the CSA to prove there is a risk to the public health that relies primarily on the FDA claim of numerous deaths associated with kratom.

In fact, the data show only that a relatively small number of individuals died from a variety of actual causes related to underlying health issues, abuse of prescription or illicit drugs either at toxic doses or taken in combination when contraindicated. The use of kratom by these individuals has no medical or statistical significance in assessing the safety signal required for scheduling.” (p. 8).

Olsen, O'Donnell, Mattson, et al. (2019) commented on 152 unintentional drug overdose deaths listed as associated with kratom, out of 27,338 deaths listed in the State Unintentional Drug Overdose Reporting System (SUDORS). The authors included the following statements supporting their concerns about potential kratom risks, as well as uncertainties about the actual contribution of kratom to deaths reported by medical examiners as “kratom caused” and/or “kratom associated”:

“Data on 27,338 overdose deaths that occurred during July 2016–December 2017 were entered into SUDORS, and 152 (0.56%) of these decedents tested positive for kratom on postmortem toxicology (kratom-positive). Postmortem toxicology testing protocols were not documented and varied among and within states. Kratom was determined to be a cause of death (i.e., kratom-involved) by a medical examiner or coroner for 91 (59.9%) of the 152 kratom-positive decedents, including seven for whom kratom was the only substance to test positive on postmortem toxicology, although the presence of additional substances cannot be ruled out (4).” (p. 1)

Gershman, Timm, Frank, et al. (2019) reviewed autopsy reports and performed additional analyses on available blood samples from 15 death cases that mentioned kratom from 1999 to 2017. They reported:

“Autopsy reports were reviewed for all 15 deaths, which included 13 men and 2 women, with a median age of 28 years (range, 24 to 53). On the basis of toxicology testing, 11 cases involved multidrug ingestion (two to six drugs), and 8 persons had positive test results for other opioids. Four deaths were reported to involve mitragynine only, and coroners attributed each to mitragynine toxicity. We further investigated the 4 deaths that appeared to be due to mitragynine only, reviewing police investigation records for all 4 and performing comprehensive toxicology screening with high-performance liquid chromatography with tandem mass spectrometry for the 3 cases for which residual blood was available (Table 1). In our investigation of all 15 kratom-related deaths, we determined that 14 deaths clearly involved multiple drugs. Mitragynine levels varied widely, from 16 to 4800 ng per milliliter. Residual blood was not available for confirmatory testing in the remaining kratom-related death.” (p. 1)

The Olsen, et al. (2019) and Gershman, et al. (2019) reports are consistent with the evaluation of Dr. Babin (2018) and the position of NIDA (2019) on its website that suggests that in the vast majority of kratom associated deaths, it cannot be ruled out that other substances or conditions were contributing, if not the primary, cause of death.

NIDA's Kratom Facts webpage states:

“Can a person overdose on kratom? There have been multiple reports of deaths in people who had ingested kratom, but most have involved other substances. A 2019 paper analyzing data from the National Poison Data System found that between 2011-2017 there were 11 deaths associated with kratom exposure. Nine of the 11 deaths involved kratom plus other drugs and medicines, such as diphenhydramine (an antihistamine), alcohol, caffeine, benzodiazepines, fentanyl, and cocaine. Two deaths were reported following exposure to kratom alone with no other reported substances, but the extent of toxicological testing is unknown.* In 2017, the FDA identified at least 44 deaths related to kratom, with at least one case investigated as possible use of pure kratom. The FDA reports note that many of the kratom-associated deaths resulted from intake of adulterated products or taking kratom with other potent substances, including illicit drugs, opioids, benzodiazepines, alcohol, gabapentin, and over-the-counter medications, such as cough syrup. Also, there are reports of kratom packaged as dietary supplements or dietary ingredients laced with other compounds that caused deaths. People should check with their health care providers about the safety of mixing kratom with other medicines.” (NIDA, 2019)

NIDA's position is consistent with the conclusion drawn by Assistant Secretary of Health Brett P. Giroir, MD, ADM who stated:

“There is still debate among reputable scientists over whether kratom by itself is associated with fatal overdoses” (Giroir, 2018).

Palamar (2021) examined data from the 2019 National Survey on Drug Use and Health that included 56,136 respondents. The author concluded:

“Kratom use is particularly prevalent among those with opioid use disorder but is also prevalent among people who use other drugs. Use has been associated with numerous adverse events, although most have involved use of other drugs.” (p. 5)

Gershman, Timm, Frank, et al. (2019) reviewed autopsy reports and performed additional analyses on available blood samples from 15 death cases that mentioned kratom from 1999 to 2017. They reported:

“Autopsy reports were reviewed for all 15 deaths, which included 13 men and 2 women, with a median age of 28 years (range, 24 to 53). On the basis of toxicology testing, 11 cases involved multidrug ingestion (two to six drugs), and 8 persons had positive test results for other opioids. Four deaths were reported to involve mitragynine only, and coroners attributed each to mitragynine toxicity. We further investigated the 4 deaths that appeared to be due to mitragynine only, reviewing police investigation records for all 4 and performing comprehensive toxicology screening with high-performance liquid chromatography with tandem mass spectrometry for the 3 cases for which residual

blood was available (Table 1). In our investigation of all 15 kratom-related deaths, we determined that 14 deaths clearly involved multiple drugs. Mitragynine levels varied widely, from 16 to 4800 ng per milliliter. Residual blood was not available for confirmatory testing in the remaining kratom-related death.” (p. 1)

Henningfield, Grundmann, Babin, et al. (2019) summarized animal toxicology data, surveys and mortality data associated with opioids and kratom to provide a basis for estimating relative mortality risk. Related to safety, the authors concluded:

“Kratom is not without risk, but the risk estimates as calculated by any of the approaches used, relative to opioids, suggest that morphine-like opioids carry an overdose risk of a thousand or more times greater than kratom. This conclusion has the limitation that some kratom users inherently carry or assume factors that might greatly increase the risk of kratom-associated mortality, e.g., use in combination with opioids, sedatives, alcohol or other drugs, or some preexisting disease states that may make kratom use especially risky. The fact that deaths associated with kratom use varied widely and included liver disease, homicide, suicide, trauma, and overdose with clearly lethal other drug concentrations (Babin, 2018; Henningfield et al., 2018b), cannot form the basis for concluding that co-existing conditions make kratom use more or less risky compared to opioids.”

“In fact, while the contribution of kratom to death in some cases cannot be ruled out, there has yet to be an overdose death from kratom alone in either the US or South East Asia where heavy kratom use is common (Prozialeck et al., 2019).”

“Because many deaths possibly involving kratom appear to have also involved opioids and other drugs that are known to carry a high risk of overdose death, a regulatory approach that establishes standards for kratom product purity, packaging, labeling, and alkaloid content is urgently needed to reduce the risks for persons who purchase lawfully marketed products.” (p. 2-3)

2.4.2.3 US and International Survey Data

In all of the surveys reporting reasons for use, despite descriptions by some authors with terms such as “therapeutic use”, it is important to note that reasons for kratom use provide some basis for establishing benefits, though these do not imply FDA approved therapeutic claims.

Leong Abdullah, Tan, Narayanan, et al. (2021) conducted an analytical cross-sectional study of 200 participants (100 kratom users and 100 control subjects) in Malaysia, where kratom grows in abundance, leaves and marketed products are widely available, and use is widespread despite its illegality. The authors cardiovascular safety conclusions were:

“The odds of having ECG abnormalities did not differ between kratom users and non-kratom-using control subjects, except for higher odds of sinus tachycardia in kratom users.” (p. 7-8)

Leong Bin Abdullah, Yuvashnee & Singh (2021) conducted a cross-sectional study including data from 200 respondents (100 subjects who use kratom and 100 healthy controls) in Malaysia. The authors concluded:

“The results of this study have some clinical implications to healthcare professionals. People who use kratom may experience some impairment of physical health, psychological, and environment QoL. Longer duration of kratom use may impair the physical health QoL, whereas greater severity of kratom dependence may impair all domains of QoL except for social relationship QoL. Hence, it is necessary to adequately treat kratom dependence in order to achieve better QoL in people who use kratom.” (p. 5)

Garcia-Romeu, Cox, Smith, et al. (2020) conducted a MG survey of 2798 respondents. Related to safety, the authors concluded:

“This study supports the results of previous studies (Coe et al., 2019; Grundmann, 2017; Smith and Lawson, 2017; Swogger et al., 2015) by suggesting that kratom has a relatively benign risk profile compared to typical opioids, with only a minority of respondents endorsing kratom related adverse effects, withdrawal symptoms, or problematic use. Adverse effects reported here were most commonly rated as mild and lasted ≤ 1 day, and less than 1% of the total sample found the effects of kratom to be severe enough to seek medical treatment. Adverse effects of kratom use were related to a number of demographic, health, and drug use variables including age, sex, education, income, depression, pain severity, and past 12-month alcohol and opioid use. Therefore, younger individuals or people with depression or more severe pain may experience more kratom-related adverse effects, potentially related to co-use with alcohol or other opioids. However, daily kratom users among the current sample were unlikely to meet criteria for a kratom related SUD, or report substantial problems or concerns related to their kratom use. Logistic regression models additionally found that greater kratom-related SUD symptoms predicted negative effects of kratom use, kratom withdrawal, and seeking treatment for kratom use, but not kratom use for the purposes of opioid reduction. Thus, kratom may differ in important respects from typical opioids, and may have significant therapeutic potential in light of the present opioid crisis.” (p. 6)

Smith, Rogers, Schriefer, et al. (2021) analyzed 280 kratom subreddit posts and concluded:

“Ultimately, kratom subreddit posts contained complicated narratives that do not make for simple characterizations. For some, kratom was lifesaving and for others it was ruinous, or yet another substance to which they had become beholden. Like other findings, the (provisional) takeaway is that it is premature to laud kratom as a cure-all and equally premature to demonize it as a dangerous substance with risk that outweighs benefit. At base, this stems from insufficient information, but also from the fact that “kratom” in the US constitutes many different products with variability in alkaloid content, composition, and purity, some of which is an artifact of factors related to the geographic region of the tree, kratom harvesting, post-harvesting handling, or other agricultural or horticultural conditions and practices (Fowble and Musah, 2019; Griffin et al., 2016; Mudge and Brown, 2017; Zhang et al., 2020). Findings here reinforce current scientific consensus, which is that kratom is a highly varied psychoactive substance being used in different doses and for different reasons among a diverse group of people that we are only beginning to understand.” (p. 7)

Swogger & Walsh (2018) conducted a systematic review of kratom use and mental health including 13 studies addressing kratom use in the US, SEA, and other countries and regions of the world. Most mental health related uses were for harm reduction as a substitute for less desirable substances including opioids, alcohol, and other drugs, or for modulation of mood including energizing effects to counteract fatigue and self-management of mood disorders including anxiety, depression, and posttraumatic stress. The authors stated:

“In conclusion, kratom use appears to have several important mental health benefits that warrant further study. Kratom dependence is a risk for some people, though the dependence syndrome appears to be mild in its psychosocial and physiological effects relative to that of opioids.” (p. 139)

The Garcia-Romeu, et al. (2020) survey mentioned earlier concluded:

“Most respondents endorsed using kratom for pain relief (91.3%), and/or to treat mood-related issues such as anxiety (67.2%), and depression (64.5%). Among these, the majority said they would recommend kratom for pain relief (98.7%), and mood-related issues (96.7%). Mean (SD) efficacy ratings of kratom for treating pain on a scale from 0 (not at all) to 100 (extremely) were 83.3 (18.5); for anxiety were 76.7 (24.3); and for depression were 76.5 (25.4). Subgroups also reported using kratom for post-traumatic stress (29.6%) or bipolar mood (24.6%), with mean (SD) efficacy ratings of 60.2 (38.2), and 51.4 (39.9), respectively.” (p. 3-4)

Covey, et al. (2020) conducted an online cross-sectional survey including data from 1,842 respondents, of which 112 (6.1%) reported lifetime kratom use. The authors concluded:

“Similar to existing data, the presence of emotional and mental health conditions, including concurrent substance use, was ubiquitous for individuals reporting kratom use compared to others. Anxiety, depression, and chronic pain were the most reported medical conditions among both groups, with significantly higher rates among respondents reporting kratom use. Previous surveys of individuals who use kratom cite treatment of pain and mental health conditions as the primary motivations for use. Coe and colleagues identified treatment of pain (48%) or mental health conditions (21.5%) as the most common reasons for use, while Grundmann identified even higher percentages reporting use for pain (68%) or mental health (66%) conditions. While the present study was not able to directly ascertain reasons underlying the use of kratom, these conditions were found with higher frequency among individuals reporting kratom use, suggesting a possible connection.” (p. 5)

Singh, Grundmann, Murugaiyah, et al. (2020) conducted a field face-to-face survey including data from 92 respondents (long-term male kratom users). The authors stated:

“Seventy-two participants (78%) reported using kratom to enhance sexual performance, and 71 of them (71/72, 99%) reported experiencing improved sexual performance. Of those who reported not using kratom to enhance sexual performance, 7/20 (35%) also experienced improved sexual performance after kratom use. The reported enhancements of sexual performance included: more energy during sex (75/92), delayed ejaculation (71/92), help to maintain erection (70/92), longer climax (51/92),

increased sexual desire (44/92), and reduced sex organ sensitivity (43/92). The mean (SD) Mal-BMSFI score was 33.9 (7.1) and 78/92 (85%) reported overall high satisfaction with their sex life in the past 30 days.” (p. 1)

Singh, Narayanan, Müller, Swogger, et al. (2019) studied the motives for using kratom among regular kratom users in Malaysia. Singh, et al. (2019) summarized their results as follows:

“A total of 116 regular kratom users were recruited for this cross-sectional survey. The Drinking Motives Questionnaire (DMQ) was administered to measure kratom use motives. Our results indicate that heavy (> 3 glasses daily, each glass contains 48.24–50.4 mg of mitragynine) kratom use was associated with coping ($t_{87.09} = 3.544$, $p < 0.001$), and enhancement ($t_{114} = 2.180$, $p = 0.03$). Single subjects had higher mean scores on the coping domain, relative to married subjects ($t_{113.89} = 3.029$, $p < 0.003$), while those earning more than RM1500 per month had higher mean scores on the enhancement domain, compared to those earning less than RM1500 per month ($t_{107} = 2.151$, $p < 0.034$). Higher scores on the coping domain were significantly associated with higher (> 3 glasses daily) kratom consumption ($p < 0.0045$). Coping was associated with high (> 3 glasses daily) kratom consumption among regular kratom users in traditional, rural settings.” (p.1)

Singh, Chear, Narayanan, et al. (2020) studied patterns of use and reasons for use by current and former opioid poly-drug users in Malaysia. They summarized their findings as follows:

“A total of 204 opioid poly-drug users (142 current users vs. 62 former users) with current kratom use history were enrolled into this cross-sectional study. A validated UPLC-MS/MS method was used to evaluate the alkaloid content of a kratom street sample. Results from Chi-square analysis showed that there were no significant differences in demographic characteristics between current and former opioid poly-drug users except with respect to marital status. Current users had higher odds of being single. Similarly, there were no significant differences in the duration, daily quantity, or frequency of kratom use between current and former opioid poly-drug users. While both current and former opioid users reported using kratom to ameliorate opioid withdrawal, current users had significantly higher likelihood of using kratom for that purpose. In contrast, former opioid users were more likely to be using kratom for its euphoric (mood elevating) effects. Results from the UPLC-MS/MS analysis indicated the major alkaloids present in the representative kratom street sample (of approximately 300 mL of brewed kratom) were mitragynine, followed by paynantheine, speciociliatine and speciogynine, as well as low levels of 7-hydroxymitragynine. Both current and former opioid poly-drug users regularly used kratom (three glasses or about 900 mL daily or the equivalent of 170.19 mg of mitragynine) to overcome opioid poly-drug use problems.” (p. 1)

2.4.2.4 Public Health and Individual Benefits of Kratom.

In a systematic review of the global mental health effects of kratom, Swogger & Walsh (2018) stated:

“In conclusion, kratom use appears to have several important mental health benefits that warrant further study. Kratom dependence is a risk for some people, though the dependence syndrome appears to be mild in its psychosocial and physiological effects

relative to that of opioids. More and better research, including well-controlled, prospective studies is necessary to further elucidate kratom's potential for good and harm and the moderators of its effects." (p. 139)

2.4.2.4.1 Kratom Use for Pain Management and Managing Opioid Use/Withdrawal

Coe, Henningfield, Pillitteri, et al. (2019) conducted an anonymous online survey of 3,024 kratom users (2867 current users and 157 former users). The authors wrote:

"Kratom was used primarily to relieve pain (endorsed by 48% of respondents), for anxiety, PTSD, or depression (22%), to increase energy or focus (10%) and to help cut down on opioid use and/or relieve withdrawal (10%). Over 90% of respondents who used it in place of opioids indicated that it was helpful to relieve pain, reduce opioid use, and relieve withdrawal." (p. 24)

"In contrast to the well-documented and serious risks associated with opioids (Baldini et al., 2012; Benyamin et al., 2008), respondents reported kratom effects as relatively minor, with few requiring medical attention. The rates and severity of "bad reactions" were generally similar to those reported previously (Grundmann, 2017), occurring in approximately 13% of respondents. The reported incidence of bad adverse reactions was 13%, and reactions were overwhelmingly mild and self-managed." (p.24)

"The findings from this survey indicate that many individuals are taking kratom for conditions that often involve the prescribing of or self-medication with opioids (i.e., pain, withdrawal relief). Survey respondents overwhelmingly reported that kratom was helpful for these conditions and that bad effects from kratom, including those leading them to seek medical care, were uncommon." (p. 29).

"Results of this survey and others (Grundmann, 2017) suggest that kratom may be a useful alternative to opioids for some persons with pain, and this would be consistent with what is known about kratom pharmacology (Kruegel et al., 2016; Raffa et al., 2018; Takayama et al., 2002)." (p. 29)

"Although severity and relatedness of the bad reactions to kratom were not assessed, only 0.8% of respondents stopped using kratom because of a bad reaction or because they didn't like the way it made them feel." (p. 30)

"The rates and severity of "bad reactions" were generally similar to those reported previously (Grundmann, 2017), occurring in approximately 13% of respondents." (p. 30)

Müller, Hillemacher & Müller (2020) illustrates the realities of pain management that are typical in the real world. In this case, illustrated by a patient who benefited at times satisfactorily and at others less so. A summarized by the authors:

"We present the case of a 26-year-old man in Substitol-assisted treatment of excessive Kratom and Tilidin use expressing the wish for a drug-free management of a chronic pain condition. After an accidental calcaneus impression fracture, the patient was suffering from severe chronic pain and anxiety of further accidents. This was managed initially with Tilidin. Resulting from the wish to self-manage the pain condition in a way that permitted continuation of a job, the patient searched for a 'natural' treatment

alternative obtained from an Internet vendor. He successfully instrumentalized Kratom for 3 years with daily consumption intermixed with occasional Tilidin for pain management. However, the dose of Kratom was increased considerably up to a level of effect reversal, when no analgesic and behaviorally activating effects occurred any more, but only intense drowsiness. The patient was treatment seeking and subsequently detoxified from Kratom and Tilidin. Pain management was shifted to retarded morphine.” (p. 1)

Note that in the foregoing report by Müller et al. (2020) (and another below by Müller et al., 2021), as in some other studies from the Malaysia Center for Drug Research reviewed by Henningfield, Fant & Wang (2018), the term “instrumentalized” and “instrumentalization” or “instrumental use” elsewhere, is approximately interchangeable with terms such a “therapeutic” and “beneficial” used in other studies and reviews.

Although the surveys indicate that a major reason for kratom use is the self-management of pain, it is also important to understand that kratom, like other pain management approaches, whether FDA-approved medicines or any other therapeutic approach, is not a panacea for all types of pain, people or pain sufferers (see Henningfield, Ashworth, Gerlach, et al., 2019; Kroenke, Alford, Argoff, et al., 2019).

A harm reduction benefit of replacing opioids and other drugs with kratom is the absence of opioid-like respiratory depressant effects and substantially lower overdose potential of kratom as compared to opioids. Considering the more than 93,000 drug overdose deaths in 2020, the majority of which are due to opioid intoxications, kratom use provides an alternative to opioid use and withdrawal (CDC, 2021). Kratom also has a low risk of inducing psychopathological states or aggression. Swogger & Walsh (2018) concluded:

“Apart from kratom dependence, available studies give no indication that kratom causes psychopathology.... We searched for scientific information on kratom use and self-and-other directed aggression. Although few studies directly assessed aggression, reports of this outcome were notably absent from studies that indirectly enabled such reporting (e.g., Anwar et al., 2016; Saingam et al., 2012; Swogger et al., 2015; Trakulsrichai et al., 2013). No studies indicated increased self-or-other directed aggression following acute kratom ingestion. Approximately 1% of Malaysian interviewees indicated being aggressive or experiencing hostility while in kratom withdrawal (Ahmad and Aziz, 2012).” (p. 5)

An international consortium of leading kratom researchers (Prozialeck, Avery, Boyer et al., 2019) conducted a scientific and policy analysis of kratom and concluded:

“The many positive user comments on Erowid.org (Erowid, 2016), SageWisdom.org (Wisdom, 2016), Reddit.com/r/kratom (Reddit, 2018) and Speciosa.org (speciosa.org, 2016) comprise an extensive collection of anecdotal data documenting kratom use. Scientific analyses of such user reports clearly indicate that the therapeutic potential of kratom is too large to be ignored (Swogger et al., 2015). The 23,000+ comments submitted to the federal register in response to the DEA’s proposed scheduling action also provide a vast collection of anecdotal data suggesting profound therapeutic benefits for kratom (DEA, 2016a). Another piece of evidence suggesting that kratom

may have significant therapeutic potential is that US patents have been issued for companies and individuals who are interested in developing kratom-based drugs (Heyworth, 1964; Takayama, Kitajima, Matsumoto, & Horie, 2008). Together, these observations provide evidence that kratom may have potentially useful therapeutic effects, and that well-controlled clinical trials are urgently needed to evaluate the safety and efficacy of kratom and its principal alkaloid mitragynine.” (p. X)

2.4.2.4.2 Kratom Use During the COVID-19 Pandemic

Müller, Hillemacher & Müller (2021) published a case history of the use of kratom to self-manage anxiety and depression during the COVID-19 pandemic. They reported:

“Altogether, the present report may add evidence for long-term instrumentalization of Kratom for self-management of major depression and general anxiety disorder and Morbus Meniere. It also evidences the boundaries of drug instrumentalization when environmental conditions change, such as during increased psychological stress in the COVID-19 pandemic.” (p. 3)

In the first half-year of the COVID-19 pandemic, Singh, Brown, Cinosi, et al. (2020) discussed how the pandemic may have affected kratom supply and use drawing on observations from researchers globally as well as kratom suppliers and marketers from the SEA region. Their observations included the following:

“The widespread use of kratom and consistent reports of its benefits or therapeutic value that are important to users raises the question: would sudden decreases in the availability of the plant have negative impacts on kratom users? Various internet studies found that some kratom users are concerned about the possibility of relapsing to opioids and/or seeking alternative, possibly questionable, sources of kratom if products become less readily available. This is a serious concern as kratom, not currently regulated as a dietary supplement, may be adulterated by unscrupulous traders and cause users to relapse to opioid use and inevitably experience a significant increase in overdose risk (7, 9, 14–17). Indeed, there is evidence to suggest that the COVID-19 pandemic has been associated with increased drug overdose deaths and that the reduced access to conventional treatment, as well as mutual-aid groups, is a plausible contributing factor (18), though it is unknown whether diminished access to kratom has explicitly contributed to any overdose deaths.” (p. 1)

Note that similar concerns as expressed above were also discussed by US DHHS, Assistant Secretary of Health Dr. Giroir in his August 2018 formal rescission of the October 2017 recommendation developed by the FDA to permanently list MG and 7-OH-MG as Schedule I drugs, which would have abruptly banned legal consumer sales and possession (see below).

As of 2021, it has already been estimated by the US Centers for Disease Control and Prevention (CDC) that total drug overdose deaths rose nearly 30% in 2020 to more than 93,000 in the US (Ahmad, Rossen & Sutton, 2021). The actual impact on kratom use and supply related to the COVID-19 pandemic may not be understood for a year or more to come but would seem to merit further study. Given that a major use of kratom is as a less harmful substitute for opioids and the absence of evidence suggesting that it has contributed to the opioid epidemic (see Factors 4, 5 and 6 and Henningfield, Raffa, Garcia-Romeu & Doshi,

2018), it is hypothesized that kratom access may have prevented many deaths. Regardless of the actual and probably complex relationship, this merits study.

2.4.2.4.3 Potential Effects of Inappropriate Regulation

Public health risks of regulation, including decisions as to where public health is better served by scheduling or not scheduling substances and products, must consider the risks and benefits of decisions. For example, the leading nicotine replacement medicines (gum, lozenge and patch) were not listed in the CSA despite meeting all criteria for CSA control and other risks. Additionally, they were converted to over-the-counter status due to their lower abuse potential and addiction risk and better safety profile than cigarettes (FDA, 1995, 1996; Henningfield, 2011). Similarly, common cough, cold and allergy products (e.g., diphenhydramine and dextromethorphan and caffeine), substances that lead to dependence and withdrawal, are not scheduled in the US or globally. This illustrates the point that drug scheduling and control actions in the US and internationally consider the public health risks and benefits of scheduling actions in the determination of whether drugs are scheduled or not and if they are controlled, which schedule they are placed in (Spillane & McAllister, 2003)

Survey findings and internet monitoring provided no compelling evidence that kratom was fueling the opioid epidemic but provided substantial evidence that kratom offered a life-saving path away from opioids. It appeared that DEA shared similar concerns and that US DHHS agreed. Although DEA proposed scheduling kratom in August 2016, within approximately one month they withdrew the proposal inviting public comment and FDA input (DEA, 2016). This was in response to thousands of comments from kratom consumers describing kratom's health benefits, its use as an opioid replacement, and fear of a relapse to opioids if kratom was scheduled. The DEA Administrator, Chuck Rosenberg, explained that withdrawing kratom from the market could pose risks to people who used kratom to abstain from opioids and a relapse could put them at risk of an overdose death. Assistant Secretary of DHHS, Dr. Giroir, in his MG and 7-OH-MG scheduling rescission letter stated:

“Furthermore, there is a significant risk of immediate adverse public health consequences for potentially millions of users if kratom or its components are included in Schedule I, such as:

- Suffering with intractable pain;
- Kratom users switching to highly lethal opioids, including potent and deadly prescription opioids, heroin, and/or fentanyl, risking thousands of deaths from overdoses and infectious diseases associated with IV drug use;
- Inhibition of patients discussing kratom use with their primary care physicians leading to more harm, and enhancement of stigma thereby decreasing desire for treatment, because of individual users now being guilty of a crime by virtue of their possession or use of kratom;
- The stifling effect of classification in Schedule I on critical research needed on the complex and potentially useful chemistry of components of kratom.”

Assistant Secretary Giroir also noted:

“I am also concerned about the impact of scheduling kratom on our ability to conduct research, especially survey research and our current inability to routinely test for kratom in those brought into an emergency room as a result of a possible overdose.”

Concerns about these foreseeable risks if kratom was banned for sale and criminalized for consumer possession were expanded in several published articles (e.g., Grundmann, Babin, Henningfield, et al., 2021; Grundmann, Brown, Henningfield, et al., 2018), and joint expert report/letters to the DEA, DHHS, FDA, NIDA, White House and Congressional leaders (Henningfield, Swogger, Walsh, Kruegel, et al., 2018a, 2018b). A critique of FDA’s own 8-FA (FDA, 2017a) by kratom and substance abuse experts and those experienced in drug scheduling was also published (Henningfield, Babin, Boyer, et al., 2018). These analyses raised concerns in addition to those raised by Assistant Secretary Giroir. These included the foreseeable consequence of a rapidly developing kratom black market increasing the problems of product adulteration and quality, instead of gaining the benefits of legally regulated kratom with standards for purity, packaging, labeling, marketing, and claims.

2.4.2.5 Factor 4, 5, and 6 Updated Conclusions

The most important finding from substantially more survey evidence in the US is that the surveys do not support the conclusion that kratom products and kratom’s primary active alkaloid, MG, pose a “serious imminent threat to public health”. This extensive survey update supports the Henningfield, Fant & Wang (2018) conclusion:

“There has been no documented threat to public health that would appear to warrant emergency scheduling of the products and placement in Schedule I of the CSA carries risks of creating serious public health problems... Although kratom appears to have pharmacological properties that support some level of scheduling, if it was an approved drug, placing it into Schedule I, thus banning it, risks creating public health problems that do not presently exist”.

Conversely, the evidence is affirmative that millions of people in the US purchase and use kratom products for the health benefits they provide and are preferred to FDA approved medicines because for them, kratom products are more effective, accessible, and tolerable. Furthermore, many prefer managing health problems with natural products.

For those using kratom products in place of opioids, which appears to be approximately 1/3 of all kratom users, it is foreseeable that removing kratom from the legal marketplace would put many at risk of returning to opioid use and risking opioid overdose death. This was clearly stated in comments to the DEA and public hearings as reported in the 2018 8-FA, and in surveys. As stated by Assistant Secretary Dr. Giroir, as noted earlier:

“Furthermore, there is a significant risk of immediate adverse public health consequences for potentially millions of users if kratom or its components are included in Schedule I, such as: ... Kratom users switching to highly lethal opioids, including potent and deadly prescription opioids, heroin, and/or fentanyl, risking thousands of deaths from overdoses and infectious diseases associated with IV drug use...” (Giroir, 2018).

As noted in Factor 1, the survey data are consistent with comments by kratom users to DEA^{13,14,15,16} and FDA^{17, 18} that were summarized in the Henningfield, Fant & Wang, 2018 kratom 8-FA, as well as with comments in public hearings in cities and states that have been considering, and in many cases, implementing kratom regulations, to ensure access to kratom and provide some regulatory oversight over products and marketing. Although some commentators describe addiction to kratom, the most common themes are used for health and well-being, including to stay off opioids. Although not scientific surveys, these comments from real world kratom users provide an important complement to the scientific findings.

2.5 Factor 7 – The Psychic or Physiological Dependence Liability

2.5.1 Summary of 2018 Findings:

Psychic dependence has been commonly referred to in recent years simply as “dependence” (APA, 1994; WHO, 1994) or by the 5th edition of the APA’s Diagnostic and Statistical Manual as “substance use disorder” and more commonly as “addiction” though definitions of addiction vary widely. Physiological dependence is often used interchangeably with the most common measure of physiological dependence, namely “withdrawal” which is also considered a clinical disorder (APA, 2013). In the 2018 8-FA, Henningfield, Fant & Wang (2018) concluded:

“There have not been laboratory studies of physical or psychological dependence or abuse potential in humans caused by kratom.” Nor had classic animal studies of employing the drug self-administration and physical dependence/withdrawal model been conducted as have been conduct since 2018 (see Factor 2 in this report).” (p. 584)

Nonetheless, the real-world evidence in the published literature supported the following conclusions:

“...abrupt discontinuation [of kratom use] may be accompanied by withdrawal symptoms that are qualitatively similar but generally weaker than those observed following discontinuation of opioids. However, such reports make it difficult to disentangle the emergence of preexisting symptoms that had been mitigated by kratom use from those

¹³ See 22,232 comments to the DEA in 2016 at <https://www.regulations.gov/document/DEA-2016-0015-0006/comment>

¹⁴ An Excel file of the comments is available at https://www.dropbox.com/s/6txmv91536oujhg/DOCKET_DEA-2016-0015.xlsx?dl=0

¹⁵ An analysis of the comments where a comment ID allowed for a classification of the source of the comment (conducted on 19,419 of the comments) is available at https://www.dropbox.com/s/h1b4qz36lzm1d5/KratomCommentProject_DataSet%20-%20STATISTICS_VERIFIABLE_DATA.pdf?dl=0

¹⁶ A general summary news release of the foregoing analysis is available at <https://www.prnewswire.com/news-releases/review-of-dea-kratom-public-comments-shows-strong-support-among-vets-doctors-cops-and-seniors-for-coffee-like-herb-300401575.html>

¹⁷ Public comments concerning the benefits of kratom as life-saving assets with respect to the opioid epidemic were also made orally and in written submissions to the FDA and NIDA April 17, 2018 Public Meeting on Patient-Focused Drug Development for Opioid Use Disorder at <https://www.fda.gov/industry/prescription-drug-user-fee-amendments/public-meeting-patient-focused-drug-development-opioid-use-disorder>.

¹⁸ Written comments for the docket are at <https://www.regulations.gov/document/FDA-2018-N-0987-0001/comment>

that occur as a physiological rebound accompanying the abrupt discontinuation of kratom use in kratom-dependent people. More studies of kratom’s potential to produce physical dependence, tolerance, and withdrawal are needed to characterize the nature and severity, and determinants of abstinence-associated symptoms.” (p.584)

2.5.2 Factor 7 Science Updates:

There have been new research findings, a systematic review, and a review by an international consortium of kratom experts that contribute to a significant advance in knowledge on the psychic and physiological dependence potential of kratom.

The systematic review of kratom use and mental health discussed earlier in Factors 4, 5 and 6 by Swogger & Walsh (2018) provided additional perspectives related to kratom’s potential to produce dependence or addiction (also referred to as a substance use disorder, APA, 2013), and physical dependence and withdrawal. The researchers concluded:

“Kratom withdrawal symptoms resemble the opioid withdrawal syndrome (Miranda and Taca, 2017). Extant data suggest that kratom’s withdrawal syndrome is uncomfortable, but generally milder and of shorter duration than is characteristic of opioid withdrawal (Singh et al., 2015; Swogger et al., 2015).” (p. 137).

Regarding dependence, Swogger & Walsh (2018) concluded:

“There is good evidence that kratom dependence is typically less severe than opioid dependence, with which kratom shares some mechanisms of action (Hassan et al., 2013). Moreover, unlike opioids, kratom use does not appear to result in significant respiratory depression (Kruegel et al., 2016) and is thus far less likely to cause fatal overdose. The perception that kratom is a milder and less dangerous opioid-like psychoactive substance is supported by the uptake of kratom use as an opiate substitute (Vicknasingam et al., 2010) and is consistent with data on the unimpaired social functioning of regular kratom users (Singh et al., 2015). For future research on the effects of heavy kratom use, a scale designed to measure kratom dependence has shown good preliminary reliability and validity (Scale; Saingam et al., 2014).” (p. 138)

The international consortium of leading kratom researchers mentioned earlier in Factors 4, 5 and 6 also assessed dependence and withdrawal associated with kratom use. According to Prozialeck, et al., 2019):

“Regular use of kratom, particularly at higher doses, can lead to tolerance and dependence (Galbis-Reig, 2016; Singh et al., 2014; Swogger & Walsh, 2018; Yusoff, et al., 2016).” (p. 73)

However, available human reports suggest that abstinence from kratom is typically associated with milder symptomatology than abstinence from classical opioids (Erowid, 2017; Henningfield, et al., 2020; Singh, et al., 2014, Singh, et al., 2016; Singh, Narayanan, Müller, et al., 2018; Swogger, et al., 2015). At the same time, although these reports indicate that the effects of kratom can, in some ways, resemble those of opioids, many individuals report that the subjective effects of kratom are quite different from those of opioids. As noted previously, low to moderate doses of kratom tend to be somewhat stimulating, rather than sedating, and

do not produce the “high” or strong euphoric effects associated with opioids, although some users have reported intoxication and euphoria after using higher doses (Erowid, 2017; Henningfield, et al., 2020; Singh, et al., 2016; Swogger, et al., 2015). This distinct spectrum of effects, including attenuated euphoria and abuse potential, is supported by two recent preclinical studies, which found that mitragynine is not self-administered by rats (Hemby, McIntosh, Leon, Cutler & McCurdy, 2019; Yue, Kopajtic & Katz, 2018). Further, even at high doses, kratom does not appear to severely depress respiration as do classical opioids (Singh, et al., 2014, 2016). Thus, even though kratom has some potential for abuse and dependence, several investigators have concluded that kratom has both less abuse liability and much lower risk of fatal overdose than traditional opioids and that the potential benefits of kratom in the treatment of OUD may outweigh these risks (Henningfield, Fant & Wang, 2018; Singh, et al., 2014, 2015, 2016; Swogger, et al., 2015). This does not mean that kratom is not sometimes used by people to get high and/or intoxicated because such use has been documented (Swogger, et al., 2015). Such findings were also considered by Henningfield, Fant & Wang (2018).

The Vicknasingam, et al. (2020) study included in Factor 2 that evaluated kratom’s effects on pain tolerance in a clinical trial also assessed potential withdrawal signs using the Clinical Opiate Withdrawal Scale (COWS) comparing scores on days that the participants were administered placebo to days that participants were administered a kratom concoction (Vicknasingam, et al., 2020). Although this study was not designed to be a definitive withdrawal assessment study, and did not include an opioid comparator, it would have been likely that people who were using opioids multiple times per day for many years would have experienced pronounced withdrawal symptoms. In this study the authors concluded as follows:

“None of the participants reported withdrawal symptoms either using spontaneous self-report or had significant withdrawal symptoms based on the COWS scores. All urine toxicology screens conducted at the end of the testing day were negative.” (p. 236)

“All participants reported long histories of daily kratom consumption, with high frequency of daily consumption and substantial amounts consumed. It is not possible to quantify these reports into markers that could be used to approximate amounts of plant material or active ingredients consumed. However, despite the reported long duration and high levels of daily kratom consumption, during documented kratom discontinuation lasting from 10 to 20 hours, no participant reported or displayed discomfort, symptoms, or signs of potential withdrawal symptoms.” (p. 236)

Leong Bin Abdullah, Yuvashnee & Singh (2021) studied kratom users in Malaysia to assess potential symptoms related to kratom dependence and withdrawal. They concluded:

“In the context of regular kratom use, most people with kratom use experience some anxiety and depressive symptoms during kratom withdrawal. . .

Greater Kratom Dependence Scale (KDS) score and longer duration of kratom use were significant predictors of physical health Quality of Life (QoL), while only greater KDS score significantly predicted psychological and environment QoL scores. Prolonged kratom use and kratom dependence may negatively impact the QoL of people who use kratom, hence kratom addiction has to be treated adequately.” (p. 1)

Garcia-Romeu, Cox, Smith, et al. (2020) conducted a survey that specifically asked questions about potential withdrawal symptoms associated with discontinuation of kratom use. They concluded as follows

“Kratom-related withdrawal symptoms were reported by 9.5 % of respondents with another 17.5 % reporting possible kratom-related withdrawal.” (p. 4)

“This study supports the results of previous studies (Coe et al., 2019; Grundmann, 2017; Smith and Lawson, 2017; Swogger et al., 2015) by suggesting that kratom has a relatively benign risk profile compared to typical opioids, with only a minority of respondents endorsing kratom-related adverse effects, withdrawal symptoms, or problematic use.” (p. 6)

The survey by Coe, Henningfield, Pillitteri, et al. (2019) also asked questions related to potential kratom use associated dependence and discontinuation related withdrawal. They concluded as follows:

“The survey did not address whether respondents experienced any physical dependence or craving as a result of kratom use, but it appears likely that chronic kratom use is associated with physical dependence and withdrawal, albeit both are reportedly milder and more readily self-managed compared to opioid dependence and withdrawal (Singh et al., 2014, 2016; 2018). Furthermore, kratom use and dependence reportedly do not interfere with social, family, and occupational functioning (Singh et al., 2014, 2016; Swogger and Walsh, 2018; Vicknasingam et al., 2010) to the extent that conventional opioids do.” (p. 30) This conclusion is similar to Grundmann’s (2017) findings.

The foregoing conclusions are also consistent with those of Grundmann, Babin, Henningfield, et al. (2021) who stated as follows “Some user reports suggest that regular kratom consumption carries risks of dependency and addiction, though with generally self-manageable withdrawal (12).” (p. 1)

Another study employed widely used psychiatric instruments (Beck Depression Inventory and Beck Anxiety Inventory) to assess potential symptoms of anxiety and depression that may accompany abrupt discontinuation of kratom use in chronic kratom consumers in Malaysia. (Singh, Narayanan, Müller et al., 2018). Singh, et al. (2018) concluded:

“Most respondents (70%) experienced symptoms of mild anxiety, while 81% experienced symptoms of mild depression during kratom cessation. Those who consumed higher quantities of kratom tea daily (≥ 4 glasses) had higher odds of reporting longer duration of kratom use history..., higher frequency of daily kratom use (≥ 4 times) ..., and were more likely to experience moderate symptoms of depression during kratom cessation than those who consumed between one and three glasses of kratom tea per day. Cessation from regular and long-term kratom tea consumption was not associated with symptoms of high anxiety or depression.” (p.1)

Nonetheless, it is evident that some fraction of chronic heavy kratom users exhibit strong dependence or use disorder, albeit with generally moderate withdrawal symptoms (Singh, Narayanan, Müller et al., 2018). In many such cases, the people had preexisting opioid or

other substance use disorders and/or were using kratom to self-manage chronic pain. It is not known what fraction of kratom users experience what might be termed a kratom use disorder (even though this term is not an APA, 2013 recognized term). Surveys by Grundmann (2017), Coe, et al. (2019), and Garcia-Romeu, et al. (2020) suggest that 5-10% of kratom users report some level of dependence with evidence suggesting that it is tolerable, manageable and not disruptive to life demand for most people. However, as noted in the 2018 scheduling recission letter by Assistant Secretary of Health Giroir, the number is not known and is important to know, particularly before any effort to substantially restrict kratom access.

Swogger & Walsh (2018) concluded as follows “In conclusion, kratom use appears to have several important mental health benefits that warrant further study. Kratom dependence is a risk for some people, though the dependence syndrome appears to be mild in its psychosocial and physiological effects relative to that of opioids.” (p. 139)

2.5.3 Factor 7 Updated Conclusions

Several surveys in the US, field studies in Malaysia, and a clinical trial of pain relief efficacy that included assessment of withdrawal support the conclusions of the 2018 8-FA. The main findings are that some people report dependence/addiction and/or withdrawal. The likelihood is generally related to higher levels of chronic daily consumption. In general, it is more readily self-managed and less likely to interfere with occupational, social and family activities and responsibilities as dependencies to opioids, alcohol, stimulants and other drugs of abuse. Many users had histories of opioids and/or other addictive drug use and so the degree to which their addiction to kratom is a new addiction cannot readily be ascertained.

For some people for whom kratom use is considered by themselves and/or others to be a serious problem, they should have the same access to treatment as anyone else with a substance use disorder. Many addiction treatment providers already advertise and offer kratom use disorder treatment assistance. Use of opioids such as methadone and buprenorphine should be used judiciously with people seeing help to manage their kratom use disorder and/or withdrawal. If they were formerly and perhaps still using opioids, then the possibility of treatment with buprenorphine or methadone may be more helpful and appropriate if kratom is not satisfactory. However, for people without prior histories of recreational opioid use and dependence, using buprenorphine or methadone as a treatment may be introducing them to opioids and may not be the best option. For some people that might be like treating unwanted caffeine dependence with amphetamine to replace the caffeine.

3 Conclusions Based on New Studies since January 1, 2018

- *Since the Henningfield, Fant & Wang (2018) 8-FA, there have been over 100 new published scientific studies, reviews and commentaries by leading kratom experts, and an accelerating research pipeline funded in part by the US National Institutes of Health (NIH), National Institute on Drug Abuse (NIDA). These studies provide an increasingly strong evidence base for regulation and policy.*
- *Nature got it right. There is a convergence of studies showing that the main natural constituent of kratom that accounts for the reasons people use kratom is MG which carries relatively low abuse and health risks. 7-OH-MG naturally occurs at very low*

levels and product standards should prevent marketing of products with levels higher than those that appear to carry little risk.

- *Evidence does not support the conclusion that kratom is an imminent public health threat or that it is fueling the opioid and drug overdose epidemic that led to more than 93,000 deaths in 2020. Rather, the evidence supports the conclusion that for many people, kratom is a path away from opioids and other drugs to help self-manage craving and withdrawal for people who find kratom more effective, accessible, acceptable, tolerable, and/or prefer natural products.*
- *Animal drug self-administration and physical dependence/withdrawal studies show low abuse potential and withdrawal risks of kratom relative to opioids. Furthermore, these studies also show that MG administration can reduce self-administration of morphine and heroin as well as withdrawal from morphine. These findings are consistent with human surveys and studies showing that addiction risks for kratom are overall low as compared to opioids.*
- *Numerous surveys and field studies of kratom users have been conducted in the US and Malaysia. These studies largely confirm the large US survey published by Dr. Grundmann (2017). Most US kratom users are 30-50 years old, employed and have some college education and healthcare. Leading reasons for use are to self-manage pain, depression, anxiety, to increase focus and alertness analogous to caffeinated beverage use and to self-manage opioid and other substance use disorders to relieve craving and withdrawal and often the pain that motivates such drug use.*
- *Surveys also show that users fear a kratom ban and the risks of resumption of opioid and other drug use, and/or turning to illicitly marketed kratom. This makes it foreseeable that thousands of people would be at risk of opioid overdose and other mortality risks associated with illicit drug use, injection drug use, and adulterated kratom products.*
- *Studies of kratom's alkaloids support the conclusion that that MG and other alkaloids are not appropriately categorized as opioids, as they are diverse in their activity, effects, and mechanisms of action. Moreover, the primary active constituent of kratom, MG, does not produce the signature powerfully rewarding and lethal respiratory depressant effects that characterize morphine-like opioids.*
- *Kratom PK and safety studies include examination of the pharmacokinetics (PK) and pharmacodynamics (PD) in rats and dogs by oral and intravenous administration of many kratom alkaloids in addition to MG. MG, at human dose equivalents many times higher than humans take, are without acute serious adverse effects and little evidence of respiratory depressant effect.*
- *Six clinical studies evaluated the effects of long term kratom use on a variety of physiological parameters including kidney and liver function, hematological parameters, cognition, and on brain function by brain magnetic resonance imaging. Although these were relatively small studies, none suggest serious adverse consequences of long term*

kratom use. It is important to note that these are not definitive safety studies and cannot be used to claim that kratom has no adverse effects on any of the studied physiological domains and limitations of each study were noted in the publications. Nonetheless, the findings are encouraging and should facilitate the conduct of more comprehensive follow-up studies.

- *New medicines development efforts are developing new molecules as analogs of MG and other kratom alkaloids as possible safer and/or more effective treatments for pain, addiction, depression and other disorders, due to the promising findings with kratom and its naturally occurring alkaloids. Though, it is likely that it may be a decade or more before they result in New Drug Applications to the FDA.*
- *The pipeline of research and new science has been enhanced in quantity and quality not only by funding from the US National Institutes of Health (NIH) and other organizations but as well by regular scientific conferences that are fostering global collaboration and cooperation in an exciting new frontier in search of safer and more effective ways to manage health and well-being. Such efforts are working and should be expanded.*
- *Kratom regulation would be better informed by scientific and public health conversation by active collaboration among CDC, DEA, FDA, NIDA, and the Substance Abuse and Mental Health Services Administration. Kratom science should be accelerated by increased kratom research funding to NIDA, as well as to support increased surveillance that is specific to kratom. An annual report should be provided by multi-agency committee with updates on the state of kratom science and annual surveillance, perhaps led by NIDA.*
- *An important development that relates to overall safety and health benefits and risks that is a regulatory and policy update and is not included in the science updates: at the time of this writing, five states (Arizona, Georgia, Nevada, Utah, and Oklahoma) have enacted laws referenced as the Kratom Consumer Protection Act (KCPA). The KCPA establishes a regulatory framework to protect consumers from unsafe and adulterated kratom products that require adherence to good manufacturing standards (GMP) to ensure purity; requires testing for contaminants; prohibits adding any dangerous substances to kratom products; forbids boosting the alkaloid levels of MG and 7-OH-MG over those present in the natural kratom plant; bars synthesizing any of the alkaloids; requires registration and product testing; prohibits any therapeutic health claims; and forbids sales to minors. These KCPA laws provide needed consumer protections for consumers. To illustrate the kratom regulatory framework for the Utah KCPA, the Utah Department of Agriculture rule on kratom can be found [at https://aq.utah.gov/businesses/regulatory-services/kratom/](https://aq.utah.gov/businesses/regulatory-services/kratom/) . For updates on the status of KCPA legislation in other states, visit the American Kratom Association website at <https://www.amerikratom.org/advocacy/aka-in-your-state.html> .*

4 References

- Ahmad, F. B., Rossen, L. M. & Sutton, P. (2021). Provisional drug overdose death counts. National Center for Health Statistics. Retrieved from <https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm>
- American Kratom Association. (2019). The increase in consumer use of kratom in the United States, June 2019. Retrieved from http://www.amerikratom.org/images/Kratom_Population_2019.pdf
- American Psychiatric Association. (1994). Diagnostic and Statistical Manual of Mental Disorders 4th Edition (DSM-IV).
- American Psychiatric Association. (2013). Diagnostic and Statistical Manual of Mental Disorders 5th Edition (DSM-5). Arlington, VA.
- Anwar, M., Law, R. & Schier, J. (2016). Notes from the Field: Kratom (*Mitragyna speciosa*) exposures reported to poison centers - United States, 2010-2015. *MMWR Morb Mortal Wkly Rep*, 65(29), 748-749. doi:10.15585/mmwr.mm6529a4
- Avery, B. A., Boddu, S. P., Sharma, A., Furr, E. B., Leon, F., Cutler, S. J. & McCurdy, C. R. (2019). Comparative pharmacokinetics of mitragynine after oral administration of *Mitragyna speciosa* (kratom) leaf extracts in rats. *Planta Med*, 85(4), 340-346. doi:10.1055/a-0770-3683
- Babin, J. (2018). The FDA kratom death data: Exaggerated claims, discredited research, and distorted data fail to meet the evidentiary standard for placing kratom as a Schedule I controlled substance. Retrieved from http://kslegislature.org/li_2018/b2017_18/committees/ctte_h_hhs_1/documents/testimony/2018_0305_01.pdf
- Behnood-Rod, A., Chellian, R., Wilson, R., Hiranita, T., Sharma, A., Leon, F., . . . Bruijnzeel, A. W. (2020). Evaluation of the rewarding effects of mitragynine and 7-hydroxymitragynine in an intracranial self-stimulation procedure in male and female rats. *Drug Alcohol Depend*, 215, 108235. doi:10.1016/j.drugalcdep.2020.108235
- Belouin, S. J. & Henningfield, J. E. (2018). Psychedelics: Where we are now, why we got here, what we must do. *Neuropharmacology*, 142, 7-19. doi:10.1016/j.neuropharm.2018.02.018
- Bhowmik, S., Galeta, J., Havel, V., Nelson, M., Faouzi, A., Bechand, B., . . . Sames, D. (2021). Site selective C-H functionalization of *Mitragyna* alkaloids reveals a molecular switch for tuning opioid receptor signaling efficacy. *Nat Commun*, 12(1), 3858. doi:10.1038/s41467-021-23736-2
- Center for Behavioral Health Statistics and Quality. (2017). 2016 National Survey on Drug Use and Health: Detailed Tables. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2018). 2017 National Survey on Drug Use and Health: Detailed Tables. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Center for Behavioral Health Statistics and Quality. (2020a). Results from the 2019 National Survey on Drug Use and Health: Detailed tables. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>

Center for Behavioral Health Statistics and Quality. (2020b). Results from the 2019 National Survey on Drug Use and Health: Detailed Tables - Table 1.123B. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/report/2019-nsduh-detailed-tables>

Centers for Disease Control and Prevention. (2021). Provisional drug overdose death counts. National Center for Health Statistics. Retrieved from <https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm>

Chakraborty, S., Uprety, R., Daibani, A. E., Rouzic, V. L., Hunkele, A., Appourchaux, K., . . . Majumdar, S. (2021). Kratom alkaloids as probes for opioid receptor function: Pharmacological characterization of minor indole and oxindole alkaloids from kratom. *ACS Chem Neurosci*. doi:10.1021/acschemneuro.1c00149

Chear, N. J., Leon, F., Sharma, A., Kanumuri, S. R. R., Zwolinski, G., Abboud, K. A., . . . McCurdy, C. R. (2021). Exploring the chemistry of alkaloids from Malaysian *Mitragyna speciosa* (Kratom) and the role of oxindoles on human opioid receptors. *J Nat Prod*, 84(4), 1034-1043. doi:10.1021/acs.jnatprod.0c01055

Coe, M. A., Pillitteri, J. L., Sembower, M. A., Gerlach, K. K. & Henningfield, J. E. (2019). Kratom as a substitute for opioids: Results from an online survey. *Drug Alcohol Depend*, 202, 24-32. doi:10.1016/j.drugalcdep.2019.05.005

Covvey, J. R., Vogel, S. M., Peckham, A. M. & Evoy, K. E. (2020). Prevalence and characteristics of self-reported kratom use in a representative US general population sample. *J Addict Dis*, 38(4), 506-513. doi:10.1080/10550887.2020.1788914

Dabrowska, A. & Thaul, S. (2018). How FDA approves drugs and regulates their safety and effectiveness. Congressional Research Service. Case Report Prepared for Members and Committees of Congress. May 8, 2018. Retrieved from <https://fas.org/sqp/crs/misc/R41983.pdf>

DiMasi, J. A., Grabowski, H. G. & Hansen, R. W. (2016). Innovation in the pharmaceutical industry: New estimates of R&D costs. *J Health Econ*, 47, 20-33. doi:10.1016/j.jhealeco.2016.01.012

Domnic, G., Chear, N. J., Abdul Rahman, S. F., Ramanathan, S., Lo, K. W., Singh, D. & Mohana-Kumaran, N. (2021). Combinations of indole based alkaloids from *Mitragyna speciosa* (Kratom) and cisplatin inhibit cell proliferation and migration of nasopharyngeal carcinoma cell lines. *J Ethnopharmacol*, 279, 114391. doi:10.1016/j.jep.2021.114391

Domnic, G., Narayanan, S., Mohana-Kumaran, N. & Singh, D. (2021). Kratom (*Mitragyna speciosa* Korth.) an overlooked medicinal plant in Malaysia. *J Subst Use*, 1-6.

Drug Abuse Warning Network. (2020). Preliminary DAWN Data Review. Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/report/preliminary-dawn-data-review>

Erowid. (2017). Erowid experience vaults: kratom (also mitragyna speciosa) reports. Retrieved from https://erowid.org/experiences/subs/exp_Kratom_General.shtml

Galbis-Reig, D. (2016). A case report of kratom addiction and withdrawal. *WMJ*, 115(1), 49-52; quiz 53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27057581>

Garcia-Romeu, A., Cox, D. J., Smith, K. E., Dunn, K. E. & Griffiths, R. R. (2020). Kratom (*Mitragyna speciosa*): User demographics, use patterns, and implications for the opioid epidemic. *Drug Alcohol Depend*, 208, 107849. doi:10.1016/j.drugalcdep.2020.107849

Gershman, K., Timm, K., Frank, M., Lampi, L., Melamed, J., Gerona, R. & Monte, A. & A. (2019). Deaths in Colorado attributed to kratom. *N Engl J Med*, 380(1), 97-98. doi:10.1056/NEJMc1811055

Giroir, B. P. (2018). August 16, 2018 letter from the Assistant Secretary of Health to the Administrator of the Drug Enforcement Administration to rescind previous support to permanently place mitragynine and 7-hydroxymitragynine in Schedule I of the Controlled Substances Act. Retrieved from https://images.go02.informamarkets.com/Web/Informa02/%7b548e6d56-2ea4-4da4-9404-0348b56e9a88%7d_dhillon-8.16.2018-response-letter-from-ash-radm-giroir.pdf

Grundmann, O. (2017). Patterns of Kratom use and health impact in the US-Results from an online survey. *Drug Alcohol Depend*, 176, 63-70. doi:10.1016/j.drugalcdep.2017.03.007

Grundmann, O., Babin, J. K., Henningfield, J. E., Garcia-Romeu, A., Kruegel, A. C., Prozialeck, W. C., . . . Smith, K. E. (2021). Kratom use in the United States: a diverse and complex profile. *Addiction*, 116(1), 202-203. doi:10.1111/add.15173

Grundmann, O., Brown, P. N., Henningfield, J., Swogger, M. & Walsh, Z. (2018). The therapeutic potential of kratom. *Addiction*, 113(10), 1951-1953. doi:10.1111/add.14371

Gummin, D. D., Mowry, J. B., Beuhler, M. C., Spyker, D. A., Brooks, D. E., Dibert, K. W., . . . Ryan, M. L. (2020). 2019 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 37th Annual Report. *Clin Toxicol (Phila)*, 58(12), 1360-1541. doi:10.1080/15563650.2020.1834219

Gummin, D. D., Mowry, J. B., Spyker, D. A., Brooks, D. E., Beuhler, M. C., Rivers, L. J., . . . Ryan, M. L. (2019). 2018 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 36th Annual Report. *Clin Toxicol (Phila)*, 57(12), 1220-1413. doi:10.1080/15563650.2019.1677022

Gummin, D. D., Mowry, J. B., Spyker, D. A., Brooks, D. E., Fraser, M. O. & Banner, W. (2017). 2016 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 34th Annual Report. *Clin Toxicol (Phila)*, 55(10), 1072-1252. doi:10.1080/15563650.2017.1388087

- Gummin, D. D., Mowry, J. B., Spyker, D. A., Brooks, D. E., Osterthaler, K. M. & Banner, W. (2018). 2017 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 35th Annual Report. *Clin Toxicol (Phila)*, 56(12), 1213-1415. doi:10.1080/15563650.2018.1533727
- Gutridge, A. M., Robins, M. T., Cassell, R. J., Uprety, R., Mores, K. L., Ko, M. J., . . . van Rijn, R. M. (2020). G protein-biased kratom-alkaloids and synthetic carfentanil-amide opioids as potential treatments for alcohol use disorder. *Br J Pharmacol*, 177(7), 1497-1513. doi:10.1111/bph.14913
- Harun, N., Johari, I. S., Japarin, R. A., Bakar, S. N. S., Mat, N. H., Hassan, Z. & Hassan, H. (2021a). Naloxone-precipitated mitragynine withdrawal did not associate with increased anxiety-like behaviour in rats. *Malays J Biochem Mol Biol*, 24(1), 100-107.
- Harun, N., Johari, I. S., Japarin, R. A., Suhaimi, F. W., Hassan, Z. & Shoaib, M. (2021b). Current perspectives on the therapeutic potential of *Mitragyna speciosa* and its derivatives on animal model. *TJPS*, 45(3), 195-201.
- Harun, N., Johari, I. S., Mansor, S. M. & Shoaib, M. (2020). Assessing physiological dependence and withdrawal potential of mitragynine using schedule-controlled behaviour in rats. *Psychopharmacology (Berl)*, 237(3), 855-867. doi:10.1007/s00213-019-05418-6
- Hassan, R., Othman, N., Mansor, S. M., Müller, C. P. & Hassan, Z. (2021). Proteomic analysis reveals brain Rab35 as a potential biomarker of mitragynine withdrawal in rats. *Brain Res Bull*, 172, 139-150. doi:10.1016/j.brainresbull.2021.04.018
- Hassan, R., Pike See, C., Sreenivasan, S., Mansor, S. M., Müller, C. P. & Hassan, Z. (2020). Mitragynine attenuates morphine withdrawal effects in rats—a comparison with methadone and buprenorphine. *Front Psychiatry*, 11, 411. doi:10.3389/fpsy.2020.00411
- Hassan, R., Sreenivasan, S., Müller, C. P. & Hassan, Z. (2021). Methadone, buprenorphine, and clonidine attenuate mitragynine withdrawal in rats. *Frontiers in Pharmacology*, 12(1778). doi:10.3389/fphar.2021.708019
- Hassan, Z., Suhaimi, F. W., Ramanathan, S., Ling, K. H., Effendy, M. A., Müller, C. P. & Dringenberg, H. C. (2019). Mitragynine (Kratom) impairs spatial learning and hippocampal synaptic transmission in rats. *J Psychopharmacol*, 33(7), 908-918. doi:10.1177/0269881119844186
- Hemby, S. E., McIntosh, S., Leon, F., Cutler, S. J. & McCurdy, C. R. (2019). Abuse liability and therapeutic potential of the *Mitragyna speciosa* (kratom) alkaloids mitragynine and 7-hydroxymitragynine. *Addict Biol*, 24(5), 874-885. doi:10.1111/adb.12639
- Henningfield, J., Barr, M., Wang, D. & Huestis, M. (2020). Social Media Monitoring versus a Consumer Survey to Elucidate Reasons and Patterns of Intake among Kratom Users. Paper presented at the American College of Neuropsychopharmacology, Virtual Meeting, December 9, 2020.

Henningfield, J. E. (2011). Tobacco psychopharmacology and public health policy: it takes a community. *Exp Clin Psychopharmacol*, 19(4), 249-262. doi:10.1037/a0024316

Henningfield, J. E., Ashworth, J. B., Gerlach, K. K., Simone, B. & Schnoll, S. H. (2019). The nexus of opioids, pain, and addiction: Challenges and solutions. *Prev Med*, 128, 105852. doi:10.1016/j.ypmed.2019.105852

Henningfield, J. E., Babin, J., Boyer, E. W., Brown, P., Garcia-Romeu, A., Griffiths, R. R., Grundmann, O, Hemby, S.E., McCurdy, C.R., Raffa, R.R., Swogger, M.T., and Walsh, Z. (2018). Critique of the FDA's 8-Factor Analysis of Kratom, specifically, mitragynine and 7-hydroxymitragynine. Retrieved from <https://www.americankratom.org/images/file/Scientists-Response-to-FDA-Kratom-8FA--28-Nov-2018-FINAL.pdf>

Henningfield, J. E., Fant, R. V. & Wang, D. W. (2018). The abuse potential of kratom according the 8 factors of the controlled substances act: implications for regulation and research. *Psychopharmacology (Berl)*, 235(2), 573-589. doi:10.1007/s00213-017-4813-4

Henningfield, J. E., Grundmann, O., Babin, J. K., Fant, R. V., Wang, D. W. & Cone, E. J. (2019). Risk of death associated with kratom use compared to opioids. *Prev Med*, 128, 105851. doi:10.1016/j.ypmed.2019.105851

Henningfield, J. E., Grundmann, O., Garcia-Romeu, A. & Swogger, M. T. (2021). We need better estimates of kratom use prevalence. *Am J Prev Med*, Submitted manuscript.

Henningfield, J. E., Raffa, R., Garcia-Romeu, A. & Doshi, T. (2018, June). Kratom and its mitragynines in the opioid crisis: A path to or away from opioids. Paper presented at the College on Problems of Drug Dependence, San Diego, CA.

Henningfield, J. E., Swogger, M. T., Walsh, Z., Kruegel, A. C., Grundmann, O., Garcia-Romeu, A., Raffa, R.R., Griffiths, R.R., and Brown, P. (2018a). Kratom science letter to congressional leaders. Retrieved from [https://www.americankratom.org/images/16 Kratom Scientist Letter to Congressional Leaders June 21 2018 FINAL.pdf](https://www.americankratom.org/images/16%20Kratom%20Scientist%20Letter%20to%20Congressional%20Leaders%20June%2021%202018%20FINAL.pdf)

Henningfield, J. E., Swogger, M. T., Walsh, Z., Kruegel, A. C., Grundmann, O., Garcia-Romeu, A., Raffa, R.R., Griffiths, R.R., and Brown, P. (2018b). Kratom science letter to the White House. Retrieved from <http://www.americankratom.org/images/file/Document%202019%20Science%20Letter%20on%200Kratom%20Sent%20to%20WH%20and%20DEA%20Feb%208%202018.pdf>

Hiranita, T., Leon, F., Felix, J. S., Restrepo, L. F., Reeves, M. E., Pennington, A. E., . . . Wilkerson, J. L. (2019). The effects of mitragynine and morphine on schedule-controlled responding and antinociception in rats. *Psychopharmacology (Berl)*, 236(9), 2725-2734. doi:10.1007/s00213-019-05247-7

Hiranita, T., Sharma, A., Oyola, F. L., Obeng, S., Reeves, M. E., Restrepo, L. F., . . . Williamson, M. R. (2020). Potential contribution of 7-hydroxymitragynine, a metabolite of the primary kratom (*Mitragyna speciosa*) alkaloid mitragynine, to the μ -opioid activity of mitragynine in rats. *FASEB J*, 34(S1), 1-1.

- Jagabalan, J. D. Y., Murugaiyah, V., Zainal, H., Mansor, S. M. & Ramanathan, S. (2019). Intestinal permeability of mitragynine in rats using in situ absorption model. *J Asian Nat Prod Res*, 21(4), 351-363. doi:10.1080/10286020.2018.1461088
- Jagabalan, Y., Zainal, H., Al Ganaby, A., Murugaiyah, V. & Ramanathan, S. (2019). Pharmacokinetic modeling of single dose Kratom (mitragynine) in rats. *Front Pharmacol*, Conference Abstract: International Conference on Drug Discovery and Translational Medicine 2018 (ICDDTM '18) "Seizing Opportunities and Addressing Challenges of Precision Medicine". doi:10.3389/conf.fphar.2018.63.00087
- Japarin, R. A., Yusoff, N. H., Hassan, Z., Müller, C. P. & Harun, N. (2021). Cross-reinstatement of mitragynine and morphine place preference in rats. *Behav Brain Res*, 399, 113021. doi:10.1016/j.bbr.2020.113021
- Johari, I. S., Harun, N., Sofian, Z. M. & Shoaib, M. (2021). Pentylentetrazol-like stimulus is not produced following naloxone-precipitated mitragynine withdrawal in rats. *Psychopharmacology (Berl)*, Online ahead of print. doi:10.1007/s00213-021-05934-4
- Johnson, M. W., Griffiths, R. R., Hendricks, P. S., & Henningfield, J. E. (2018). The abuse potential of medical psilocybin according to the 8 factors of the Controlled Substances Act. *Neuropharmacology*, 142, 143-166. doi:10.1016/j.neuropharm.2018.05.012
- Kamble, S. H., Berthold, E. C., King, T. I., Raju Kanumuri, S. R., Popa, R., Herting, J. R., . . . McCurdy, C. R. (2021). Pharmacokinetics of eleven kratom alkaloids following an oral dose of either traditional or commercial kratom products in rats. *J Nat Prod*, 84(4), 1104-1112. doi:10.1021/acs.jnatprod.0c01163
- Kamble, S. H., León, F., King, T. I., Berthold, E. C., Lopera-Londono, C., Siva Rama Raju, K., . . . McCurdy, C. R. (2020). Metabolism of a kratom alkaloid metabolite in human plasma increases its opioid potency and efficacy. *ACS Pharmacol Transl Sci*, 3(6), 1063-1068. doi:10.1021/acspsci.0c00075
- Kamble, S. H., Sharma, A., King, T. I., Berthold, E. C., Leon, F., Meyer, P. K. L., . . . Avery, B. A. (2020). Exploration of cytochrome P450 inhibition mediated drug-drug interaction potential of kratom alkaloids. *Toxicol Lett*, 319, 148-154. doi:10.1016/j.toxlet.2019.11.005
- Kamble, S. H., Sharma, A., King, T. I., Leon, F., McCurdy, C. R. & Avery, B. A. (2019). Metabolite profiling and identification of enzymes responsible for the metabolism of mitragynine, the major alkaloid of *Mitragyna speciosa* (kratom). *Xenobiotica*, 49(11), 1279-1288. doi:10.1080/00498254.2018.1552819
- Katz, R. (2004). FDA: evidentiary standards for drug development and approval. *NeuroRx*, 1(3), 307-316. doi:10.1602/neuroRx.1.3.307
- King, T. I., Sharma, A., Kamble, S. H., Leon, F., Berthold, E. C., Popa, R., . . . Avery, B. A. (2020). Bioanalytical method development and validation of corynantheidine, a kratom alkaloid, using UPLC-MS/MS, and its application to preclinical pharmacokinetic studies. *J Pharm Biomed Anal*, 180, 113019. doi:10.1016/j.jpba.2019.113019

- Kroenke, K., Alford, D. P., Argoff, C., Canlas, B., Covington, E., Frank, J. W., . . . Sullivan, M. (2019). Challenges with implementing the Centers for Disease Control and Prevention opioid guideline: A consensus panel report. *Pain Med*, 20(4), 724-735. doi:10.1093/pm/pny307
- Kruegel, A. C., Gassaway, M. M., Kapoor, A., Varadi, A., Majumdar, S., Filizola, M., . . . Sames, D. (2016). Synthetic and receptor signaling explorations of the mitragyna alkaloids: Mitragynine as an atypical molecular framework for opioid receptor modulators. *J Am Chem Soc*, 138(21), 6754-6764. doi:10.1021/jacs.6b00360
- Kruegel, A. C., Uprety, R., Grinnell, S. G., Langreck, C., Pekarskaya, E. A., Le Rouzic, V., . . . Sames, D. (2019). 7-Hydroxymitragynine is an active metabolite of mitragynine and a key mediator of its analgesic effects. *ACS Cent Sci*, 5(6), 992-1001. doi:10.1021/acscentsci.9b00141
- Leong Abdullah, M. F. I., Tan, K. L., Narayanan, S., Yuvashnee, N., Chear, N. J. Y., Singh, D., . . . Henningfield, J. E. (2021). Is kratom (*Mitragyna speciosa* Korth.) use associated with ECG abnormalities? Electrocardiogram comparisons between regular kratom users and controls. *Clin Toxicol (Phila)*, 59(5), 400-408. doi:10.1080/15563650.2020.1812627
- Leong Bin Abdullah, M. F. I., Tan, K. L., Mohd Isa, S., Yusoff, N. S., Chear, N. J. Y. & Singh, D. (2020). Lipid profile of regular kratom (*Mitragyna speciosa* Korth.) users in the community setting. *PLoS One*, 15(6), e0234639. doi:10.1371/journal.pone.0234639
- Leong Bin Abdullah, M. F. I., Yuvashnee, N. & Singh, D. (2021). Effect of regular kratom (*Mitragyna speciosa* Korth.) use on quality of life of people who use kratom. *Subst Abus*, 1-12. doi:10.1080/08897077.2021.1876809
- Maxwell, E. A., King, T. I., Kamble, S. H., Raju, K. S. R., Berthold, E. C., Leon, F., . . . Sharma, A. (2020). Pharmacokinetics and safety of mitragynine in beagle dogs. *Planta Med*, 86(17), 1278-1285. doi:10.1055/a-1212-5475
- Maxwell, E. A., King, T. I., Kamble, S. H., Raju, K. S. R., Berthold, E. C., Leon, F., . . . Sharma, A. (2021). Oral pharmacokinetics in beagle dogs of the mitragynine metabolite, 7-hydroxymitragynine. *Eur J Drug Metab Pharmacokinet*, 46(3), 459-463. doi:10.1007/s13318-021-00684-2
- Müller, E., Hillemacher, T. & Müller, C. P. (2020). Kratom instrumentalization for severe pain self-treatment resulting in addiction - A case report of acute and chronic subjective effects. *Heliyon*, 6(7), e04507. doi:10.1016/j.heliyon.2020.e04507
- Müller, E., Hillemacher, T. & Müller, C. P. (2021). Kratom use for depression/anxiety self-management: challenges during the COVID-19 pandemic - A case report. *Heliyon*, 7(5), e07039. doi:10.1016/j.heliyon.2021.e07039
- National Institute on Drug Abuse. (2019). Kratom DrugFacts. Retrieved from <https://www.drugabuse.gov/publications/drugfacts/kratom>
- Negus, S. S. & Miller, L. L. (2014). Intracranial self-stimulation to evaluate abuse potential of drugs. *Pharmacol Rev*, 66(3), 869-917. doi:10.1124/pr.112.007419

Newman, D. J. & Cragg, G. M. (2016). Natural products as sources of new drugs from 1981 to 2014. *J Nat Prod*, 79(3), 629-661. doi:10.1021/acs.jnatprod.5b01055

Obeng, S., Wilkerson, J. L., Leon, F., Reeves, M. E., Restrepo, L. F., Gamez-Jimenez, L. R., . . . Hiranita, T. (2021). Pharmacological comparison of mitragynine and 7-hydroxymitragynine: In vitro affinity and efficacy for mu-opioid receptor and opioid-like behavioral effects in rats. *J Pharmacol Exp Ther*, 376(3), 410-427. doi:10.1124/jpet.120.000189

Olsen, E. O., O'Donnell, J., Mattson, C. L., Schier, J. G. & Wilson, N. (2019). Notes from the Field: Unintentional drug overdose deaths with kratom detected - 27 states, July 2016-December 2017. *MMWR Morb Mortal Wkly Rep*, 68(14), 326-327. doi:10.15585/mmwr.mm6814a2

O'Neill-Dee, C., Spiller, H. A., Casavant, M. J., Kistamgari, S., Chounthirath, T. & Smith, G. A. (2019). Natural psychoactive substance-related exposures reported to United States poison control centers, 2000-2017. *Clin Toxicol (Phila)*, 1-8. doi:10.1080/15563650.2019.1688341

Palamar, J. J. (2021). Past-year kratom use in the US: Estimates from a nationally representative sample. *Am J Prev Med*, 61(2), 240-245. doi:10.1016/j.amepre.2021.02.004

Palamar, J. J., Martins, S. S., Su, M. K. & Ompad, D. C. (2015). Self-reported use of novel psychoactive substances in a US nationally representative survey: Prevalence, correlates, and a call for new survey methods to prevent underreporting. *Drug Alcohol Depend*, 156, 112-119. doi:10.1016/j.drugalcdep.2015.08.028

Pasternak, G., Majumdar, S., Karimov, R. & Varadi, A. (2021). United States Patent No. 11,046,692.

Post, S., Spiller, H. A., Chounthirath, T. & Smith, G. A. (2019). Kratom exposures reported to United States poison control centers: 2011-2017. *Clin Toxicol (Phila)*, 57(10), 847-854. doi:10.1080/15563650.2019.1569236

Prozialeck, W. C., Avery, B. A., Boyer, E. W., Grundmann, O., Henningfield, J. E., Kruegel, A. C., . . . Singh, D. (2019). Kratom policy: The challenge of balancing therapeutic potential with public safety. *Int J Drug Policy*, 70, 70-77. doi:10.1016/j.drugpo.2019.05.003

Prozialeck, W. C., Edwards, J. R., Lamar, P. C., Plotkin, B. J., Sigar, I. M., Grundmann, O. & Veltri, C. A. (2020). Evaluation of the mitragynine content, levels of toxic metals and the presence of microbes in kratom products purchased in the western suburbs of Chicago. *Int J Environ Res Public Health*, 17(15). doi:10.3390/ijerph17155512

Prozialeck, W. C., Jivan, J. K. & Andurkar, S. V. (2012). Pharmacology of kratom: an emerging botanical agent with stimulant, analgesic and opioid-like effects. *J Am Osteopath Assoc*, 112(12), 792-799. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23212430>

Ramanathan, S. & McCurdy, C. R. (2020). Kratom (*Mitragyna speciosa*): worldwide issues. *Curr Opin Psychiatry*, 33(4), 312-318. doi:10.1097/YCO.0000000000000621

Reeve, M. E., Obeng, S., Oyola, F. L., Behnke, M., Restrepo, L. F., Patel, A., . . . Hiranita, T. (2020). The adrenergic α_2 receptor-mediated discriminative-stimulus effects of mitragynine,

the primary alkaloid in kratom (*Mitragyna speciosa*) in rats. *The FASEB Journal*, 34(S1), 1-1. doi:<https://doi.org/10.1096/fasebj.2020.34.s1.05233>

Schimmel, J., Amioka, E., Rockhill, K., Haynes, C. M., Black, J. C., Dart, R. C. & Iwanicki, J. L. (2021). Prevalence and description of kratom (*Mitragyna speciosa*) use in the United States: a cross-sectional study. *Addiction*, 116(1), 176-181. doi:10.1111/add.15082

Sharma, A., Kamble, S. H., Leon, F., Chear, N. J., King, T. I., Berthold, E. C., . . . Avery, B. A. (2019). Simultaneous quantification of ten key Kratom alkaloids in *Mitragyna speciosa* leaf extracts and commercial products by ultra-performance liquid chromatography-tandem mass spectrometry. *Drug Test Anal*, 11(8), 1162-1171. doi:10.1002/dta.2604

Sharma, A. & McCurdy, C. R. (2021). Assessing the therapeutic potential and toxicity of *Mitragyna speciosa* in opioid use disorder. *Expert Opin Drug Metab Toxicol*, 17(3), 255-257. doi:10.1080/17425255.2021.1853706

Singh, D., Brown, P. N., Cinosi, E., Corazza, O., Henningfield, J. E., Garcia-Romeu, A., . . . Grundmann, O. (2020). Current and future potential impact of COVID-19 on kratom (*Mitragyna speciosa* Korth.) supply and use. *Front Psychiatry*, 11, 574483. doi:10.3389/fpsy.2020.574483

Singh, D., Chear, N. J. Y., Narayanan, S., Leon, F., Sharma, A., McCurdy, C. R., . . . Balasingam, V. (2020). Patterns and reasons for kratom (*Mitragyna speciosa*) use among current and former opioid poly-drug users. *J Ethnopharmacol*, 249, 112462. doi:10.1016/j.jep.2019.112462

Singh, D., Chye, Y., Suo, C., Yücel, M., Grundmann, O., Ahmad, M. Z., . . . Vicknasingam, B. (2018). Brain magnetic resonance imaging of regular kratom (*Mitragyna speciosa* Korth.) users: a preliminary study. *Malays J Med Heal Sci.*, 14(Suppl 1), 65-70.

Singh, D., Grundmann, O., Murugaiyah, V., Rahim, A. B. M., Chawarski, M. & Balasingam, V. (2020). Improved sexual functioning of long-term daily users of *Mitragyna speciosa* (Korth.). *Journal of Herbal Medicine*, 19, 100293.

Singh, D., Müller, C. P., Murugaiyah, V., Hamid, S. B. S., Vicknasingam, B. K., Avery, B., . . . Mansor, S. M. (2018). Evaluating the hematological and clinical-chemistry parameters of kratom (*Mitragyna speciosa*) users in Malaysia. *J Ethnopharmacol*, 214, 197-206. doi:10.1016/j.jep.2017.12.017

Singh, D., Müller, C. P. & Vicknasingam, B. K. (2014). Kratom (*Mitragyna speciosa*) dependence, withdrawal symptoms and craving in regular users. *Drug Alcohol Depend*, 139, 132-137. doi:10.1016/j.drugalcdep.2014.03.017

Singh, D., Müller, C. P., Vicknasingam, B. K. & Mansor, S. M. (2015). Social functioning of kratom (*Mitragyna speciosa*) users in Malaysia. *J Psychoactive Drugs*, 47(2), 125-131. doi:10.1080/02791072.2015.1012610

Singh, D., Narayanan, S., Grundmann, O., Chear, N. J. Y., Murugaiyah, V., Hamid, S. B. S., . . . Balasingam, V. (2020). Long-term effects of kratom [*mitragyna speciosa*] use. *Mal J Med Health Sci*, 16(4), 64-72.

Singh, D., Narayanan, S., Müller, C. P., Swogger, M. T., Chear, N. J. Y., Dzulkapli, E. B., . . . Vicknasingam, B. (2019). Motives for using Kratom (*Mitragyna speciosa* Korth.) among regular users in Malaysia. *J Ethnopharmacol*, 233, 34-40. doi:10.1016/j.jep.2018.12.038

Singh, D., Narayanan, S., Müller, C. P., Swogger, M. T., Rahim, A. A., Leong Bin Abdullah, M. F. I. & Vicknasingam, B. K. (2018). Severity of kratom (*Mitragyna speciosa* Korth.) psychological withdrawal symptoms. *J Psychoactive Drugs*, 50(5), 445-450. doi:10.1080/02791072.2018.1511879

Singh, D., Narayanan, S., Müller, C. P., Vicknasingam, B., Yucel, M., Ho, E. T. W., . . . Mansor, S. M. (2019). Long-term cognitive effects of kratom (*Mitragyna speciosa* Korth.) use. *J Psychoactive Drugs*, 51(1), 19-27. doi:10.1080/02791072.2018.1555345

Singh, D., Narayanan, S. & Vicknasingam, B. (2016). Traditional and non-traditional uses of Mitragynine (Kratom): A survey of the literature. *Brain Res Bull*, 126(Pt 1), 41-46. doi:10.1016/j.brainresbull.2016.05.004

Singh, D., Narayanan, S., Vicknasingam, B. K., Prozialeck, W. C., Ramanathan, S., Zainal, H. & Harun, S. N. (2018). Severity of pain and sleep problems during kratom (*Mitragyna speciosa* Korth.) cessation among regular kratom users. *J Psychoactive Drugs*, 50(3), 266-274. doi:10.1080/02791072.2018.1443234

Smith, K. E. & Rogers, J. M., Schriefer, D. & Grundmann, O. (2021). Therapeutic benefit with caveats?: Analyzing social media data to understand the complexities of kratom use. *Drug Alcohol Depend*, 226, 108879. doi:10.1016/j.drugalcdep.2021.108879

Smith, L. C., Lin, L., Hwang, C. S., Zhou, B., Kubitz, D. M., Wang, H. & Janda, K. D. (2019). Lateral flow assessment and unanticipated toxicity of kratom. *Chem Res Toxicol*, 32(1), 113-121. doi:10.1021/acs.chemrestox.8b00218

Spillane, J. & McAllister, W. B. (2003). Keeping the lid on: a century of drug regulation and control. *Drug Alcohol Depend*, 70(3 Suppl), S5-12. doi:10.1016/s0376-8716(03)00096-6

Substance Abuse and Mental Health Services Administration. (2019). Results from the 2018 National Survey on Drug Use and Health: Detailed tables. Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>

Substance Abuse and Mental Health Services Administration & Center for Behavioral Health Statistics and Quality. (2020). Treatment Episode Data Set (TEDS): 2018. Admissions to and Discharges From Publicly Funded Substance Use Treatment. Rockville, MD: Substance Abuse and Mental Health Services Administration

Suhaimi, F. W., Hassan, Z., Mansor, S. M. & Müller, C. P. (2021). The effects of chronic mitragynine (Kratom) exposure on the EEG in rats. *Neurosci Lett*, 745, 135632. doi:10.1016/j.neulet.2021.135632

Swogger, M. T., Hart, E., Erowid, F., Erowid, E., Trabold, N., Yee, K., . . . Walsh, Z. (2015). Experiences of kratom users: A qualitative analysis. *J Psychoactive Drugs*, 47(5), 360-367. doi:10.1080/02791072.2015.1096434

Swogger, M. T. & Walsh, Z. (2018). Kratom use and mental health: A systematic review. *Drug Alcohol Depend*, 183, 134-140. doi:10.1016/j.drugalcdep.2017.10.012

Todd, D. A., Kellogg, J. J., Wallace, E. D., Khin, M., Flores-Bocanegra, L., Tanna, R. S., . . . Cech, N. B. (2020). Chemical composition and biological effects of kratom (*Mitragyna speciosa*): In vitro studies with implications for efficacy and drug interactions. *Sci Rep*, 10(1), 19158. doi:10.1038/s41598-020-76119-w

Trakulsrichai, S., Sathirakul, K., Auparakkitanon, S., Krongvorakul, J., Sueajai, J., Noumjad, N., . . . Wananukul, W. (2015). Pharmacokinetics of mitragynine in man. *Drug Des Devel Ther*, 9, 2421-2429. doi:10.2147/DDDT.S79658

US Department of Health and Human Services, Substance Abuse and Mental Health Services Administration & Center for Behavioral Health Statistics and Quality. (2020). National Survey on Drug Use and Health 2019 (NSDUH-2019-DS0001). Retrieved from <https://datafiles.samhsa.gov/>

US Drug Enforcement Administration. (2016). Temporary Placement of Mitragynine and 7-Hydroxymitragynine into Schedule I; Withdrawal. Docket No. DEA-2016-0015-0006. Retrieved from <https://www.regulations.gov/document/DEA-2016-0015-0006>

US Drug Enforcement Administration. (2017). National Forensic Laboratory Information System: Year 2016 Annual Report. Springfield, VA: US Drug Enforcement Administration.

US Drug Enforcement Administration. (2018). National Forensic Laboratory Information System: NFLIS-Drug 2017 Annual Report. Springfield, VA: US Drug Enforcement Administration.

US Drug Enforcement Administration. (2019). National Forensic Laboratory Information System: NFLIS-Drug 2018 Annual Report. Springfield, VA: US Drug Enforcement Administration.

US Drug Enforcement Administration. (2020). National Forensic Laboratory Information System: NFLIS-Drug 2019 Annual Report. Springfield, VA: US Drug Enforcement Administration.

US Food and Drug Administration. (1995). Regulations restricting the sale and distribution of cigarettes and smokeless tobacco products to protect children and adolescents; proposed rule analysis regarding FDA's jurisdiction over nicotine containing cigarettes and smokeless tobacco products; notice. Department of Health and Human Services, Food and Drug Administration. *Federal Register*, 60, 41314-41792.

US Food and Drug Administration. (1996). Regulations restricting the sale and distribution of cigarettes and smokeless tobacco to protect children and adolescents; final rule. Department

of Health and Human Services, Food and Drug Administration. Federal Register, 61, 44396-45318.

US Food and Drug Administration. (2016). Botanical drug development: Guidance for industry. Silver Spring, MD: US Department of Health and Human Services, Center for Drug Evaluation and Research. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/botanical-drug-development-guidance-industry>

US Food and Drug Administration. (2017b). Assessment of abuse potential of drugs: Guidance for Industry. Silver Spring, MD: Center for Drug Evaluation and Research, Food and Drug Administration. Retrieved from <http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm>

US Food and Drug Administration. (2017a). October 17, 2017 letter including FDA's 8-factor analysis of mitragynine and 7-hydroxymitragynine from the Assistant Secretary of Health to the Administrator of the Drug Enforcement Administration to permanently place mitragynine and 7-hydroxymitragynine in Schedule I of the Controlled Substances Act. Retrieved from <https://www.documentcloud.org/documents/5031552-HHS-kratom-letter.html>

Veltri, C. & Grundmann, O. (2019). Current perspectives on the impact of Kratom use. *Subst Abuse Rehabil*, 10, 23-31. doi:10.2147/SAR.S164261

Vicknasingam, B., Chooi, W. T., Rahim, A. A., Ramachandram, D., Singh, D., Ramanathan, S., . . . Chawarski, M. C. (2020). Kratom and pain tolerance: A randomized, placebo-controlled, double-blind study. *Yale J Biol Med*, 93(2), 229-238. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32607084>

Vijeeppallam, K., Pandey, V., Murugan, D. D. & Naidu, M. (2019). Methanolic extract of *Mitragyna speciosa* Korth leaf inhibits ethanol seeking behaviour in mice: involvement of antidopaminergic mechanism. *Metab Brain Dis*, 34(6), 1713-1722. doi:10.1007/s11011-019-00477-2

Volkow, N. D. & McLellan, A. T. (2016). Opioid abuse in chronic pain--misconceptions and mitigation strategies. *N Engl J Med*, 374(13), 1253-1263. doi:10.1056/NEJMra1507771

Warner, M. L., Kaufman, N. C. & Grundmann, O. (2016). The pharmacology and toxicology of kratom: from traditional herb to drug of abuse. *Int J Legal Med*, 130(1), 127-138. doi:10.1007/s00414-015-1279-y

Wilson, L. L., Harris, H. M., Eans, S. O., Brice-Tutt, A. C., Cirino, T. J., Stacy, H. M., . . . McCurdy, C. R. (2020). Lyophilized kratom tea as a therapeutic option for opioid dependence. *Drug Alcohol Depend*, 216, 108310. doi:10.1016/j.drugalcdep.2020.108310


World Health Organization (WHO). (1994). The ICD-10 Classification of Mental and Behavioural Disorders: conversion tables between ICD-8, ICD-9 and ICD-10, Rev. 1: World Health Organization.

Wouters, O. J., McKee, M. & Luyten, J. (2020). Estimated research and development investment needed to bring a new medicine to market, 2009-2018. *JAMA*, 323(9), 844-853. doi:10.1001/jama.2020.1166

Yue, K., Kopajtic, T. A. & Katz, J. L. (2018). Abuse liability of mitragynine assessed with a self-administration procedure in rats. *Psychopharmacology (Berl)*, 235(10), 2823-2829. doi:10.1007/s00213-018-4974-9

Yusoff, N. H. M., Mansor, S. M., Müller, C. P. & Hassan, Z. (2018). Baclofen blocks the acquisition and expression of mitragynine-induced conditioned place preference in rats. *Behav Brain Res*, 345, 65-71. doi:10.1016/j.bbr.2018.02.039

**State of Wisconsin
Department of Safety & Professional Services
AGENDA REQUEST FORM**

1) Name and title of person submitting the request: Nilajah Hardin, Administrative Rules Coordinator		2) Date when request submitted: 06/29/22 <small>Items will be considered late if submitted after 12:00 p.m. on the deadline date which is 8 business days before the meeting</small>	
3) Name of Board, Committee, Council, Sections: Controlled Substances Board			
4) Meeting Date: 07/15/22	5) Attachments: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6) How should the item be titled on the agenda page? Administrative Rule Matters – Discussion and Consideration 1. Adoption Order a. CSB 2.80, Relating to Scheduling Oliceridine 2. Final Rule Draft and Legislative Report a. CSB 2.82, Relating to Scheduling Serdexmethylphenidate b. CSB 2.83, Relating to Scheduling 10 Fentanyl Related Substances c. CSB 2.84, Relating to Scheduling Alfaxalone d. CSB 2.85, Relating to Excluding 6-Beta-Naltrexol e. CSB 2.86, Relating to Scheduling Fospropofol f. CSB 2.87, Relating to Scheduling Embutramide g. CSB 2.88, Relating to Scheduling Lacosamide h. CSB 2.89, Relating to Scheduling Perampanel i. CSB 2.90, Relating to Transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile 3. Affirmative Action Order a. CSB 2.92, Relating to Scheduling 38 Anabolic Steroids b. CSB 2.93, Relating to Scheduling Daridorexant c. CSB 2.94, Relating to Scheduling 7 Synthetic Benzimidazole-Opioids d. CSB 2.95, Relating to Scheduling Ganaxalone 4. Pending or Possible Rulemaking Projects	
2.	8) Is an appearance before the Board being scheduled? <i>(If yes, please complete Appearance Request for Non-DSPS Staff)</i> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9) Name of Case Advisor(s), if required: N/A	
10) Describe the issue and action that should be addressed: Take Action on CSB 2.80, 2.82-2.90, and 2.92-2.95 Copies of all current Board Rule Projects Can be Viewed Here: https://dsps.wi.gov/Pages/RulesStatutes/PendingRules.aspx			
11) Authorization			
 Signature of person making this request		06/29/22 Date	
Supervisor (if required)		Date	
Executive Director signature (indicates approval to add post agenda deadline item to agenda) Date			
Directions for including supporting documents: 1. This form should be attached to any documents submitted to the agenda. 2. Post Agenda Deadline items must be authorized by a Supervisor and the Policy Development Executive Director. 3. If necessary, provide original documents needing Board Chairperson signature to the Bureau Assistant prior to the start of a meeting.			

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 21-098)

ORDER

An order of the Controlled Substances Board to create CSB 2.80 relating to scheduling Oliceridine.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Plain language analysis:

This rule schedules Oliceridine as a Schedule II controlled substance.

The Controlled Substances Board did not receive an objection to similarly treat Oliceridine as a Schedule II controlled substance under ch. 961, Stats. within 30 days of the date of publication in the Federal Register of the final order designating Oliceridine as a controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Oliceridine under ch. 961, Stats. by creating the following:

961.16 (3) (ta) Oliceridine.

The Affirmative Action order, dated December 7, 2020, took effect on December 14, 2020 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of, and comparison with, existing or proposed federal regulation:

On October 30, 2020, the Department of Justice, Drug Enforcement Administration published its interim final rule in the Federal Register listing Oliceridine into schedule II of the federal Controlled Substances Act. The scheduling action was effective October 30, 2020.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled Oliceridine as a controlled substance.

Iowa: Iowa has not scheduled Oliceridine as a controlled substance.

Michigan: Michigan has not scheduled Oliceridine as a controlled substance.

Minnesota: Minnesota has not scheduled Oliceridine as a controlled substance.

Summary of factual data and analytical methodologies:

The methodology was to schedule Oliceridine to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact report:

The proposed rule was posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate and Economic Impact Analysis:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

TEXT OF RULE

SECTION 1. CSB 2.80 is created to read:

CSB 2.80 Scheduling of Oliceridine. Section 961.16 (3) (ta), Stats., is created to read:

961.16 (3) (ta) Oliceridine.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

Dated _____

Agency _____

Chairperson
Controlled Substances Board

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-032**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Serdexmethylphenidate as a Schedule IV controlled substance. The Controlled Substances Board did not receive an objection to similarly treat Serdexmethylphenidate as a Schedule IV controlled substance under ch. 961, Stats. within 30 days of the date of publication in the Federal Register of the final order designating Serdexmethylphenidate as a controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Serdexmethylphenidate under ch. 961, Stats. by creating the following: 961.20 (2m) (em) Serdexmethylphenidate.

The Affirmative Action order, dated June 28, 2021, took effect on July 12, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
Legislative Council staff did not make any recommendations.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-032)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.82, relating to scheduling Serdexmethylphenidate.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On May 7, 2021, the Department of Justice, Drug Enforcement Administration published its interim final rule in the Federal Register listing Serdexmethylphenidate into schedule IV of the federal Controlled Substances Act. The scheduling action is effective May 7, 2021.

Plain language analysis:

This rule schedules Serdexmethylphenidate as a Schedule IV controlled substance.

The Controlled Substances Board did not receive an objection to similarly treat Serdexmethylphenidate as a Schedule IV controlled substance under ch. 961, Stats. within 30 days of the date of publication in the Federal Register of the final order designating Serdexmethylphenidate as a controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Serdexmethylphenidate under ch. 961, Stats. by creating the following:

961.20 (2m) (em) Serdexmethylphenidate.

The Affirmative Action order, dated June 28, 2021, took effect on July 12, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled Serdexmethylphenidate as a controlled substance.

Iowa: Iowa has not scheduled Serdexmethylphenidate as a controlled substance.

Michigan: Michigan has not scheduled Serdexmethylphenidate as a controlled substance.

Minnesota: Minnesota has not scheduled Serdexmethylphenidate as a controlled substance.

Summary of factual data and analytical methodologies:

The methodology was to schedule Serdexmethylphenidate to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The rule schedules Serdexmethylphenidate as a Schedule IV controlled substance which will not have any effect on small business.

Fiscal Estimate:

The proposed rules will be posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by (date) to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.82 is created to read:

CSB 2.82 Addition of Serdexmethylphenidate to Schedule IV. 961.20 (2m) (em), Stats., is created to read:

961.20 (2m) (em) Serdexmethylphenidate.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/11/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.82</p>	
<p>4. Subject Scheduling Serdexmethylphenidate</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On May 7, 2021, the Department of Justice, Drug Enforcement Administration published its interim final rule in the Federal Register listing Serdexmethylphenidate into schedule IV of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Serdexmethylphenidate as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Serdexmethylphenidate as a schedule IV controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Serdexmethylphenidate as a schedule IV controlled substance.</p>	
<p>18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not scheduled Serdexmethylphenidate as a controlled substance.</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Iowa: Iowa has not scheduled Serdexmethylphenidate as a controlled substance.

Michigan: Michigan has not scheduled Serdexmethylphenidate as a controlled substance.

Minnesota: Minnesota has not scheduled Serdexmethylphenidate as a controlled substance.

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-032**

AN ORDER to create CSB 2.82, relating to scheduling Serdexmethylphenidate.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-11-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-05-2022 REPORT SENT TO AGENCY.

MSK:BL

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

**IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : REPORT TO THE LEGISLATURE
CONTROLLED SUBSTANCES BOARD: CR 22-033**

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
The objective of the rule is to schedule ten (10) Fentanyl related substances as a schedule I controlled substances.

The Controlled Substances Board did not receive an objection to similarly treating the ten (10) Fentanyl-related substances listed in schedule I under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order designating the ten (10) Fentanyl-related substances listed below as controlled substances.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat the ten (10) Fentanyl-related substances listed below under ch. 961, Stats. by creating the following:

CSB 2.83 Addition of ten (10) Fentanyl-related substances to schedule I. Section 961.14 (2) (nd) 21., 22., 23., 24., 25., 26., 27., 28., 29., and 30., Stats., is created to read:

961.14 (2) (nd)

- 21. N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide (2'-fluoro ortho-fluorofentanyl; 2'-fluoro 2-fluorofentanyl);*
- 22. N-(1-(4-methylphenethyl)piperidin-4-yl)-N-phenylacetamide (4'-methyl acetyl fentanyl);*
- 23. N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide (β' -phenyl fentanyl; beta'-Phenyl fentanyl; 3-phenylpropanoyl fentanyl);*
- 24. N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide (β -methyl fentanyl);*
- 25. N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide (ortho-fluorobutyryl fentanyl; 2-fluorobutyryl fentanyl);*
- 26. N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl acetylfentanyl; 2-methyl acetylfentanyl);*
- 27. 2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl methoxyacetylfentanyl; 2-methyl methoxyacetyl fentanyl);*

28. *N*-(4-methylphenyl)-*N*-(1-phenethylpiperidin-4-yl)propionamide (*para*-methylfentanyl; 4-methylfentanyl);
29. *N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbenzamide (*phenyl fentanyl*; benzoyl fentanyl); and
30. *N*-(1-phenethylpiperidin-4-yl)-*N*-phenylthiophene-2-carboxamide (*thiofuranyl fentanyl*; 2-thiofuranyl fentanyl; thiophene fentanyl).

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD'S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:

Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.

VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:

All of the recommendations suggested in the Clearinghouse Report have been accepted in whole.

VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS: N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-033)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.83 relating to scheduling ten (10) fentanyl related substances.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On April 27, 2021, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register placing ten Fentanyl-related substances into schedule I of the federal Controlled Substances Act. The scheduling action is effective immediately.

Plain language analysis:

The objective of the rule is to schedule ten (10) Fentanyl related substances as a schedule I controlled substances.

The Controlled Substances Board did not receive an objection to similarly treating the ten (10) Fentanyl-related substances listed in schedule I under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order designating the ten (10) Fentanyl-related substances listed below as controlled substances.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat the ten (10) Fentanyl-related substances listed below under ch. 961, Stats. by creating the following:

CSB 2.83 Addition of ten (10) Fentanyl-related substances to schedule I. Section 961.14 (2) (nd) 21., 22., 23., 24., 25., 26., 27., 28., 29., and 30., Stats., is created to read:

961.14 (2) (nd)

21. *N*-(1-(2-fluorophenethyl)piperidin-4-yl)-*N*-(2-fluorophenyl)propionamide (2'-fluoro ortho-fluorofentanyl; 2'-fluoro 2-fluorofentanyl);
22. *N*-(1-(4-methylphenethyl)piperidin-4-yl)-*N*-phenylacetamide (4'-methyl acetyl fentanyl);
23. *N*-(1-phenethylpiperidin-4-yl)-*N*,3-diphenylpropanamide (β '-phenyl fentanyl; beta'-Phenyl fentanyl; 3-phenylpropanoyl fentanyl);
24. *N*-phenyl-*N*-(1-(2-phenylpropyl)piperidin-4-yl)propionamide (β -methyl fentanyl);
25. *N*-(2-fluorophenyl)-*N*-(1-phenethylpiperidin-4-yl)butyramide (ortho-fluorobutyryl fentanyl; 2-fluorobutyryl fentanyl);
26. *N*-(2-methylphenyl)-*N*-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl acetylfentanyl; 2-methyl acetylfentanyl);
27. 2-methoxy-*N*-(2-methylphenyl)-*N*-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl methoxyacetylfentanyl; 2-methyl methoxyacetyl fentanyl);
28. *N*-(4-methylphenyl)-*N*-(1-phenethylpiperidin-4-yl)propionamide (para-methylfentanyl; 4-methylfentanyl);
29. *N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbenzamide (phenyl fentanyl; benzoyl fentanyl);
and
30. *N*-(1-phenethylpiperidin-4-yl)-*N*-phenylthiophene-2-carboxamide (thiofuranyl fentanyl; 2-thiofuranyl fentanyl; thiophene fentanyl).

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Iowa: Iowa has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Michigan: Michigan has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Minnesota: Minnesota has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Summary of factual data and analytical methodologies:

The methodology was to schedule the 10 fentanyl related substances listed above to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department's Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.83 is created to read:

CSB 2.83 Addition of ten (10) Fentanyl-related substances to schedule I. Section 961.14 (2) (nd) 21., 22., 23., 24., 25., 26., 27., 28., 29., and 30., Stats., is created to read:

961.14 (2) (nd)

21. N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide (2'-fluoro ortho-fluorofentanyl; 2'-fluoro 2-fluorofentanyl);
22. N-(1-(4-methylphenethyl)piperidin-4-yl)-N-phenylacetamide (4'-methyl acetyl fentanyl);
23. N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide (β '-phenyl fentanyl; beta'-Phenyl fentanyl; 3-phenylpropanoyl fentanyl);
24. N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide (β -methyl fentanyl);
25. N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide (ortho-fluorobutyryl fentanyl; 2-fluorobutyryl fentanyl);
26. N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl acetylfentanyl; 2-methyl acetylfentanyl);
27. 2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide (ortho-methyl methoxyacetylfentanyl; 2-methyl methoxyacetyl fentanyl);
28. N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide (para-methylfentanyl; 4-methylfentanyl);
29. N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide (phenyl fentanyl; benzoyl fentanyl);
and
30. N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide (thiofuranyl fentanyl; 2-thiofuranyl fentanyl; thiophene fentanyl).

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected	2. Date 04/12/22
3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.83	
4. Subject Scheduling ten (10) fentanyl related substances.	
5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S	6. Chapter 20, Stats. Appropriations Affected
7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget	
8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)	
9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0	
10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
11. Policy Problem Addressed by the Rule On April 27, 2021, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register placing ten Fentanyl-related substances into schedule I of the federal Controlled Substances Act.	
12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.	
13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.	
14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.	
15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule ten (10) Fentanyl-related substances as a controlled substances.	
16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule ten (10) Fentanyl-related substances as a schedule I controlled substances.	
17. Compare With Approaches Being Used by Federal Government The federal government has scheduled ten (10) Fentanyl-related substances as a schedule I controlled substances.	
18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not scheduled the 10 fentanyl related substances listed above as controlled substances.	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Iowa: Iowa has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Michigan: Michigan has not scheduled the 10 fentanyl related substances listed above as controlled substances.

Minnesota: Minnesota has not scheduled the 10 fentanyl related substances listed above as controlled substances.

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-033**

AN ORDER to create CSB 2.83, relating to scheduling ten (10) fentanyl related substances.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-12-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-06-2022 REPORT SENT TO AGENCY.

SG:KAM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE RULE 22-033

Comments

[NOTE: All citations to “Manual” in the comments below are to the Administrative Rules Procedures Manual, prepared by the Legislative Council Staff and the Legislative Reference Bureau, dated November 2020.]

4. Adequacy of References to Related Statutes, Rules and Forms

In the plain language analysis, the proposed rule refers to the scheduling of Brorphine, which appears to relate more appropriately to Clearinghouse Rule 21-016. The agency should review this reference.

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

**IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : REPORT TO THE LEGISLATURE
CONTROLLED SUBSTANCES BOARD : CR 22-034**

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Alfaxalone as a Schedule IV controlled substance. The Controlled Substances Board did not receive an objection to similarly treat Alfaxalone as a Schedule IV controlled substance under ch. 961, Stats. within 30 days of the date of publication in the Federal Register of the final order designating Alfaxalone as a controlled substance. Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Alfaxalone under ch. 961, Stats. by creating the following:
- CSB 2.84 Addition of Alfaxalone to schedule IV. Section 961.20 (2) (a), Stats., is renumbered 961.20 (2) (af), Stats.*
- Section 961.20 (2) (ab), Stats. is created to read: 961.20 (2) (ab) Alfaxalone*
- The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
In response to the Clearinghouse’s recommendation, the text of the provision was revised to accurately reflect the Board’s intent to renumber and revise s. 961.20 (a), stats. instead of repeal and recreate it as proposed in the preliminary rule draft.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-034)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.84 relating to scheduling Alfaxalone.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On February 27, 2014, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Alfaxalone into schedule IV of the federal Controlled Substances Act. The scheduling action is effective March 31, 2014.

Plain language analysis:

This rule schedules Alfaxalone as a Schedule IV controlled substance. The Controlled Substances Board did not receive an objection to similarly treat Alfaxalone as a Schedule IV controlled substance under ch. 961, Stats. within 30 days of the date of publication in the Federal Register of the final order designating Alfaxalone as a controlled substance. Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Alfaxalone under ch. 961, Stats. by creating the following:

CSB 2.84 Addition of Alfaxalone to schedule IV. Section 961.20 (2) (a), Stats., is renumbered 961.20 (2) (af), Stats.

Section 961.20 (2) (ab), Stats. is created to read:

961.20 (2) (ab) Alfaxalone

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled Alfaxalone as a controlled substance.

Iowa: Iowa has listed Alfaxalone as a schedule IV controlled substance [Iowa Administrative Code s. 124.210 (3) (bb)].

Michigan: Michigan has not scheduled Alfaxalone as a controlled substance.

Minnesota: Minnesota has listed Alfaxalone as a schedule IV controlled substance [Minnesota State Statutes s. 152.02 (5) (c) (1)].

Summary of factual data and analytical methodologies:

The methodology was to schedule Alfaxalone to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.84 is created to read:

CSB 2.84 Addition of Alfaxalone to schedule IV. Section 961.20 (2) (a), Stats., is renumbered to 961.20 (2) (af), Stats.

Section 961.20 (2) (ab), Stats. is created to read:

961.20 (2) (ab) Alfaxalone.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/12/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.84</p>	
<p>4. Subject Scheduling Alfaxalone</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On February 27, 2014, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Alfaxalone into schedule IV of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Alfaxalone as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Alfaxalone as a schedule IV controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Alfaxalone as a schedule IV controlled substance.</p>	
<p>18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not scheduled Alfaxalone as a controlled substance. Iowa: Iowa has listed Alfaxalone as a schedule IV controlled substance [Iowa Administrative Code s. 124.210 (3) (bb)].</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Michigan: Michigan has not scheduled Alfaxalone as a controlled substance.

Minnesota: Minnesota has listed Alfaxalone as a schedule IV controlled substance [Minnesota State Statutes s. 152.02 (5) (c) (1)].

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
- Less Stringent Schedules or Deadlines for Compliance or Reporting
- Consolidation or Simplification of Reporting Requirements
- Establishment of performance standards in lieu of Design or Operational Standards
- Exemption of Small Businesses from some or all requirements
- Other, describe:

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-034**

AN ORDER to create CSB 2.84, relating to scheduling Alfaxalone.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-12-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-05-2022 REPORT SENT TO AGENCY.

MSK:BL



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE RULE 22-034

Comments

[NOTE: All citations to “Manual” in the comments below are to the Administrative Rules Procedures Manual, prepared by the Legislative Council Staff and the Legislative Reference Bureau, dated November 2020.]

2. Form, Style and Placement in Administrative Code

Alfaxalone is the only drug identified in the relating clause in the caption for the proposed rule, in a number of other locations in the Board’s analysis for the proposed rule, and in the title to s. CSB 2.84 in the text of the proposed rule. However, the analysis states that an additional drug, Alprazolam, was also included in the Affirmative Action Order, and Alprazolam is included in the text of the proposed rule. If the Board intended to include Alprazolam, the proposed rule should be modified to identify Alprazolam in the caption, the various locations in the analysis, and the title in the text of the proposed rule. Alternatively, if the Board did not intend to include Alprazolam, it should remove Alprazolam from the text of the proposed rule in s. CSB 2.84 and from the description of the Affirmative Action Order.

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-035**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule excludes 6-beta-Naltrexol from schedule II. The Controlled Substances Board did not receive an objection to similarly removing 6-beta-Naltrexol as a schedule II controlled substance under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order removing 6-beta-Naltrexol as a schedule II controlled substance. Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat 6-beta-Naltrexol under ch. 961, Stats. by creating the following:
- CSB 2.85 Excluding 6-beta-Naltrexol from schedule II.** Section 961.16 (2) (a), Stats., is amended to read:*
- 961.16 (2) (a)** Opium and substances derived from opium, and any salt, compound, derivative or preparation of opium or substances derived from opium. Apomorphine, dextrorphan, nalbuphine, butorphanol, naldemedine, nalmefene, naloxegol, naloxone, 6-beta-naltrexol, and naltrexone and their respective salts and the isoquinoline alkaloids of opium and their respective salts are excluded from this paragraph. The following substances, and any of their salts, isomers and salts of isomers that are theoretically possible within the specific chemical designation, are included in this paragraph:*
- The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**

Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.

VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:
Legislative Council staff did not make any recommendations.

VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS: N/A

DRAFT

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-035)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.85 relating to Excluding 6-beta-Naltrexol.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On January 24, 2020, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register removing 6-beta-Naltrexol from schedule II of the federal Controlled Substances Act. The scheduling action is effective January 24, 2020.

Plain language analysis:

This rule excludes 6-beta-Naltrexol from schedule II.

The Controlled Substances Board did not receive an objection to similarly removing 6-beta-Naltrexol as a schedule II controlled substance under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order removing 6-beta-Naltrexol as a schedule II controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat 6-beta-Naltrexol under ch. 961, Stats. by creating the following:

CSB 2.85 Excluding 6-beta-Naltrexol from schedule II. Section 961.16 (2) (a), Stats., is amended to read:

961.16 (2) (a) *Opium and substances derived from opium, and any salt, compound, derivative or preparation of opium or substances derived from opium. Apomorphine, dextrorphan, nalbuphine, butorphanol, naldemedine, nalmefene, naloxegol, naloxone, 6-beta-naltrexol, and naltrexone and their respective salts and the isoquinoline alkaloids of opium and their respective salts are excluded from this paragraph. The following substances, and any of their salts, isomers and salts of isomers that are theoretically possible within the specific chemical designation, are included in this paragraph:*

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not excluded 6-beta-naltrexol from their schedule II controlled substances list.

Iowa: Iowa has excluded 6-beta-naltrexol from their schedule II controlled substances list [Iowa Administrative Code s. 124.206 (2) (a)].

Michigan: Michigan has not excluded 6-beta-naltrexol from their schedule II controlled substances list.

Minnesota: Minnesota has not excluded 6-beta-naltrexol from their schedule II controlled substances list.

Summary of factual data and analytical methodologies:

This rule excludes 6-beta-Naltrexol from schedule II to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department's Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.85 is created to read:

CSB 2.85 Excluding 6-beta-Naltrexol from schedule II. Section 961.16 (2) (a), Stats., is amended to read:

961.16 (2) (a) Opium and substances derived from opium, and any salt, compound, derivative or preparation of opium or substances derived from opium. Apomorphine, dextrorphan, nalbuphine, butorphanol, naldemedine, nalmefene, naloxegol, naloxone, 6-beta-naltrexol, and naltrexone and their respective salts and the isoquinoline alkaloids of opium and their respective salts are excluded from this paragraph. The following substances, and any of their salts, isomers and salts

of isomers that are theoretically possible within the specific chemical designation, are included in this paragraph:

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

DRAFT

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected	2. Date 04/12/22
3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.85	
4. Subject Excluding 6-beta-Naltrexol	
5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S	6. Chapter 20, Stats. Appropriations Affected
7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget	
8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)	
9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0	
10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
11. Policy Problem Addressed by the Rule On January 24, 2020, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register removing 6-beta-Naltrexol from schedule II of the federal Controlled Substances Act.	
12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.	
13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.	
14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.	
15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to exclude 6-beta-Naltrexol as a controlled substance.	
16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to exclude 6-beta-Naltrexol as a schedule II controlled substance.	
17. Compare With Approaches Being Used by Federal Government The federal government has excluded 6-beta-Naltrexol as a schedule II controlled substance.	
18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not excluded 6-beta-naltrexol from their schedule II controlled substances list.	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Iowa: Iowa has excluded 6-beta-naltrexol from their schedule II controlled substances list [Iowa Administrative Code s. 124.206 (2) (a)].

Michigan: Michigan has not excluded 6-beta-naltrexol from their schedule II controlled substances list.

Minnesota: Minnesota has not excluded 6-beta-naltrexol from their schedule II controlled substances list.

19. Contact Name Nilajah Hardin, Administrative Rules Coordinator	20. Contact Phone Number 608-267-7139
--	--

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-035**

AN ORDER to create CSB 2.85, relating to Excluding 6-beta-Naltrexol.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-12-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-06-2022 REPORT SENT TO AGENCY.

SG:KAM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-036**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Fospropofol as a Schedule IV controlled substance. The Controlled Substances Board did not receive an objection to similarly listing Fospropofol as a schedule IV under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Fospropofol as a schedule IV controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Fospropofol under ch. 961, Stats. by creating the following:

CSB 2.86 Addition of Fospropofol to schedule IV. Section 961.20 (2) (en), Stats., is created to read: 961.20 (2) (en) Fospropofol.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
Legislative Council staff did not make any recommendations.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-036)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.86 relating to scheduling Fospropofol.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On October 6, 2009, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Fospropofol into schedule IV of the federal Controlled Substances Act. The scheduling action is effective November 5, 2009.

Plain language analysis:

This rule schedules Fospropofol as a Schedule IV controlled substance.

The Controlled Substances Board did not receive an objection to similarly listing Fospropofol as a schedule IV under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Fospropofol as a schedule IV controlled substance.

Pursuant to s. 961.11 (4), Stats., the Controlled Substances Board took affirmative action to similarly treat Fospropofol under ch. 961, Stats. by creating the following:

CSB 2.86 Addition of Fospropofol to schedule IV. *Section 961.20 (2) (en), Stats., is created to read:*

961.20 (2) (en) Fospropofol.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021 to allow for publication in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has listed Fospropofol a schedule IV controlled substance [720 Illinois Compiled Statutes 570/210 (c) (11.1)].

Iowa: Iowa has listed Fospropofol a schedule IV controlled substance [Iowa Administrative Code 124.210 (3) (ba)].

Michigan: Michigan has not scheduled Fospropofol as a controlled substance.

Minnesota: Minnesota has listed Fospropofol a schedule IV controlled substance [Minnesota Statutes 152.02 (5) (c) (24)].

Summary of factual data and analytical methodologies:

The methodology was to schedule Fospropofol to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.86 is created to read:

CSB 2.86 Addition of Fospropofol to schedule IV. Section 961.20 (2) (en), Stats., is created to read:

961.20 (2) (en) Fospropofol.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/12/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.86</p>	
<p>4. Subject Scheduling Fospropofol</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On October 6, 2009, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Fospropofol into schedule IV of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Fospropofol as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Fospropofol as a schedule IV controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Fospropofol as a schedule IV controlled substance.</p>	
<p>18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has listed Fospropofol a schedule IV controlled substance [720 Illinois Compiled Statutes 570/210 (c) (11.1)].</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Iowa: Iowa has listed Fospropofol a schedule IV controlled substance [Iowa Administrative Code 124.210 (3) (ba)].

Michigan: Michigan has not scheduled Fospropofol as a controlled substance.

Minnesota: Minnesota has listed Fospropofol a schedule IV controlled substance [Minnesota Statutes 152.02 (5) (c) (24)].

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-036**

AN ORDER to create CSB 2.86, relating to scheduling Fospropofol.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-12-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-05-2022 REPORT SENT TO AGENCY.

MSK:BL

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-037**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Embutramide as a Schedule III controlled substance. The Controlled Substances Board did not receive an objection to similarly listing Embutramide as a schedule III under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Embutramide as a schedule III controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Embutramide under chapter 961, Stats. by creating the following:

CSB 2.87 Addition of Embutramide to schedule III. Section 961.18 (3) (bm), Stats., is created to read: 961.18 (3) (bm) Embutramide.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
Legislative Council staff did not make any recommendations.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-037)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.87 relating to scheduling Embutramide.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On August 29, 2006, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Embutramide into schedule III of the federal Controlled Substances Act. The scheduling action is effective September 28, 2006.

Plain language analysis:

This rule schedules Embutramide as a Schedule III controlled substance.

The Controlled Substances Board did not receive an objection to similarly listing Embutramide as a schedule III under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Embutramide as a schedule III controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Embutramide under chapter 961, Stats. by creating the following:

CSB 2.87 Addition of Embutramide to schedule III. Section 961.18 (3) (bm), Stats., is created to read:

961.18 (3) (bm) Embutramide.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled Embutramide as a controlled substance.

Iowa: Iowa has listed Embutramide as a schedule III controlled substance [Iowa Administrative Code 124.208 (3) (n)].

Michigan: Michigan has not scheduled Embutramide as a controlled substance.

Minnesota: Minnesota has listed Embutramide as a schedule III controlled substance [Minnesota Statutes 152.02 (4) (c) (5) (x)].

Summary of factual data and analytical methodologies:

The methodology was to schedule Embutramide to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.87 is created to read:

CSB 2.87 Addition of Embutramide to schedule III. Section 961.18 (3) (bm), Stats., is created to read:

961.18 (3) (bm) Embutramide.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/20/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.87</p>	
<p>4. Subject Scheduling Embutramide</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On August 29, 2006, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Embutramide into schedule III of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Embutramide as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Embutramide as a schedule III controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Embutramide as a schedule III controlled substance.</p>	
<p>18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not scheduled Embutramide as a controlled substance. Iowa: Iowa has listed Embutramide as a schedule III controlled substance [Iowa Administrative Code 124.208 (3) (n)].</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Michigan: Michigan has not scheduled Embutramide as a controlled substance.

Minnesota: Minnesota has listed Embutramide as a schedule III controlled substance [Minnesota Statutes 152.02 (4) (c) (5) (x)].

19. Contact Name Nilajah Hardin, Administrative Rules Coordinator	20. Contact Phone Number 608-267-7139
--	--

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-037**

AN ORDER to create CSB 2.87, relating to scheduling Embutramide.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-20-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-06-2022 REPORT SENT TO AGENCY.

SG:SM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

**IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : REPORT TO THE LEGISLATURE
CONTROLLED SUBSTANCES BOARD : CR 22-039
:
:**

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Lacosamide as a Schedule V controlled substance. The Controlled Substances Board did not receive an objection to similarly listing Lacosamide as a schedule V under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Lacosamide as a schedule V controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Lacosamide under chapter 961, Stats. by creating the following:

CSB 2.88 Addition of Lacosamide to schedule V. Section 961.22 (10), Stats., is created to read: 961.22 (10) Lacosamide.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD’S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
Legislative Council staff did not make any recommendations.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-039)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.88 relating to scheduling Lacosamide.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On May 21, 2009, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Lacosamide into schedule V of the federal Controlled Substances Act. The scheduling action is effective June 22, 2009.

Plain language analysis:

This rule schedules Lacosamide as a Schedule V controlled substance.

The Controlled Substances Board did not receive an objection to similarly listing Lacosamide as a schedule V under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Lacosamide as a schedule V controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Lacosamide under chapter 961, Stats. by creating the following:

CSB 2.88 Addition of Lacosamide to schedule V. Section 961.22 (10), Stats., is created to read:

961.22 (10) Lacosamide.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has listed Lacosamide as a schedule V as a controlled substance [720 Illinois Compiled Statutes 570/212 (c-1)].

Iowa: Iowa has listed Lacosamide as a schedule V as a controlled substance [Iowa Administrative Code 124.212 (5) (b)].

Michigan: Michigan has not scheduled Lacosamide as a controlled substance.

Minnesota: Minnesota has listed Lacosamide as a schedule V as a controlled substance [Minnesota Statutes 152.02 (6) (3) (iii)].

Summary of factual data and analytical methodologies:

The methodology was to schedule Lacosamide to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.88 is created to read:

CSB 2.88 Addition of Lacosamide to schedule V. Section 961.22 (10), Stats., is created to read:

961.22 (10) Lacosamide.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected	2. Date 04/20/22
3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.88	
4. Subject Scheduling Lacosamide	
5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S	6. Chapter 20, Stats. Appropriations Affected
7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget	
8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)	
9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0	
10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
11. Policy Problem Addressed by the Rule On May 21, 2009, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Lacosamide into schedule V of the federal Controlled Substances Act.	
12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.	
13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.	
14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.	
15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Lacosamide as a controlled substance.	
16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Lacosamide as a schedule V controlled substance.	
17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Lacosamide as a schedule V controlled substance.	
18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has listed Lacosamide as a schedule V as a controlled substance [720 Illinois Compiled Statutes 570/212 (c-1)].	

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

Iowa: Iowa has listed Lacosamide as a schedule V as a controlled substance [Iowa Administrative Code 124.212 (5) (b)].

Michigan: Michigan has not scheduled Lacosamide as a controlled substance.

Minnesota: Minnesota has listed Lacosamide as a schedule V as a controlled substance [Minnesota Statutes 152.02 (6) (3) (iii)].

19. Contact Name Nilajah Hardin, Administrative Rules Coordinator	20. Contact Phone Number 608-267-7139
--	--

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
- Less Stringent Schedules or Deadlines for Compliance or Reporting
- Consolidation or Simplification of Reporting Requirements
- Establishment of performance standards in lieu of Design or Operational Standards
- Exemption of Small Businesses from some or all requirements
- Other, describe:

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-039**

AN ORDER to create CSB 2.88, relating to scheduling Lacosamide.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-20-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-06-2022 REPORT SENT TO AGENCY.

SG:KAM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]
Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]
Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]
Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]
Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]
Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]
Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]
Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-038**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**
This rule schedules Perampanel as a Schedule III controlled substance. The Controlled Substances Board did not receive an objection to similarly listing Perampanel as a schedule III under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Perampanel as a schedule III controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Perampanel under chapter 961, Stats. by creating the following:

CSB 2.89 Addition of Perampanel to schedule III. Section 961.18 (3) (fm), Stats., is created to read: 961.18 (3) (fm) Perampanel.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.
- V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD'S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:**
Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.
- VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:**
Legislative Council staff did not make any recommendations.
- VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS:** N/A

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-038)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.89 relating to scheduling Perampanel.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On December 2, 2013, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Perampanel into schedule III of the federal Controlled Substances Act. The scheduling action is effective January 2, 2014.

Plain language analysis:

This rule schedules Perampanel as a Schedule III controlled substance.

The Controlled Substances Board did not receive an objection to similarly listing Perampanel as a schedule III under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing Perampanel as a schedule III controlled substance.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Perampanel under chapter 961, Stats. by creating the following:

CSB 2.89 Addition of Perampanel to schedule III. Section 961.18 (3) (fm), Stats., is created to read:

961.18 (3) (fm) Perampanel.

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has not scheduled Perampanel as a controlled substance.

Iowa: Iowa has listed Perampanel as a schedule III controlled substance [Iowa Administrative Code 124.208 (3) (o)].

Michigan: Michigan has not scheduled Perampanel as a controlled substance.

Minnesota: Minnesota has listed Perampanel as schedule III controlled substance [Minnesota Statutes 152.02 (4) (c) (5) (xi)].

Summary of factual data and analytical methodologies:

The methodology was to schedule Perampanel to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department’s Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. CSB 2.89 is created to read:

CSB 2.89 Addition of Perampanel to schedule III. Section 961.18 (3) (fm), Stats., is created to read:

961.18 (3) (fm) Perampanel.

SECTION 2. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____

Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/20/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.89</p>	
<p>4. Subject Scheduling Perampanel</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On December 2, 2013, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing Perampanel into schedule III of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to schedule Perampanel as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to schedule Perampanel as a schedule III controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has scheduled Perampanel as a schedule III controlled substance.</p>	
<p>18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) Illinois: Illinois has not scheduled Perampanel as a controlled substance. Iowa: Iowa has listed Perampanel as a schedule III controlled substance [Iowa Administrative Code 124.208 (3) (o)].</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

Michigan: Michigan has not scheduled Perampanel as a controlled substance.

Minnesota: Minnesota has listed Perampanel as schedule III controlled substance [Minnesota Statutes 152.02 (4) (c) (5) (xi)].

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)
 Yes No



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-038**

AN ORDER to create CSB 2.89, relating to scheduling Perampanel.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-20-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-05-2022 REPORT SENT TO AGENCY.

MSK:SM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

**STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD**

IN THE MATTER OF RULEMAKING :
PROCEEDINGS BEFORE THE : **REPORT TO THE LEGISLATURE**
CONTROLLED SUBSTANCES BOARD : **CR 22-040**
:
:
:

- I. THE PROPOSED RULE:** The proposed rule, including the analysis and text, is attached.
- II. REFERENCE TO APPLICABLE FORMS:** N/A
- III. FISCAL ESTIMATE AND EIA:** The Fiscal Estimate and EIA is attached.
- IV. DETAILED STATEMENT EXPLAINING THE BASIS AND PURPOSE OF THE PROPOSED RULE, INCLUDING HOW THE PROPOSED RULE ADVANCES RELEVANT STATUTORY GOALS OR PURPOSES:**

This rule transfers 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from schedule I to schedule II of the chapter 961, stats.

The Controlled Substances Board did not receive an objection to similarly listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as schedule II controlled substances under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as schedule II controlled substances.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, under chapter 961, Stats. by repealing s. 961.14 (6) and creating the following:

CSB 2.90 Transfer of 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from Schedule I to schedule II. Section 961.16 (8) (c), Stats. is created to read:

961.16 (8) (c) Immediate precursors to phencyclidine, also known as PCP:

- 1. 1-phenylcyclohexylamine.***
- 2. 1-piperidinocyclohexanecarbonitrile.***

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.

V. SUMMARY OF PUBLIC COMMENTS AND THE BOARD'S RESPONSES, EXPLANATION OF MODIFICATIONS TO PROPOSED RULES PROMPTED BY PUBLIC COMMENTS:

Per s. 961.11(4), Stats., if no objection is made, the board shall promulgate a final rule for which notice of proposed rulemaking is omitted. Therefore, the Board did not hold a public hearing.

VI. RESPONSE TO LEGISLATIVE COUNCIL STAFF RECOMMENDATIONS:
Legislative Council staff did not make any recommendations.

VII. REPORT FROM THE SBRRB AND FINAL REGULATORY FLEXIBILITY ANALYSIS: N/A

DRAFT

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : PROPOSED ORDER OF THE
PROCEEDINGS BEFORE THE : CONTROLLED SUBSTANCES BOARD
CONTROLLED SUBSTANCES BOARD : ADOPTING RULES
: (CLEARINGHOUSE RULE 22-040)

PROPOSED ORDER

An order of the Controlled Substances Board to create CSB 2.90, relating to transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 961.16, Stats.

Statutory authority: s. 961.11 (1) and (4), Stats.

Explanation of agency authority:

Section 961.11 (1), Stats. provides that “[t]he controlled substances board shall administer this subchapter and may add substances to or delete or reschedule all substances listed in the schedules in ss. 961.14, 961.16, 961.18, 961.20 and 961.22 pursuant to the rule-making procedures of ch. 227.”

Section 961.11(4), Stats. provides that “[i]f a substance is designated, rescheduled or deleted as a controlled substance under federal law and notice thereof is given to the controlled substances board, the board by affirmative action shall similarly treat the substance under this chapter after the expiration of 30 days from the date of publication in the federal register of a final order designating the substance as a controlled substance or rescheduling or deleting the substance or from the date of issuance of an order of temporary scheduling under 21 USC 811 (h), unless within that 30–day period, the board or an interested party objects to the treatment of the substance. If no objection is made, the board shall promulgate, without making the determinations or findings required by subs. (1), (1m), (1r) and (2) or s. 961.13, 961.15, 961.17, 961.19 or 961.21, a final rule, for which notice of proposed rulemaking is omitted, designating, rescheduling, temporarily scheduling or deleting the substance. If an objection is made the board shall publish notice of receipt of the objection and the reasons for objection and afford all interested parties an opportunity to be heard. At the conclusion of the hearing, the board shall make a determination with respect to the treatment of the substance as provided in subs. (1), (1m), (1r) and (2) and shall publish its decision, which shall be final unless altered by statute. Upon publication of an objection to the treatment by the board, action by the board under this chapter is stayed until the board promulgates a rule under sub. (2).”

Related statute or rule: s. 961.16, Stats.

Summary of, and comparison with, existing or proposed federal regulation:

On May 17, 1978, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, into schedule II of the federal Controlled Substances Act. The scheduling action was effective June 16, 1978.

Plain language analysis:

This rule transfers 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from schedule I to schedule II of the chapter 961, stats.

The Controlled Substances Board did not receive an objection to similarly listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as schedule II controlled substances under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as a schedule II controlled substances.

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, under chapter 961, Stats. by repealing s. 961.14 (6) and creating the following:

CSB 2.90 Transfer of 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from Schedule I to schedule II. Section 961.16 (8) (c), Stats. is created to read:

- 961.16 (8) (c) Immediate precursors to phencyclidine, also known as PCP:***
- 1. 1-phenylcyclohexylamine.***
 - 2. 1-piperidinocyclohexanecarbonitrile.***

The Affirmative Action order, dated July 9, 2021, took effect on July 19, 2021, when it was published in the Administrative Register and expires upon promulgation of a final rule.

Summary of public comments received on statement of scope and a description of how and to what extent those comments and feedback were taken into account in drafting the proposed rule: N/A

Comparison with rules in adjacent states:

Illinois: Illinois has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as schedule II controlled substances [720 Illinois Compiled Statutes 520/206 (f) (2)].

Iowa: Iowa has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as schedule II controlled substances [Iowa Administrative Code 124.206 (6) (b)].

Michigan: Michigan has not scheduled 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as controlled substances.

Minnesota: Minnesota has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as schedule II controlled substances [Minnesota Statutes 152.02 (3) (e) (6)].

Summary of factual data and analytical methodologies:

The methodology was to transfer 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from schedule I to schedule II to conform with the federal Controlled Substances Act.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.

Fiscal Estimate:

The Fiscal Estimate and Economic Impact Analysis is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department's Regulatory Review Coordinator may be contacted by email at Daniel.Hereth@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-267-7139; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Nilajah Hardin, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 4822 Madison Yards Way, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received by July 15, 2022 to be included in the record of rulemaking proceedings.

TEXT OF RULE

SECTION 1. s. 961.14 (6), stats. is repealed.

SECTION 2. CSB 2.90 is created to read:

CSB 2.90 Transfer of 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, from Schedule I to schedule II. Section 961.16 (8) (c), Stats. is created to read:

961.16 (8) (c) Immediate precursors to phencyclidine, also known as PCP:

1. 1-phenylcyclohexylamine.
2. 1-piperidinocyclohexanecarbonitrile.

SECTION 3. EFFECTIVE DATE. The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)

This Proposed Order of the Controlled Substances Board is approved for submission to the Governor and Legislature.

Dated _____

Agency _____
Chairperson
Controlled Substances Board

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<p>1. Type of Estimate and Analysis <input checked="" type="checkbox"/> Original <input type="checkbox"/> Updated <input type="checkbox"/> Corrected</p>	<p>2. Date 04/20/22</p>
<p>3. Administrative Rule Chapter, Title and Number (and Clearinghouse Number if applicable) CSB 2.90</p>	
<p>4. Subject Transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP</p>	
<p>5. Fund Sources Affected <input type="checkbox"/> GPR <input type="checkbox"/> FED <input type="checkbox"/> PRO <input type="checkbox"/> PRS <input type="checkbox"/> SEG <input type="checkbox"/> SEG-S</p>	<p>6. Chapter 20, Stats. Appropriations Affected</p>
<p>7. Fiscal Effect of Implementing the Rule <input checked="" type="checkbox"/> No Fiscal Effect <input type="checkbox"/> Increase Existing Revenues <input type="checkbox"/> Increase Costs <input type="checkbox"/> Decrease Costs <input type="checkbox"/> Indeterminate <input type="checkbox"/> Decrease Existing Revenues <input type="checkbox"/> Could Absorb Within Agency's Budget</p>	
<p>8. The Rule Will Impact the Following (Check All That Apply) <input type="checkbox"/> State's Economy <input type="checkbox"/> Specific Businesses/Sectors <input type="checkbox"/> Local Government Units <input type="checkbox"/> Public Utility Rate Payers <input type="checkbox"/> Small Businesses (if checked, complete Attachment A)</p>	
<p>9. Estimate of Implementation and Compliance to Businesses, Local Governmental Units and Individuals, per s. 227.137(3)(b)(1). \$0</p>	
<p>10. Would Implementation and Compliance Costs Businesses, Local Governmental Units and Individuals Be \$10 Million or more Over Any 2-year Period, per s. 227.137(3)(b)(2)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
<p>11. Policy Problem Addressed by the Rule On May 17, 1978, the Department of Justice, Drug Enforcement Administration published its final rule in the Federal Register listing 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, into schedule II of the federal Controlled Substances Act.</p>	
<p>12. Summary of the Businesses, Business Sectors, Associations Representing Business, Local Governmental Units, and Individuals that may be Affected by the Proposed Rule that were Contacted for Comments. The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect businesses, local government units, and individuals. No comments were received.</p>	
<p>13. Identify the Local Governmental Units that Participated in the Development of this EIA. None.</p>	
<p>14. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) None.</p>	
<p>15. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule The benefit is that the federal and state controlled substances acts will be uniform to avoid confusion. In addition it is in the best interest of Wisconsin citizens to transfer 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as a controlled substance.</p>	
<p>16. Long Range Implications of Implementing the Rule The long range implications of implementing the rule will be to transfer 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as a schedule II controlled substance.</p>	
<p>17. Compare With Approaches Being Used by Federal Government The federal government has transferred 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP, as a schedule II controlled substance.</p>	

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

18. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota)

Illinois: Illinois has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as a schedule II controlled substances [720 Illinois Compiled Statutes 520/206 (f) (2)].

Iowa: Iowa has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as a schedule II controlled substances [Iowa Administrative Code 124.206 (6) (b)].

Michigan: Michigan has not scheduled 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as controlled substances.

Minnesota: Minnesota has listed 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile as a schedule II controlled substances [Minnesota Statutes 152.02 (3) (e) (6)].

19. Contact Name	20. Contact Phone Number
Nilajah Hardin, Administrative Rules Coordinator	608-267-7139

This document can be made available in alternate formats to individuals with disabilities upon request.

ADMINISTRATIVE RULES
Fiscal Estimate & Economic Impact Analysis

ATTACHMENT A

1. Summary of Rule's Economic and Fiscal Impact on Small Businesses (Separately for each Small Business Sector, Include Implementation and Compliance Costs Expected to be Incurred)

2. Summary of the data sources used to measure the Rule's impact on Small Businesses

3. Did the agency consider the following methods to reduce the impact of the Rule on Small Businesses?

- Less Stringent Compliance or Reporting Requirements
 - Less Stringent Schedules or Deadlines for Compliance or Reporting
 - Consolidation or Simplification of Reporting Requirements
 - Establishment of performance standards in lieu of Design or Operational Standards
 - Exemption of Small Businesses from some or all requirements
 - Other, describe:
-

4. Describe the methods incorporated into the Rule that will reduce its impact on Small Businesses

5. Describe the Rule's Enforcement Provisions

6. Did the Agency prepare a Cost Benefit Analysis (if Yes, attach to form)

- Yes No
-



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **22-040**

AN ORDER to create CSB 2.90, relating to transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile, immediate precursors to phencyclidine, also known as PCP.

Submitted by **CONTROLLED SUBSTANCES BOARD**

04-20-2022 RECEIVED BY LEGISLATIVE COUNCIL.

05-05-2022 REPORT SENT TO AGENCY.

MSK:BL

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : AFFIRMATIVE ACTION
PROCEEDINGS BEFORE THE : ORDER OF THE
CONTROLLED SUBSTANCES BOARD : CONTROLLED SUBSTANCES BOARD

FINDINGS

1. On December 16, 2005 and July 30, 2012, the Department of Justice, Drug Enforcement Administration published its final rules in the Federal Register placing thirty-eight (38) anabolic steroids into schedule III of the federal Controlled Substances Act. The scheduling actions are effective January 20, 2005 and August 29, 2012.
2. The Controlled Substances Board did not receive an objection to similarly treating thirty-eight (38) anabolic steroids as schedule III under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order designating thirty-eight (38) anabolic steroids as a controlled substance.
3. The Controlled Substances Board will promulgate a final rule, without making the determinations or findings required by ss. 961.11(1), (1m), (1r) and (2) or s. 961.19 and omitting the notice of proposed rule making, designating thirty-eight (38) anabolic steroids as a schedule III controlled substance.

ORDER

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats thirty-eight (38) anabolic steroids under chapter 961, Stats. by creating the following:

CSB 2.92 Addition of thirty-eight (38) Anabolic Steroids to schedule III. Section 961.18 (7), Stats., is repealed and recreated to read:

961.14 (7) ANABOLIC STEROIDS. Unless specifically excepted or listed in another schedule, any material, compound, mixture, or preparation containing any quantity of any of the following anabolic steroids, including any of their esters, ethers, isomers, esters or ethers of isomers, salts and salts of esters or ethers, isomers and esters or ethers of isomers that are theoretically possible within the specific chemical designation. Except such terms do not include an anabolic steroid that is expressly intended for administration through implants to cattle or other nonhuman species and that has been approved by the Secretary of Health and Human Services for such administration. If any person prescribes, dispenses, or distributes such steroid for human use, the person shall be considered to have prescribed, dispensed, or distributed an anabolic steroid within the meaning of this section:

- (a) 3beta,17-dihydroxy-5alpha-androstane;
- (b) 3alpha,17beta-dihydroxy-5alpha-androstane;

- (c) 5alpha-androstan-3,17-dione;
- (d) 1-androstenediol (3beta,17beta-dihydroxy-5alpha-androst-1-ene; 3alpha,17beta-dihydroxy-5alpha-androst-1-ene);
- (e) 4-androstenediol;
- (f) 5-androstenediol;
- (g) 1-androstenedione;
- (h) 4-androstenedione;
- (i) 5-androstenedione;
- (j) Bolasterone;
- (k) Boldenone;
- (L) Boldione;
- (m) Calusterone;
- (n) 4-chlorotestosterone, which is also called clostebol;
- (o) Dehydrochloromethyltestosterone;
- (p) Desoxymethyltestosterone
- (q) delta1-dihydrotestosterone
- (r) 4-dihydrotestosterone, which is also called stanolone;
- (s) Drostanolone;
- (t) Ethylestrenol;
- (u) Fluoxymesterone;
- (v) Formebolone, which is also called fromebolone;
- (w) Furazabol;
- (x) 13beta-ethyl-17beta-hydroxygon-4-en-3-one;
- (y) 4-hydroxytestosterone;
- (z) 4-hydroxy-19-nortestosterone;
- (aa) Mestanolone;
- (bb) Mesterolone;
- (cc) Methandienone, which is also called methandrostenolone;
- (dd) Methandriol;
- (ee) Methasterone;
- (ff) Methenolone;
- (gg) 17alpha-methyl-3beta, 17beta-dihydroxy-5alpha-androstane;
- (hh) 17alpha-methyl-3alpha,17beta-dihydroxy-5alpha-androstane;
- (ii) 17alpha-methyl-3beta,17beta-dihydroxyandrost-4-ene;
- (jj) 17alpha-methyl-4-hydroxynandrolone;
- (kk) Methyldienolone;
- (LL) Methyltrienolone;
- (mm) Methyltestosterone;
- (nn) Mibolerone;
- (oo) 17alpha-methyl-delta1-dihydrotestosterone, which is also called 17-alpha-methyl-1-testosterone;
- (pp) Nandrolone;
- (qq) 19-nor-4-androstenediol (3beta, 17beta-dihydroxyestr-4-ene; 3alpha, 17beta-dihydroxyestr-4-ene);
- (rr) 19-nor-5-androstenediol (3beta, 17beta-dihydroxyestr-5-ene; 3alpha, 17beta-dihydroxyestr-5-ene);

- (ss) 19-nor-4,9(10)-androstadienedione;
- (tt) 19-nor-4-androstenedione (estr-4-en-3,17-dione);
- (uu) 19-nor-5-androstenedione (estr-5-en-3,17-dione);
- (vv) Norbolethone;
- (ww) Norclostebol;
- (xx) Norethandrolone;
- (yy) Normethandrolone
- (zz) Oxandrolone;
- (aaa) Oxymesterone;
- (bbb) Oxymetholone;
- (ccc) Prostanazol;
- (ddd) Stanozolol;
- (eee) Stenbolone;
- (fff) Testolactone;
- (ggg) Testosterone;
- (hhh) Tetrahydrogestrinone;
- (iii) Trenbolone.

This order shall become effective upon publication in the Administrative Register. The order expires upon promulgation of a final rule.

Dated _____

Doug Englebert, Chair
Controlled Substances Board

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING	:	AFFIRMATIVE ACTION
PROCEEDINGS BEFORE THE	:	ORDER OF THE
CONTROLLED SUBSTANCES BOARD	:	CONTROLLED SUBSTANCES BOARD

FINDINGS

1. On April 7, 2022, the Department of Justice, Drug Enforcement Administration published its interim final rule in the Federal Register listing Daridorexant into schedule IV of the federal Controlled Substances Act. The scheduling action is effective April 7, 2022.
2. The Controlled Substances Board did not receive an objection to similarly listing Daridorexant as a schedule IV under ch. 961, Stats. within 30 days of the date of publication in the federal register of the interim final order listing Daridorexant as a schedule IV controlled substance.
3. The Controlled Substances Board will promulgate a final rule, without making the determinations or findings required by ss. 961.11(1), (1m), (1r) and (2) or s. 961.19 and omitting the notice of proposed rulemaking, listing Daridorexant as a schedule IV controlled substance.

ORDER

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Daridorexant under chapter 961, Stats. by creating the following:

CSB 2.93 Addition of Daridorexant to schedule IV. Section 961.20 (2) (cpm), Stats., is created to read:

961.20 (2) (cpm) Daridorexant.

This order shall become effective upon publication in the Administrative Register. The order expires upon promulgation of a final rule.

Dated _____

Doug Englebort, Chair
Controlled Substances Board

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING	:	AFFIRMATIVE ACTION
PROCEEDINGS BEFORE THE	:	ORDER OF THE
CONTROLLED SUBSTANCES BOARD	:	CONTROLLED SUBSTANCES BOARD

FINDINGS

1. On April 12, 2022, the Department of Justice, Drug Enforcement Administration published its temporary scheduling order in the Federal Register placing the following seven (7) synthetic benzimidazole-opioid substances into schedule I of the federal Controlled Substances Act. The scheduling action is effective immediately.

- 2-(2-(4-butoxybenzyl)-5-nitro-1Hbenzimidazol-1-yl)-N,N-diethylethan-1- amine (butonitazene),
- 2-(2-(4-ethoxybenzyl)-1Hbenzimidazol-1-yl)-N,N-diethylethan-1- amine (etodesnitazene; etazene),
- N,N-diethyl-2-(2-(4-fluorobenzyl)-5- nitro-1H-benzimidazol-1-yl)ethan-1- amine (flunitazene),
- N,N-diethyl-2-(2-(4- methoxybenzyl)-1H-benzimidazol-1- yl)ethan-1-amine (metodesnitazene),
- N,N-diethyl-2-(2-(4- methoxybenzyl)-5-nitro-1Hbenzimidazol-1-yl)ethan-1-amine (metonitazene),
- 2-(4-ethoxybenzyl)-5-nitro-1-(2- (pyrrolidin-1-yl)ethyl)-1Hbenzimidazole (N-pyrrolidino etonitazene; etonitazepyne), and
- N,N-diethyl-2-(5-nitro-2-(4- propoxybenzyl)-1H-benzimidazol-1- yl)ethan-1-amine (protonitazene).

2. The Controlled Substances Board did not receive an objection to similarly treating the seven (7) synthetic benzimidazole-opioid substances listed above in schedule I under ch. 961, Stats. within 30 days of the date of publication in the federal register of the final order designating these seven (7) synthetic benzimidazole-opioid substances as controlled substances.

3. The Controlled Substances Board will promulgate a final rule, without making the determinations or findings required by ss. 961.11(1), (1m), (1r) and (2) or s. 961.13 and omitting the notice of proposed rulemaking, designating the seven (7) synthetic benzimidazole-opioid substances listed above as a schedule I controlled substances.

ORDER

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats the seven (7) synthetic benzimidazole-opioid substances listed above under chapter 961, Stats. by creating the following:

CSB 2.94 Addition of seven (7) synthetic benzimidazole-opioid substances to schedule I.

Section 961.14 (2) (mm) and (pm), stats. are amended to read:

961.14 (2) (mm). Etonitazene (2-(2-(4-ethoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine)

961.14 (2) (pm). Isotonitazene (N,N -diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine)

Section 961.14 (2) (mm) and (pm), stats. are renumbered to 961.14 (2) (xm) 3. and 6., stats.

Section 961.14 (2) (xm) 1. to 9., Stats., is created to read:

961.14 (2) (xm) Synthetic Benzimidazole-opioid Substances:

1. Butonitazene (2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine),
2. Etodesnitazene also known as Etazene (2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine),
3. Etonitazene (2-(2-(4-ethoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine),
4. Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine),
5. Isotonitazene (N,N -diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine),
6. Metodesnitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine),
7. Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine),
8. N-pyrrolidino etonitazene also known as etonitazepyne (2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole), and
9. Protonitazene (N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine).

This order shall take effect upon publication in the Administrative Register. The order expires upon promulgation of a final rule.

Dated _____

Doug Englebert, Chair
Controlled Substances Board

STATE OF WISCONSIN
CONTROLLED SUBSTANCES BOARD

IN THE MATTER OF RULE-MAKING : AFFIRMATIVE ACTION
PROCEEDINGS BEFORE THE : ORDER OF THE
CONTROLLED SUBSTANCES BOARD : CONTROLLED SUBSTANCES BOARD

FINDINGS

1. On June 1, 2022, the Department of Justice, Drug Enforcement Administration published its interim final rule in the Federal Register listing Ganaxolone into schedule V of the federal Controlled Substances Act. The scheduling action is effective June 1, 2022.
2. The Controlled Substances Board did not receive an objection to similarly listing Ganaxolone as a schedule V under ch. 961, Stats. within 30 days of the date of publication in the federal register of the interim final order listing Ganaxolone as a schedule V controlled substance.
3. The Controlled Substances Board will promulgate a final rule, without making the determinations or findings required by ss. 961.11(1), (1m), (1r) and (2) or s. 961.19 and omitting the notice of proposed rulemaking, listing Ganaxolone as a schedule V controlled substance.

ORDER

Pursuant to s. 961.11(4), Stats., the Controlled Substances Board by affirmative action similarly treats Ganaxolone under chapter 961, Stats. by creating the following:

CSB 2.95 Addition of Ganaxolone to schedule V. Section 961.22 (11), Stats., is created to read:

961.22 (11) Ganaxolone.

This order shall become effective upon publication in the Administrative Register. The order expires upon promulgation of a final rule.

Dated _____

Doug Englebort, Chair
Controlled Substances Board

**Controlled Substances Board
Rule Projects (updated 06/29/2022)**

CH Rule Number	Scope Number	Scope Expiration Date	Code Chapter Affected	Relating Clause	Stage of Rule Process	Next Step
22-011	070-21	02/29/2024	CSB 2.78	Scheduling Crotonyl Fentanyl	Submitted to the Legislature on 04/14/2022	Legislative Review After 01/03/2023
22-014	071-21	02/29/2024	CSB 2.79	Scheduling Remimazolam	Submitted to the Legislature on 04/14/2022	Legislative Review After 01/03/2023
21-098	061-21	12/28/2023	CSB 2.80	Scheduling Oliceridine	Adoption Order Submitted for Board Review at 07/15/22 Meeting	Submission for Publication; Anticipated Rule Effective on 09/01/22
22-016	072-21	02/29/2024	CSB 2.81	Scheduling Brorphine	Submitted to the Legislature on 04/14/2022	Legislative Review After 01/03/2023
22-032	088-21	04/18/2024	CSB 2.82	Scheduling Serdexmethylphenidate	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-033	089-21	04/18/2024	CSB 2.83	Scheduling 10 Fentanyl Related Substances	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-034	090-21	04/18/2024	CSB 2.84	Scheduling Alfaxalone	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-035	091-21	04/18/2024	CSB 2.85	Excluding 6-beta-Naltrexol	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-036	092-21	04/18/2024	CSB 2.86	Scheduling Fospropofol	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-037	093-21	04/18/2024	CSB 2.87	Scheduling Embutramide	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature

**Controlled Substances Board
Rule Projects (updated 06/29/2022)**

CH Rule Number	Scope Number	Scope Expiration Date	Code Chapter Affected	Relating Clause	Stage of Rule Process	Next Step
22-039	094-21	04/18/2024	CSB 2.88	Scheduling Lacosamide	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-038	095-21	04/18/2024	CSB 2.89	Scheduling Perampanel	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
22-040	096-21	04/18/2024	CSB 2.90	Transferring 1-phenylcyclohexylamine and 1-piperidinocyclohexanecarbonitrile , Immediate Precursors to Phencyclidine, Also Known as PCP	Final Rule Draft and Legislative Report Submitted for Board Review at 07/15/22 Meeting	Submission to the Governor's Office and Legislature
Not Assigned Yet	015-22	08/28/2024	CSB 2.91	Scheduling 4,4'-Dimethylaminorex	Clearinghouse Review until 07/28/22	Board Review of Final Rule Draft and Legislative Report at 09/09/22 Meeting
Not Assigned Yet	Not Assigned Yet	Not Assigned Yet	CSB 2.92	Scheduling 38 Anabolic Steroids	Affirmative Action Order Submitted for Board Review at 07/15/22 Meeting	Drafting of Scope Statement
Not Assigned Yet	Not Assigned Yet	Not Assigned Yet	CSB 2.93	Scheduling Daridorexant	Affirmative Action Order Submitted for Board Review at 07/15/22 Meeting	Drafting of Scope Statement
Not Assigned Yet	Not Assigned Yet	Not Assigned Yet	CSB 2.94	Scheduling 7 Synthetic Benzimidazole-Opioids	Affirmative Action Order Submitted for Board Review at 07/15/22 Meeting	Drafting of Scope Statement
Not Assigned Yet	Not Assigned Yet	Not Assigned Yet	CSB 2.95	Scheduling Ganaxolone	Affirmative Action Order Submitted for Board Review at 07/15/22 Meeting	Drafting of Scope Statement

**State of Wisconsin
Department of Safety & Professional Services**

AGENDA REQUEST FORM

1) Name and title of person submitting the request: Marjorie Liu Program Lead, PDMP		2) Date when request submitted: 7/5/2022 <small>Items will be considered late if submitted after 12:00 p.m. on the deadline date which is 8 business days before the meeting</small>															
3) Name of Board, Committee, Council, Sections: Controlled Substances Board																	
4) Meeting Date: 7/15/2022	5) Attachments: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6) How should the item be titled on the agenda page? Prescription Drug Monitoring Program (PDMP) Updates – Discussion and Consideration															
7) Place Item in: <input checked="" type="checkbox"/> Open Session <input type="checkbox"/> Closed Session	8) Is an appearance before the Board being scheduled? <i>(If yes, please complete Appearance Request for Non-DSPS Staff)</i> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9) Name of Case Advisor(s), if required:															
10) Describe the issue and action that should be addressed: <ol style="list-style-type: none"> 1. WI ePDMP Operations <ol style="list-style-type: none"> a. Recent and Upcoming Releases b. Status of Grant Projects: <ol style="list-style-type: none"> i. FY 2020 Harold Rogers Prescription Drug Monitoring Program ii. FY 2021 Harold Rogers Prescription Drug Monitoring Program iii. Buprenorphine Exclusion Project c. Interstate Data Sharing d. EHR Integration Status 2. WI ePDMP Outreach 																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">11) Authorization</td> <td style="width: 40%;"></td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black;"><i>Marjorie Liu</i></td> <td style="border-top: 1px solid black; border-bottom: 1px solid black; text-align: right;">7/5/2022</td> </tr> <tr> <td>Signature of person making this request</td> <td style="text-align: right;">Date</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black;"><i>Adam Barr</i></td> <td style="border-top: 1px solid black; border-bottom: 1px solid black; text-align: right;">7/6/2022</td> </tr> <tr> <td>Supervisor (if required)</td> <td style="text-align: right;">Date</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black;"><i>Adam Barr</i></td> <td style="border-top: 1px solid black; border-bottom: 1px solid black; text-align: right;">7/6/2022</td> </tr> <tr> <td>Executive Director signature (indicates approval to add post agenda deadline item to agenda)</td> <td style="text-align: right;">Date</td> </tr> </table>				11) Authorization		<i>Marjorie Liu</i>	7/5/2022	Signature of person making this request	Date	<i>Adam Barr</i>	7/6/2022	Supervisor (if required)	Date	<i>Adam Barr</i>	7/6/2022	Executive Director signature (indicates approval to add post agenda deadline item to agenda)	Date
11) Authorization																	
<i>Marjorie Liu</i>	7/5/2022																
Signature of person making this request	Date																
<i>Adam Barr</i>	7/6/2022																
Supervisor (if required)	Date																
<i>Adam Barr</i>	7/6/2022																
Executive Director signature (indicates approval to add post agenda deadline item to agenda)	Date																
Directions for including supporting documents: <ol style="list-style-type: none"> 1. This form should be attached to any documents submitted to the agenda. 2. Post Agenda Deadline items must be authorized by a Supervisor and the Policy Development Executive Director. 3. If necessary, provide original documents needing Board Chairperson signature to the Bureau Assistant prior to the start of a meeting. 																	

2020-2022 Development and Release Summary

Updated 06.30.2022

Release Date	Description
Pending	
Harold Rogers Grant 2020 Component 3 Release date TBD	Ability for users to change the order in which the sections of the patient report are presented. Adding a Buprenorphine Naïve Alert section to the patient report.
Harold Rogers Grant 2020 Component 2 Release date TBD	Infrastructure and Technology stack changes to improve performance in the following areas: <ul style="list-style-type: none"> • Patient Matching • Dispensing Matching • Reporting Statistics
Completed	
Harold Rogers Grant 2021 Promotional Materials May 2022	Promotional Materials for free EHR Integrations Maintenance Updates
R26 April 2022	Buprenorphine Alert Override <ul style="list-style-type: none"> • Ability to override prescriber facing alerts, metrics, and MME calculations for certain drugs. Maintenance Updates RxCheck 3.0 Upgrades
Harold Rogers Grant 2020 Component 1 December 2021	Security Enhancements <ul style="list-style-type: none"> • Two-Factor Authentication • Compromised Email Address Check Patient Report and other User Experience Updates
R25 November 2021	Maintenance Updates <ul style="list-style-type: none"> • Adjustments to triggering Annual Terms and Conditions prompt • Enhanced EHR Integration Testing capabilities Chatbot display changes
R24 August 2021	Text Updates <ul style="list-style-type: none"> • Gabapentin related text changes to the Submitter Error Email. Security-Related Enhancements
R23 July 2021	Text Updates <ul style="list-style-type: none"> • Gabapentin related text changes to the Submitter Error Email.

<p>R22 July 2021</p>	<p>Pharmacy-Related Enhancements</p> <ul style="list-style-type: none"> • Missing DEA Number Error Process Updates <p>Administrative-Related Enhancements</p>
<p>R21 May 2021</p>	<p>New Design Enhancements</p> <ul style="list-style-type: none"> • Proactive MC/HCP linkage renewals • Search enhancements <p>Administrative-Related Enhancements</p> <p>Additional administrator tools</p>
<p>R20 March 2021</p>	<p>WI DOJ-Medical College of Wisconsin DataShare Project</p> <ul style="list-style-type: none"> • Automatically send data extracts to DOJ-MCW • Automatically receive data extracts from DOJ-MCW <p>Administrative-Related Enhancements</p> <ul style="list-style-type: none"> • Additional improvements to query process • Additional administrator tools
<p>R19 September 2020</p>	<p>New Design Enhancements</p> <ul style="list-style-type: none"> • Enhanced MME calculation process • Ability to set map display defaults <p>Administrative-Related Enhancements</p> <ul style="list-style-type: none"> • Improvements to query approval process <p>Search Engine Optimization</p> <p>Updates to non-user facing parts of the PDMP to optimize search engine results</p>
<p>R18 July 2020</p>	<p>New Design Enhancements</p> <ul style="list-style-type: none"> • Updated layout and design of Patient Report including alerts and dispensing details, based on user feedback • Opioid naïve alert <p>Additional EHR Enhancements</p> <ul style="list-style-type: none"> • Multi-state default settings <p>Prescriber Metrics Notifications</p> <p>Proactive notice to prescribers to review metrics, based on time and/or prescribing thresholds</p>
<p>R17.1 April 2020</p>	<p>Pharmacy-Related Enhancements</p> <ul style="list-style-type: none"> • Display of Date Sold, if provided in the submission • ASAP file processing improvements

<p>R17 March 2020</p>	<p>Pharmacy-Related Enhancements</p> <ul style="list-style-type: none">• Improvements to workflow for error corrections/void• Display of Date Sold, if provided in the submission <p>New Design Enhancements</p> <ul style="list-style-type: none">• Better access to history of recent Patient Reports for Delegates• Additional data element on overdose alerts entered by law enforcement to capture administration of Naloxone• MME calculator <p>Additional EHR Enhancements</p> <ul style="list-style-type: none">• Expanded patient search from within EHR• Expanded navigation from within EHR
---	--

Interstate Data Sharing

RxCheck/EHR	PMPi
In Progress	
ME*	
Connected	
IL, MD, NE, PA, UT, WA,	AZ, CO, DE, FL, HI, IA, ID, IN, MI, MN, MT, NC, ND, NM, NV, NY, PR, SC, SD, TN, WV, Military Health System
*Moving from PMPi to RxCheck	

WI ePDMP Integration Services Summary

Current as of 06.30.2022

Pending Health Systems and EHR Platforms
Advent Health (In Discussion/Contracting)
Marshfield EHR System Change (In Discussion/Contracting)
Wisconsin Statewide Health Information Network (Converting to New Platform)
Bluestone Physician Services (In Discussion/Contracting)
Clean Slate (In Development)
Connected Health Systems (approx. 57% of monthly patient queries)
Ascension Wisconsin
Aspirus Health Care
Aurora Health Care
Children's Hospital of Wisconsin
DrFirst Door County Memorial Hospital (<i>go-live scheduled for 7/25/22</i>), Fort Healthcare, Heartland Hospice, Lifestance Health WI, Marshfield Clinic Health System, Oak Medical, Watertown Regional Medical Center, Rogers Memorial Hospital, Wauwatosa Children's Clinic
Froedtert & the Medical College of Wisconsin
GHC of South Central Wisconsin
Gundersen Health System

HealthPartners
HSHS / Prevea Health
M Health Fairview
Marshfield Clinic
Mayo Clinic
Mercy Health
Monroe Clinic
NOVO Health Technology Group
ProHealth Care
SSM Health
Thedacare
UnityPoint
UW Health
Wisconsin Statewide Health Information Network

2022 WI PDMP Outreach Calendar

MONTH	EVENT	DESCRIPTION	DATES	NOTES
January	Overdose Fatality Review (OFR) State Advisory Group	DSPS Representative; inter-agency advisory board for OFR participating local sites	1/13/2022	Quarterly meeting
February				
March				
April	DOJ Law Enforcement (LE) Bulletin	Updated FAQ for LE alert reporting	WILENET April Issue	
	Overdose Fatality Review (OFR) State Advisory Group	DSPS Representative; inter-agency advisory board for OFR participating local sites	4/14/2022	Quarterly meeting
	Rx Drug Abuse & Heroin Summit	Participant; national conference led by multidisciplinary experts for stakeholders addressing the opioid crisis	4/18-4/21/2022	Atlanta, GA
May	RxCheck Governance Board Bi-Annual Meeting	Participant; annual meeting for state PDMP administrators	5/12/2022	Virtual
June	Waukesha County Heroin Taskforce Community Partners Meeting	PDMP presentation and discussion	6/14/2022	Virtual
July				
August	RxCheck Governance Board North & West Region Meeting	Participant; regional meeting for PDMP administrators Organized by PDMP Training and Technical Assistance Center	8/9-8/10/2022	Salt Lake City, UT
September				
October	PMPi Steering Committee Annual Meeting	Participant; annual meeting for PDMP administrators organized by National Association of Boards of Pharmacy	10/4-10/5/2022	Mount Prospect, IL
	RxCheck Governance Board Bi-Annual Meeting	Participant; Biannual meeting for state PDMP administrators	TBD	In-Person
November				
December				