

Controlled Substances Board

WISCONSIN ePDMP

Report 10

Quarter 3

July 1 – September 30, 2019

Contact Information

Wisconsin Controlled Substances Board Chairperson: Doug Englebert

Members:

Englebert, Doug, Chairperson	Department of Health Services Designated Member
Bloom, Alan, Vice Chairperson	Pharmacologist
Bellay, Yvonne M., Secretary	Department of Agriculture, Trade and Consumer Protection Designated Member
Barman, Subhadeep	Psychiatrist
Huck, Leonardo	Dentistry Examining Board Representative
Kallio, Peter J.	Board of Nursing Representative
Weitekamp, John	Pharmacy Examining Board Representative
Koresch, Sandy	Attorney General Designee
Westlake, Timothy W.	Medical Examining Board Representative

Wisconsin Department of Safety and Professional Services

4822 Madison Yards Way Madison, WI 53705 608-266-2112 <u>DSPS@wisconsin.gov</u> Website: <u>https://dsps.wi.gov</u>

Wisconsin Prescription Drug Monitoring Program

PDMP@wisconsin.gov Website: <u>https://pdmp.wi.gov/</u>

Table of Contents

Introduction	4
User Satisfaction	5
Impact on Referrals for Investigation	6
Monitored Prescription Drug Dispensing Trend	7
Data-Driven Alerts	10
Disclosure of WI PDMP Data	12
Law Enforcement Reports	14
Summary	15

Introduction

This report is being provided pursuant to ss. 961.385 (5) – (6), Wis. Stats., which requires the Controlled Substances Board (CSB) to submit a quarterly report to the Wisconsin Department of Safety and Professional Services (DSPS) about the Wisconsin Prescription Drug Monitoring Program (WI PDMP). This report is intended to satisfy that requirement for the third quarter of 2019 and will primarily focus on analysis of PDMP data from Q3 2019 and the preceding 12 months. For annual analysis of the WI PDMP from 2015 through 2018, see the Q4 2018 report found at https://dsps.wi.gov/Pages/BoardsCouncils/CSB/Reports.aspx. An updated annual analysis will be

provided in the Q4 2019 report.

The WI PDMP was first deployed in June 2013. It is administered by DSPS pursuant to the regulations and policies established by the CSB. An enhanced system, the WI ePDMP, was launched in January 2017, allowing the WI PDMP to become a multi-faceted tool in Wisconsin's efforts to address prescription drug abuse, misuse, and diversion through clinical decision support, prescribing practice assessment, communication among disciplines, and public health surveillance. Effective April 1, 2017, prescribers are required to check the WI ePDMP prior to issuing a prescription order for a monitored prescription drug, defined as controlled substance prescription drugs in Schedules II-V.

The WI ePDMP Public Statistics Dashboard (<u>https://pdmp.wi.gov/statistics</u>) provides interactive data visualizations for much of the data contained in this report, including county-level data for many of the charts.

User Satisfaction

A WI ePDMP user satisfaction survey was conducted in April 2018, and detailed results of the survey were provided in the Q2 2018 report. The survey indicated that most users are satisfied with the WI ePDMP, with 77% percent of respondents providing responses of either "Satisfied" or "Very Satisfied."

User-led enhancements identified through the initial survey and refined via a subsequent user survey in January 2019 are being prioritized for the 2019 and 2020 development timeline. These enhancements include:

- Streamlining the Patient Report to expand the use of visualization, reduce the need to scroll through the page, and add detail available in the dispensing detail;
- Improving the error correction/record voiding process used by dispensers to correct or void a previously reported dispensing record.

User-group feedback will continue to be utilized throughout the development process to ensure enhancements meet the needs of the WI ePDMP users. An additional user satisfaction survey will be conducted after implementation of the enhancements.

Impact on Referrals for Investigation

Pursuant to s. 961.385 (2) (f) and (3) (c), Wis. Stats., the CSB may disclose PDMP data to a licensing or regulatory board and refer for discipline a pharmacist, pharmacy, or practitioner who fails to comply with the rules of the Prescription Drug Monitoring Program or if circumstances indicate suspicious or critically dangerous conduct or practices of a pharmacy, pharmacist, practitioner, or patient. In 2018, the CSB Referral Criteria Workgroup was formed to develop recommendations for how the CSB could define suspicious or critically dangerous conduct or practices.

Based on the initial recommendations, the Wisconsin Medical Examining Board (MEB), Dentistry Examining Board (DEB), and Board of Nursing (BON) received summaries of the PDMP dispensing data specific to their professions at their meetings in the fall of 2018. Based on the data presented, the following actions occurred:

- The top seven physician (MD/DO) prescribers and the top seven physician assistant (PA) prescribers, based on opioid dispensing volume, were referred to the MEB.
- The top four dentistry prescribers, based on opioid dispensing volume, were referred to the DEB. An additional 12 dentistry prescribers were referred from the highest 1% of opioid prescribers for the profession for having written prescriptions for over three days without any indication of use of the WI ePDMP.
- The top four Advanced Practice Nurse Prescribers (APNP), based on opioid dispensing volume, were referred to the BON. The BON requested additional targeted outreach to over 800 APNPs who had an estimated WI ePDMP usage of less than 50% in an effort to educate these prescribers about the requirement to use the PDMP, as well as the tools available in the PDMP that can help promote safe prescribing practices.


The investigation of most of the referred prescribers is ongoing, through the DSPS Division of Legal Services and Compliance. Cases related to one of the referred MDs, one of the referred PAs, and two of the referred APNPs were closed after investigation with a finding that no violation had occurred.

The CSB Referral Criteria Workgroup has continued to meet in 2019 to refine the process for using PDMP data to proactively monitor licensees and their prescribing practices for suspicious or critically dangerous conduct or practices and to determine when such activity should result in a referral to the appropriate examining board. Results of the current investigations will also be used by the CSB Referral Criteria Workgroup to guide the process of proactive monitoring and referrals. The Workgroup's review of prescribers from the September 2019 meeting resulted in the referral of three additional physicians for investigation into possibly dangerous prescribing practices.


Additionally, the CSB conducts monthly audits of dispenser requirements with the requirement to submit dispensing data to the WI PDMP. Targeted outreach efforts are made after each audit in an attempt to bring all non-exempt licensed pharmacies into compliance with the requirement to submit and correct dispensing data. Pharmacies that appear to remain out of compliance after multiple outreach attempts are referred to the Pharmacy Examining Board (PEB). In Q2 2019, 46 pharmacies were referred to the PEB for possible noncompliance. In Q3 2019, 23 additional pharmacies were identified for referral for possible noncompliance.

Monitored Prescription Drug Dispensing Trend


Overall, the trend of decreased dispensing of monitored prescription drugs, defined as controlled substances in schedules II through V, continues in Wisconsin. From Q2 2019 to Q3 2019 specifically, there was a minimal reduction in the total number of all monitored prescription drugs dispensed, but there has been an approximately 3% reduction from the dispensing levels of Q3 2018.




When considering opioids specifically, data from the PDMP show that opioid dispensing from Q2 2019 to Q3 2019 decreased slightly, with a decrease of 1%, or 8,654 fewer prescription dispensings. This equates to a 5.5% reduction from the dispensing levels of Q3 2018.



Benzodiazepine dispensing from Q2 2019 to Q3 2019 increased slightly, by less than 1% (an increase of 133 prescription dispensings). This still equates to an overall 5% reduction from the dispensing levels of Q3 2018.



Dispensing of stimulants continues to fluctuate quarterly between increased and decreased dispensing. Dispensing for Q3 2019 decreased by 1.5% from Q2 2019. Overall, dispensing of stimulants is up almost 5% from the dispensing levels of Q3 2018.




Top 15 Dispensed Monitored Prescription Drugs

Table 1 below shows the top 15 most dispensed monitored prescription drugs in Q3 2019 compared to Q2 2019, ranked in order of the number of prescriptions dispensed in Q3 2019. The top 15 drugs make up nearly 88% of the dispensing of monitored prescription drugs for any given quarter. There has been no change to the order of the top 15 drugs dispensed in recent quarters.

Table 1. Top 15 Dispensed Monitored Prescription Drugs by Dispensing Volume								
	Drug Name	Drug Class	Q2 2019 Dispensing	Q3 2019 Dispensing	Percent Change			
1	Hydrocodone-Acetaminophen	Opioid	274,567	270,122	-1.6%			
2	Amphetamine-Dextroamphetamine	Stimulant	202,443 202,051		-0.2%			
3	Tramadol HCl	Opioid	170,857	170,957	0.1%			
4	Lorazepam	Benzodiazepine	138,997	139,679	0.5%			
5	Alprazolam	Benzodiazepine	134,654 133,500		-0.9%			
6	Oxycodone HCl	Opioid	129,451	129,617	0.1%			
7	Clonazepam	Benzodiazepine	116,206	117,289	0.9%			
8	Zolpidem Tartrate	Other	109,170	109,984	0.7%			
9	Lisdexamfetamine Dimesylate	Stimulant	98,472	96,654	-1.8%			
10	Methylphenidate HCl	Stimulant	97,747	93,851	-4.0%			
11	Oxycodone w/ Acetaminophen	Opioid	83,877	81,433	-2.9%			
12	Pregabalin	Other	59,884	59,801	-0.1%			
13	Buprenorphine HCI-Naloxone HCI Dihydrate	Opioid	47,786	48,824	2.2%			
14	Diazepam	Benzodiazepine	46,794	46,186	-1.3%			
15	Morphine Sulfate	Opioid	40,966	40,562	-1.0%			

One notable trend in the top 15 drugs is that the dispensing of Buprenorphine HCl-Naloxone HCl Dihydrate, one of the medications commonly used as part of Medication-Assisted Treatment (MAT) for opioid use disorder, continues to rise. Note that this does not include dispensings that occur at an opioid treatment program due to federal regulation 42 CFR Part 2, which prohibits federally funded opioid treatment programs from submitting dispensing data to state PDMPs. Buprenorphine HCl-Naloxone HCl Dihydrate moved into the top 15 dispensed monitored prescription drugs in Q3 2018 and was the 13th most dispensed monitored prescription drug in Q3 2019, with an increase of almost 3% from Q2 2019 to Q3 2019. This equates to an increase of almost 24% in the past 12 months.



Data-Driven Alerts

The WI ePDMP application performs sophisticated data analytics on a patient's prescription history to assess the patient's monitored prescription drug history and to alert WI ePDMP users to potential indications of abuse or diversion, such as early refills and multiple prescribers or dispensers, or factors that increase overdose risk, such as high morphine milligram equivalent doses and overlapping benzodiazepine and opioid prescriptions. Data-driven alerts are presented on the patient report as a way to call attention to specific detail from the dispensing data.


The 6 types of data-driven concerning patient history alerts are:

- 1. **Concurrent Benzodiazepine and Opioid Prescription Alert**, which indicates when a patient's active current prescriptions include both an opioid and a benzodiazepine, a combination that significantly increases the patient's risk of overdose.
- 2. Long-Term Opioid Therapy with Multiple Prescribers Alert, which indicates when a patient has been prescribed at least one opioid prescription from two or more prescribers for 90 or more days.
- 3. *High Current Daily Dose of Opioids Alert*, which indicates when a patient's active current prescriptions are estimated to provide a daily dose of opioids that exceeds 90 morphine milligram equivalents (MME), thereby increasing the patient's risk of overdose.
- 4. *Early Refill Alert*, which indicates when a patient has refilled a controlled substance prescription two or more days earlier than the expected refill date based on the estimated duration of the prescription calculated and reported by the pharmacy.
- 5. *Multiple Prescribers or Pharmacies Alert*, which indicates that the patient has obtained prescriptions from at least five prescribers or five pharmacies within the previous 90 days. The five prescribers or dispensers may be associated with the same clinic, practice or location, but the WI ePDMP still views them as separate prescribers/dispensers. This alert is not a direct indication of doctor shopping; it is simply a flag for further inspection of the dispensing history.
- 6. *Multiple Same Day Prescriptions Alert*, which indicates when a patient has received the same controlled substance drug from multiple prescribers or pharmacies on the same day.

Overall, the number of concerning patient history alerts generated by analytics of the dispensing data has continued to decrease, with a 7% reduction from Q2 2019 to Q3 2019. The most frequently occurring alert, Overlapping Benzodiazepine and Opioid prescriptions, decreased in occurrence by 2% from Q2 2019 to Q3 2019. The number of occurrences in Q3 2019 was 13% lower than the same quarter in 2018 and 37% lower than the first quarter the alerts were made available to WI ePDMP users in Q1 2017. The rate of occurrences in Q3 2019 was 24% lower than the same quarter in 2018 and 47% lower than the first quarter the alerts were made available to WI ePDMP users in Q1 2017.


See Table 2 and Figure 6 below for detail on the overall volume of alerts by alert type since the WI ePDMP was launched in Q1 2017, as well as the percent change that occurred from Q2 2019 to Q3 2019. Values for preceding quarters may be modified after the conclusion of a quarter, based on the duration of prescriptions that bridge quarters, which is why it is important to view the number of occurrences for Q3 2019 not only in relation to the preceding quarter, but also in relation to the same quarter of the previous year, as well as a part of the overall trend compared to the first quarters during which the alerts were presented to WI ePDMP users.

	Table 2. Concerning Patient History Alerts Listed by Volume of Alerts Generated								
	Alert Type	Q2 2019	Q3 2019	Percent Change					
1	Concurrent Benzodiazepine and Opioid	24,893	24,318	-2.3%					
2	Long-Term Opioid Therapy	16,709	16,268	-2.6%					
3	High Opioid Daily Dose	20,437	19,515	-4.5%					
4	Early Refill	25,414	22,748	-10.5%					
5	Multiple Prescribers or Pharmacies	15,544	12,849	-17.3%					
6	Multiple Same Day Prescriptions	1,376	1,157	-15.9%					
	All Alert Types	105,867	104,373	-1.4%					




Disclosure of WI PDMP Data

Between July 1 and September 30, 2019, healthcare users made a total of 1,928,717 patient queries. Breaking down the queries by user type shows that 44% of the queries were performed by delegates of prescribers or pharmacists, 36% were performed by prescribers, 17% by pharmacists, and 3% by other non-prescribing healthcare professionals. The number of patient queries per month is continuing to increase, even with the overall decreases seen in the dispensing of monitored prescription drugs. Query volume increased by about 1% in Q3 2019 compared to Q2 2019, even though dispensing volume decreased slightly.




The WI ePDMP is currently connected to 21 other state PDMPs via the National Association of Boards of Pharmacy's PMP InterConnect (PMPi) and the RxCheck interstate data sharing hub. This allows healthcare users to expand the WI ePDMP patient query to return results from PDMPs in other states, including Wisconsin's border states of Minnesota, Michigan, Illinois, Iowa and Indiana.

Healthcare professionals from 18 health systems in Wisconsin have one-click access to the PDMP from within their electronic health record (EHR) platform in order to facilitate patient queries within a provider's busy workflow. Figure 8 below shows that, in Q3 2019, over 47% of patient queries were through the direct EHR integration, which is up from 44% in Q2 2019.



Authorized individuals from non-healthcare groups made a total of 417 requests for PDMP data in Q3 2019, which is a 2% increase over the previous quarter. Authorized law enforcement queries make up 70% of the non-healthcare queries.




Law Enforcement Reports

In Q3 2019 there were 687 events reported to the WI ePDMP by Wisconsin law enforcement agencies as required by s. 961.37 (3) (a), Wis. Stat. The law requires the agencies to submit a report in each of the following situations:

- 1. When a law enforcement officer receives a report of a stolen controlled substance prescription.
- 2. When a law enforcement officer reasonably suspects that a violation of the Controlled Substances Act involving a prescribed drug is occurring or has occurred.
- 3. When a law enforcement officer believes someone is undergoing or has immediately prior experienced an opioid-related drug overdose.
- 4. When a law enforcement officer believes someone died as a result of using a narcotic drug.

Prescribers of patients associated with these events receive a proactive email notice from the WI ePDMP, in addition to the event being captured as an alert on the patient report in the WI ePDMP. Figure 10 shows the number of law enforcement reports submitted to the WI ePDMP by month since the WI ePDMP was launched. There is no statutory requirement for law enforcement agencies to submit their reports within a certain timeframe after the date of the event, and outreach efforts continue to emphasize the value that law enforcement reporting brings for healthcare clinical decision making.



The distribution of submission by report type remains fairly consistent from one quarter to the next. The 2019 year-to-date distribution by report type can be seen below:

- 42% of the reports submitted were reports of stolen controlled substance prescriptions
- 20% of the reports submitted were for suspected violations of the Controlled Substances Act
- 34% of the reports submitted were for suspected non-fatal opioid-related overdose events
- 5% of the reports submitted were for suspected narcotic-related deaths.

Summary

The third quarter of 2019 shows a continuation of the overall decrease in dispensing of monitored prescription drugs, although there was little change in the number of opioid and benzodiazepine prescriptions dispensed in Wisconsin compared to the previous quarter. The number of patient queries performed per month has remained consistent, and is even increasing, even though the overall quantity of monitored prescription drugs being dispensed is decreasing. This indicates that the WI ePDMP continues to be a valuable tool to support safe prescribing, treatment, and dispensing decisions.

Data show overall decreased dispensing for Q3 2019 compared to Q3 2018:

- There was a 1% decrease in the total number of all monitored prescription drugs dispensed in Q3 2019 from the previous quarter and a total decrease of nearly 3% when compared to the same quarter from the previous year.
 - The number of opioid prescriptions dispensed decreased by 5%, or almost 48,000 fewer prescriptions, compared to the previous year.
 - The number of benzodiazepine prescriptions dispensed decreased by almost 4%, or 21,000 fewer prescriptions, compared to the previous year.
 - The dispensing of stimulants prescriptions dispensed increased by 5% compared to the previous year

Overall dispensing rates of monitored prescription drugs remain significantly lower in Q3 2019 than they were at their peak in Q4 2015:

- In Q3 2019, there were 26% fewer monitored prescription drugs dispensed, or nearly 700,000 fewer prescriptions, than in Q4 2015.
 - The number of opioid prescriptions dispensed in Q3 2019 was 36%, or over 450,000 prescriptions, lower than the peak number in Q4 2015.
 - The number of benzodiazepine prescriptions dispensed in Q3 2019 was 26%, or nearly 160,000 prescriptions, lower than the peak level in Q4 2015.

Encouraging trends found in the WI PDMP continued in Q3 2019:

- The dispensing of Buprenorphine HCI-Naloxone HCI Dihydrate (Suboxone[®]), one of the medications commonly used as part of Medication-Assisted Treatment (MAT) for opioid use disorder, increased by 2% in Q3 2019 compared to Q2 2019, which equates to an increase of 24% in the past 12 months and over 66% since Q1 2016.
- The occurrence of data-driven concerning patient history alerts, including measures that indicate drug seeking behaviors and increased risk for overdose, declined by 7% from the previous quarter, 19% over the past 12 months, and 41% from the launch of the WI ePDMP in Q1 2017.

Additional detail about the WI ePDMP data, including county-level detail for many of the charts, can be found on the WI ePDMP Public Statistics Dashboard (<u>https://pdmp.wi.gov/statistics</u>), under the corresponding tabs of Controlled Substance Dispensing, PDMP Utilization, and Law Enforcement Alerts.