

**SPS 390 POOLS CODE ADVISORY COMMITTEE  
MEETING MINUTES  
November 1, 2016**

**PRESENT:** Thomas Carrico, Jason Hammond (*arrived at 12:15 p.m.*), Robert Jelinek, Douglas Voegeli

**EXCUSED:** Daryl Matzke

**STAFF:** Sandy Cleveland, Administrative Rules Coordinator; Tom Braun, Section Chief; Glen Jones, Plumbing Plan Reviewer; Nifty Lynn Dio, Bureau Assistant; and other Department staff

Jason Hammond, Chair, called the meeting to order at 9:00 a.m. A quorum of three (3) members was present.

**ADOPTION OF AGENDA**

**MOTION:** Thomas Carrico moved, seconded by Douglas Voegeli, to adopt the agenda as published. Motion carried unanimously.

**APPROVAL OF MINUTES**

**MOTION:** Douglas Voegeli moved, seconded by Thomas Carrico, to approve the minutes of September 20, 2016 as published. Motion carried unanimously.

**LEGISLATIVE AND ADMINISTRATIVE RULE MATTERS – DISCUSSION AND  
CONSIDERATION**

**Continue Review of Pool Code Recommendations**

**MOTION:** Thomas Carrico moved, seconded by Douglas Voegeli, to accept the MAHC definition of Bulkheads. Motion carried unanimously.

**MOTION:** Thomas Carrico moved, seconded by Douglas Voegeli, to repeal 390.11(5)(c). Motion carried unanimously.

**MOTION:** Douglas Voegeli moved, seconded by Thomas Carrico, to table discussion of entrapment and bulkheads pending receipt of further information from Bulkhead manufacturers and DSPS staff. Motion carried unanimously.

**MOTION:** Robert Jelinek moved, seconded by Douglas Voegeli, to Bulkheads shall comply with the additional provisions: of MAHC section 4.12.7.3-4.12.7.10 with the following modifications:

**BULKHEAD INSTALLATION**

Shall only be permitted in pools with a surface area of 2,000 Sq Ft or greater.

**4.12.7.3 Placement**

The BULKHEAD placement shall minimize interference with the required water circulation in the POOL.

**4.12.7.4 Fixed**

BULKHEADS shall be fixed to their operational position(s) by a tamper-proof system.

**4.12.7.5A Gap**

The gap between the BULKHEAD and the POOL wall shall be no greater than 1.5 inches (3.8 cm).

**4.12.7.6A Handhold**

~~The BULKHEAD shall be designed to afford an acceptable handhold as required in MAHC 4.5.14.~~

#### **4.12.7.7 Entrances and Exits**

The proper number of entrances/exits to the POOL as required by SPS 390.12 ~~by MAHC 4.5.3~~ shall be provided when the BULKHEAD is in place.

#### **4.12.7.8 DECK OBSTRUCTION PROTECTION**

Protection shall be provided at both ends of the BULKHEAD where it meets the deck as required under SPS 390.13(3).

#### **4.12.7.9A Width**

The width of the walkable area (total BULKHEAD width) of a BULKHEAD shall be greater than or equal to three feet.

#### **4.12.7.9.1A Starting Platforms**

If starting platforms are installed, the width of the walkable area (total BULKHEAD width) of a BULKHEAD shall be greater than or equal to three feet and nine inches (1.1 m).

#### **4.12.7.9.1.1 Side Mount Style**

Starting platforms shall be “side mount” style if BULKHEAD is less than four feet six inches (1.4 m) wide.

#### **4.12.7.10 Bulkhead Travel**

The travel of a BULKHEAD shall be in accordance with one of the following:

- 1) Limited such that it cannot encroach on any required clearances of other features, such as diving boards; or
  - 2) Designed with modifications incorporated that prevent use of other features when the required clearances have been compromised by the position of the BULKHEAD.
- Motion carried unanimously.

**MOTION:** Douglas Voegeli moved, seconded by Thomas Carrico, to accept the proposed language for Sunning Shelves SPS 390.11(5) replacing proposed section 3 related to color contrasting with SUNNING SHELVES shall have a slip-resistant surface, with a minimum of two inch color contrasting leading horizontal and vertical edges on both the top of horizontal edges and leading vertical edges. Motion carried unanimously.

**MOTION:** Robert Jelinek moved, seconded by Jason Hammond, if provided, ladders, Recessed Treads and Stairs leading to a Sunning Shelf shall meet requirements of SPS 390.12 Motion carried unanimously.

### **ADJOURNMENT**

**MOTION:** Robert Jelinek moved, seconded by Thomas Carrico, to adjourn the meeting. Motion carried unanimously.

The meeting adjourned at 2:55 p.m.